

A


07/22/99
H0535 U.S. PTO

UTILITY PATENT APPLICATION TRANSMITTAL <i>(Only for new nonprovisional applications under 37 CFR 1.53(b))</i>	Attorney Docket No.	H0535/7009(ERG)
	First Named Inventor or Application Identifier	
	Howard Green et al.	
	Express Mail Label No.	EL056788495US
Date of Deposit		July 22, 1999

1542 U.S. PTO
09/359920
07/22/99

APPLICATION ELEMENTS <i>See MPEP chapter 600 concerning utility patent application contents</i>	ADDRESS Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
1. <input type="checkbox"/> Fee Transmittal Form <i>(Submit an original, and a duplicate for fee processing)</i> 2. <input checked="" type="checkbox"/> Specification [Total pages 91] 80 pages specification 1 pages abstract 10 pages claims 73 claims 3. <input type="checkbox"/> Drawing(s) (35 USC 113) [Total sheets 2] <input type="checkbox"/> Informal <input checked="" type="checkbox"/> Formal [Total drawings 3] 4. <input type="checkbox"/> Oath or Declaration [Total pages] a. <input type="checkbox"/> Newly executed (original or copy) b. <input type="checkbox"/> Copy from a prior application (37 CFR 1.63(d)) <i>(for continuation/divisional with Box 17 completed)</i> [Note Box 5 below] i. <input type="checkbox"/> DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b). 5. <input checked="" type="checkbox"/> Incorporation by Reference <i>(usable if Box 4b is checked)</i> The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.	6. <input type="checkbox"/> Microfiche Computer Program (Appendix) 7. <input type="checkbox"/> Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) a. <input type="checkbox"/> Computer Readable Copy b. <input type="checkbox"/> Paper Copy (identical to computer copy) c. <input type="checkbox"/> Statement verifying identity of above copies
ACCOMPANYING APPLICATION PARTS	
8. <input type="checkbox"/> Assignment Papers (cover sheet & documents(s)) 9. <input type="checkbox"/> 37 CFR 3.73(b) Statement <input type="checkbox"/> Power of Attorney <i>(when there is an assignee)</i> 10. <input type="checkbox"/> English Translation of Document <i>(if applicable)</i> 11. <input type="checkbox"/> Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations 12. <input type="checkbox"/> Preliminary Amendment 13. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) <i>(Should be specifically itemized)</i> 14. <input type="checkbox"/> Small Entity <input type="checkbox"/> Statement filed in prior application, Status still proper and desired 15. <input type="checkbox"/> Certified Copy of Priority Document(s) <i>(if foreign priority is claimed)</i>	
16. Other:	
17. If a CONTINUING APPLICATION , check appropriate box and supply the requisite information: <input type="checkbox"/> Continuation <input type="checkbox"/> Divisional <input checked="" type="checkbox"/> Continuation-in-part (CIP) of prior application No.: 09/234,358. <input type="checkbox"/> Cancel in this application original claims ____ of the prior application before calculating the filing fee. Amend the specification by inserting before the first line the sentence: This application is a <input type="checkbox"/> continuation <input type="checkbox"/> divisional of application serial no. ____, filed ____, entitled _____, and now _____.	

18. CORRESPONDENCE ADDRESS					
Correspondence address below					
ATTORNEY'S NAME	Edward R. Gates, Reg. No. 31,616				
NAME	Wolf, Greenfield & Sacks, P.C.				
ADDRESS	600 Atlantic Avenue				
CITY	Boston	STATE	MA	ZIP	02210
COUNTRY	USA	TELEPHONE	(617) 720-3500	FAX	(617) 720-2441

19. SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT REQUIRED	
NAME	Edward R. Gates, Reg. No. 31,616
SIGNATURE	
DATE	July 22, 1999

5

TRANSGLUTAMINASE LINKAGE OF AGENTS TO TISSUE

This application is a continuation-in-part of U.S. patent application serial no. 09/234,358, filed January 20, 1999, entitled "Transglutaminase Linkage of Agents to Tissue" which is pending, the entire disclosure of which is incorporated herein by reference.

10

Field of the Invention

This invention relates to the linkage of agents to tissue by transglutaminase and involves methods, products and kits relating thereto.

15

Background of the Invention

Transglutaminases are a family of calcium-dependent enzymes mediating covalent cross-linking reactions between specific peptide bound (-glutamyl residues and various primary amino groups of peptide-bound lysines or polyamines, acting as amine donor substrates (Davies, et al., *Adv. Exp. Med. Biol.* 250, 391-401, 1988). These enzymes stabilize biological structures via the formation of isopeptide cross-links. In mammals, at least five enzymatically active transglutaminases have been identified, cloned and sequenced. The number of proteins acting as glutaminyl substrates for transglutaminases is restricted, and no obvious consensus sequence around these substrates' glutamines has been found.

20

Three main lines of investigation have been conducted surrounding transglutaminases. These enzymes have been used to label membrane proteins and, in the absence of exogenous amines, to catalyze the formation of ((-glutamine)-lysyl cross-links between them. The labeling is quite specific and can be carried out under mild (physiological) reaction conditions. Thus, for example, transglutaminases were used to study rhodopsin in the intact disc membrane, as only residues of rhodopsin located in the aqueous phase in the exposed side of the disc membranes were expected to be labeled. In these experiments, rhodopsin was labeled by transglutaminase using putrescine and dansylcadaverine as detectable substrates.

30

The role of transglutaminases in living cells also has been studied, for example, using the cell-penetrating labeled substrate fluoresceincadaverine for detecting amine acceptor protein substrates accessible to active transglutaminase in living cells. A similar strategy was

employed using 5-(biotinamido)-pentylamine as a label. Such labeled substrates can be detected directly, for example by fluorescence, or can be detected indirectly, for example using antibodies, to identify native proteins to which the labeled substrate has been covalently attached by transglutaminase. See, Pober, J.S. et al., *Biochemistry*, Vol. 17, No.

11:2163-2169 (1978); Lajemi, M. et al., *Histochemical Journal* 29:593-606 (1997).

More recently, an investigation was carried out to determine if polyglutamine is a transglutaminase substrate. It was determined that as long as polypeptides including stretches of polyglutamine are rendered sufficiently soluble by the flanking residues, all were excellent substrates of transglutaminase. Based upon these studies, it was speculated that certain diseases such as Spinocerebellar ataxia Type I, Machado-Joseph disease, and Dentato-Rubral pallidolusian atrophy which are characterized by proteins having polyglutamine stretches, may arise as a result of aggregation of such proteins acted upon by a transglutaminase.

It also is described in U.S. Patent 5,525,336 (the disclosure of which is incorporated herein by reference in its entirety) that transglutaminas and corneocyte proteins, the natural substrates of transglutaminas, can be used together as cosmetic treatments to cross-link preparations of corneocyte proteins to the outer layer of skin, hair or nails to form a protective layer on the skin, hair or nails.

U.S. Patent 5,490,980 describes selecting agents having or modifying agents to have an aliphatic amine, and then attaching those agents to skin, hair or nails using transglutaminase. While the idea was sound in principle, in practice the '980 applicants achieved results that were barely above background. (See Example Section of '980 patent). An aliphatic amine was applied in the examples as a single linking molecule or prophetically in clusters (according to a formula in the '980 patent). In selecting the amine moiety of the pair of known transglutaminase substrate moieties, the '980 patent taught away from using the carboxamide substrate moiety.

Summary of the Invention

It has been discovered, surprisingly, that certain substrates of transglutaminase are particularly desirable for use as linking molecules to attach agents to proteinaceous material such as body tissue. It also has been discovered that molecules, including native peptides and conjugates according to the invention, can be screened to determine those that can be substrates of transglutaminases, and then such molecules can be attached to body tissue.

Method of attaching agents to body tissue and methods of screening molecules using transglutaminase are provided. In addition, compositions of matter suitable as substrates for transglutaminase and kits containing such molecules together with transglutaminase are provided.

5 According to one aspect of the invention, a method is provided for attaching a non-corneocyte protein, non-labeling agent to a body tissue. A conjugate of the agent and a linking molecule having a carboxamide, the linking molecule being a carboxamide-bearing substrate of transglutaminase, is applied to the body tissue. Transglutaminase also is applied to the body tissue, in an amount effective for cross-linking the conjugate to the body tissue via
10 the linking molecule. The cross-linking then is allowed to occur. In certain embodiments the agent is not fibronectin (i.e., a nonfibronectin agent). In certain embodiments the agent is not an extracellular matrix protein (i.e. a non-extracellular protein agent). Preferably the linking molecule comprises a polymer of at least 3, 4 or 5 linked units, each unit being a carboxamide substrate of transglutaminase.

15 According to another aspect of the invention, a method is provided for attaching a non-corneocyte protein, non-labeling agent to a body tissue. The method involves selecting a non-corneocyte protein, non-labeling agent that is a carboxamide substrate for transglutaminase. The agent, in an isolated form, then is applied to the body tissue in the presence of a sufficient amount of transglutaminase to cross-link the isolated agent to the
20 body tissue. The cross-linking then is allowed to occur. In this embodiment, the agent can be a conjugate of a native, non-corneocyte, non-labeling active agent and a linking molecule not native to the agent. It also is the case that the agent can be a native agent free of conjugation with groups not native to the agent. The agent in certain embodiments is a non-extracellular matrix protein agent.

25 In either of the foregoing embodiments, the linking molecule can be any number of a variety of molecules. In some embodiments, the linking molecule is at least one glutamine. The linking molecule, likewise, can be one bearing multiple reactive carboxamides, such as two or more contiguous linked L or D glutamines. D glutamines have the advantage of being physiologically more stable than L glutamines. In a preferred embodiment, the linking
30 molecule is a polymer rich in carboxamides that are substrates of transglutaminase, such as a polymer rich in glutamine. The linking molecule also can be a polymer rich in both carboxamides and aliphatic amines, such as one rich in both glutamine and lysine. A polymer

rich in glutamine, lysine, or glutamine and lysine is a molecule wherein at least 20% of the units of the polymer are glutamine, lysine or glutamine and lysine, respectively or wherein the molecule includes at least three, preferably four and most preferably five contiguous, linked transglutamines substrates, preferably linked by peptide bonds. A polymer rich in
5 glutamines, lysines or glutamines and lysines, can be a polymer that contains at least 30% glutamines, lysines or glutamines and lysines, at least 40% glutamines, lysines or glutamines and lysines, or even 50% or more glutamines, or glutamines and lysines.

In certain preferred embodiments, the methods described above involve first preparing the body tissue for the attachment of the agent to the body tissue. In one important

10 embodiment, a separate "complementary" linking molecule that is attachable to the linking molecule by transglutaminase is first attached to the body tissue to provide multiple, accessible linking sites for the attachment of the linking molecule to the body tissue. As used herein a pair of molecules which are covalently joined by transglutaminase are said to be complementary molecules. The complementary linking molecule can be attached to the body
15 tissue by any suitable means, but preferably is attached by applying the complementary linking molecule to the body tissue, and applying transglutaminase to the body tissue in an amount effective for cross-linking the complementary linking molecule to the body tissue. Cross-linking then is allowed to occur. Preferably, the complementary linking molecule is a polymer rich in lysine, glutamine, or both glutamine and lysine.

20 Layers of such linking molecules can be attached to body tissue. To exemplify, polyglutamine could first be attached to the surface of a body tissue using transglutaminase. Then, polylysine could be attached to the polyglutamine using transglutaminase. Subsequently polyglutamine could be attached to the polylysine by transglutaminase, and so forth, to create by amplification alternating layers of such molecules on the body tissues, for
25 example, for bulking purposes or to provide an even, continuous bed of reactive groups for linking an active agent to the body tissue.

For example, polymers comprising polyglutamine may first be attached to a body tissue as primary linking molecules. Then, polymers comprising the complementary linker (e.g. polylysine) can be attached to the body tissue via the polymers comprising
30 polyglutamine. Finally, agents conjugated with polyglutamine then may be applied to the coated body surface and easily attached to the exposed amines of the polylysines.

In important embodiments, the native agent is not itself a substrate of

transglutaminase. Thus, it is required that the agent be conjugated to a substrate of transglutaminase whereby the agent may be attached to the body tissue by such a substrate which acts as the linking group. It also is possible to modify peptide agents by adding a side group, whereby the agent which itself is not a substrate of transglutaminase is converted to a substrate of transglutaminase.

According to the foregoing methods, the agents and conjugates are attached to proteinaceous material. The preferred proteinaceous material is body tissue, including the integument, a wound bed, internal organs or internal tissue of a living subject.

According to the foregoing methods, the agent can be any variety of agents, including cosmetics such as bulking agents, coloring agents, sunscreen agents, hair conditioning agents, hair fixative agents, anti-foaming agents, moisturizing agents, including humectants, and depilatories (i.e., hair removal agents), vitamins, film forming agents such as those used in hair fixatives or wound healing, insect repellants including louse repellents, anti-nerve gas or anti-neurotoxin agents such as enzymes including cholinesterase and phosphodiesterase, pharmaceutical agents, ligands of ligand-receptor complexes, receptors of ligand-receptor complexes, and the like. In one important embodiment, the agent is a member of a noncovalent coupling pair, such as biotin and avidin, to provide a universal linker as discussed in greater detail below. In certain embodiments, particularly those employing pharmaceutical agents, the bond between the agent and the linking molecule can be a bond which cleaves under normal physiological conditions or which can be caused to cleave specifically, for example, by light. In many instances where the agent is not itself a substrate of transglutaminase, the agent is a non-protein.

According to another aspect of the invention, a method is provided for attaching an agent to a body tissue. A linking molecule, that is covalently bonded to the agent in the presence of transglutaminase, is attached to the body tissue. Then, an agent that is a substrate of transglutaminase is applied to the body tissue. Transglutaminase also is applied to the body tissue, in an amount effective to cross-link the agent to the linking molecule. Cross-linking then is allowed to occur. The linking molecule can be attached to the body tissue by any suitable means, but preferably is itself a substrate of transglutaminase and preferably is attached to the body tissue by applying the linking molecule to the body tissue together with transglutaminase, the transglutaminase being present in an amount effective to cross-link the linking molecule to the body tissue. Preferred agents and linkers are as discussed above.

Most preferred linking molecules are glutamine, lysine and polymers of glutamine and/or lysine or polymers that are rich in glutamine, or lysine, or both glutamine and lysine.

In this embodiment, the agent can be any substance including those listed above (with or without conjugated complementary linking molecules depending on whether the agent is itself a substrate of transglutaminase) but also including visible labels, extracellular matrix proteins and corneocyte proteins. Preferred body tissues are as described above. The transglutaminase may be endogenous transglutaminase.

According to another aspect of the invention, a method is provided for attaching an agent to a body tissue. The method involves first attaching to the body tissue a linking molecule which is covalently bondable to the agent in the presence of transglutaminase. Then, the method involves applying to the body tissue having the linking molecule attached thereto an agent that is a substrate of transglutaminase and that is covalently bondable to the linking molecule in the presence of transglutaminases, the applying carried out in the presence of the sufficient amount of transglutaminase effective to cross-link the agent to the cross-linking molecule. Cross-linking then is allowed to occur. Preferred agents, linking molecules and body tissues are as described above.

According to another aspect of the invention, a method for attaching a nonextracellular matrix protein, preferably nonlabeling, agent to a body tissue is provided. The method involves applying to the body tissue a conjugate of the agent and a linking molecule, the linking molecule being a polymer carrying at least 3 aliphatic amines spaced along the polymer, applying to the body tissue transglutaminase in an amount effective for crosslinking the linking molecule to the body tissue, and allowing crosslinking to occur. The aliphatic amines can be the side chain of L or D lysines. D lysines have the advantage of being physiologically more stable than L lysines. Most preferably, the linking molecule is selected from the group consisting of at least 3, at least 4 and at least 5 contiguous lysines attached to one another directly by peptide bonds. The polymer also can be one rich in aliphatic amines such as one rich in lysines, as described above. Preferred agents and body tissues are as described above.

According to another aspect of the invention, compositions of matter are provided. The compositions include conjugates of a non-corneocyte, non-labeling agent and a linking molecule having a carboxamide, the linking molecule being a carboxamide bearing substrate of transglutaminase, wherein the agent is selected from the group consisting of a sunscreen

agent, a bulking agent, a cosmetic, a hair conditioning agent including an anti-foaming agent or an anti-static agent, a hair fixative agent, a moisturizing agent, including a humectant, and a depilatory agent (i.e., a hair removal agent), a vitamin, a film forming agent such as those used in hair fixatives or wound healing, an enzyme, a coloring agent, a pharmaceutical agent, a member of a ligand/receptor pair, a component of a high-affinity non-covalent coupling pair, a tissue sealant, an insecticide including louse repellents, an insect repellent, a bactericide, a fungicide, an anti-nerve gas or anti-neurotoxin agent and the like. The linking group is not native to the agent. Preferred linking molecules are as described above. In certain embodiments, particularly those involving the pharmaceutical agents, the bond between the agent and the linking group or molecule is a hydrolyzable bond or light cleavable bond. In certain important embodiments, the agent is a non-protein. In other important embodiments, the agent is an active agent. In other important embodiments, the agent, in its native form free of conjugation to the linking molecule, is not itself a substrate of transglutaminase.

Another composition is as described above, except that the linking molecule is one bearing multiple, spaced aliphatic amines. Such linking molecules carry at least three, preferably at least 4 and more preferably, at least 5 aliphatic amines that are substrates of transglutaminase, attached to the backbone of the linking molecule and separated from one another and spaced at discrete intervals. The linking molecule can be a polymer, and, in one important embodiment has at least 3, 4 or 5 contiguous lysines attached directly to one another by peptide bonds. In another embodiment the polymer is rich in aliphatic amines.

According to other aspects of the invention, kits are provided. One such kit includes a package housing a first container containing a composition of matter as described above and a second container containing transglutaminase. The kit can further comprise a third container housed by the package, the third container containing a linking molecule that is a substrate of transglutaminase and that is covalently bondable, in the presence of transglutaminase, to the composition contained in the first container. The various containers also can contain vehicles, preservatives, buffers, calcium chelators and calcium (which is necessary for the activity of transglutaminase).

As mentioned above, the tissue can be pretreated to make it more receptive to the action of transglutaminase. In one embodiment described above, this is accomplished by attaching polymers rich in glutamine, lysine or both glutamine and lysine to the body tissue. In other embodiments, the tissue is treated to expose reactive glutamines and/or lysines by

washing, chemical treatment, etc. Detergents and lipases can be used to remove fatty acids and oils. Roughening agents such as pumice, silica and sandpaper can be employed to remove dead tissue and other obstructions, and chemical agents such as sodium hydroxide can be used to expose reactive groups. Combinations of the foregoing are contemplated.

5 The invention also involves the use of transglutaminase to 'glue' two tissues together. Two tissues are held under force in contact with one another in the presence of an effective amount of transglutaminase, whereby the transglutaminase causes the cross-linking of the tissue to occur. Preferably, the surfaces of the tissues to be glued to one another are treated with a substrate of transglutaminase such as polymers rich in glutamine, lysine or both

10 glutamine and lysine to create highly reactive surfaces in the presence of transglutaminase. These highly reactive surfaces are bonded to one another. Even more preferably, the surfaces of the tissue are first treated with a linking molecule to crosslink the linking molecule to the surfaces, then a linking molecule complementary to the first is applied to crosslink the linking molecules to one another and glue the tissue. The transglutaminase may be exogenously
15 supplied. The tissue may be held together by any conventional means, such as sutures, tape, stapes and the like.

The agent also can be in a vehicle such as a microparticle, e.g. a microsphere or a nanosphere, the microsphere or nanosphere being rich in carboxamide or aliphatic amine substrates of transglutaminase, such as glutamines, lysines, or glutamines and lysines,
20 whereby the microsphere or nanosphere can be attached to a body tissue.

According to still another aspect of the invention, a composition of matter is provided comprising a conjugate of a linking molecule that is a substrate of transglutaminase and an agent that is selected from the group consisting of a component of a ligand-receptor pair, a component of a high-affinity noncovalent binding pair and a microparticle. In this
25 embodiment the linking molecule can be a carboxyamine substrate of transglutaminase or a alaphatic amine substrate of transglutaminase, such as lysine or known alaphatic amine substrates.

These and other aspects of the invention are described in further detail below.

Brief Description of the Drawing

Figure 1 depicts a kit according to the invention.

Figure 2 depicts the skin of a mouse treated according to the invention.

Figure 3 depicts the mouse of Figure 2 after 10 days.

Detailed Description

The invention is based in part on the discovery that polymers bearing multiple reactive
5 (with transglutaminase) carboxamides or multiple reactive aliphatic amines are particularly
useful linking molecules for attaching agents to protienaceous material such as skin and hair.
The closest prior art teaches away from using carboxamides and also from using polymers
bearing multiple reactive aliphatic amines as defined herein, for such a purpose as described
in greater detail below.

10 In general, the agents are chemical agents and include pharmaceutical agents,
enzymes, cosmetics, bulking agents, hair conditioners and hair fixatives, anti-foaming agents,
antistatic agents, moisturizing agents, including humectants, depilatories (i.e., hair removal
agents), vitamins, film forming agents such as those used in hair fixatives or wound healing,
anti-nerve gas or anti-neurotoxin agents, sunscreen agents, ligands of ligand-receptor pairs,
15 receptors of ligand-receptor pairs, components of high affinity noncovalent bonding pairs,
insecticides and repellants including louse repellents, bactericides, fungicides, tissue sealants,
labels, structural proteins, chelating agents, microparticles and the like. Examples are listed
below.

In certain embodiments the agent is a noncorneocyte, nonlabeling active agent. Thus,
20 specifically excluded in these embodiments is corneocyte proteins. Corneocyte proteins have
been shown in the prior art to be among the natural substrates of transglutaminase. In certain
embodiments the agent also is a non-extracellular matrix protein agent. A non-extracellular
matrix protein agent is one that is not an extracellular matrix protein. Fibronectin, an
extracellular matrix protein, also has been shown in the prior art to be a substrate of
25 transglutaminase. A nonlabeling active agent is one that is not simply a passive label with no
function, when applied to a body tissue, other than being a label. Specifically excluded are
labeled corneocyte proteins, labeled fibronectin, labeled extracellular matrix proteins,
putrescine, dansylcadaverine, 5-(biotinamido)-pentylamine, fluoresceincadaverine and the
like. Such compounds have been used in the prior art to detect on cells or cell extracts,
30 substrates of transglutaminase.

By active agent it is meant that the agent, once coupled to a biological tissue *in vivo* or
in vitro, has, maintains or can be released to have a desired activity such as a desired

physiological activity or therapeutic activity. Examples of active agents are pharmaceutical agents, sunscreen agents, insecticides, bactericides, fungicides, etc. As used herein, an active agent is not a cosmetic agent and is not a labeling agent including diagnostic agents.

The agents are linked to proteinaceous material. When used *in vivo*, the agents are
5 attached to a body tissue. Particularly important body tissues as sites of attachment are the integument (including specifically skin, nails, hair, mucous membranes and the surface of the eye), internal organs, internal tissue and wound beds. In *in vitro* applications, the tissue may be a body tissue, a tissue or cell isolate, isolated proteins, synthetic proteins, cell cultures and the like for use, for example, in assay systems according to the invention.

10 In certain embodiments, conjugates of agents and linking molecules are applied, for example, to body tissue and covalently linked to that tissue using transglutaminase.

As used herein, a conjugate means two entities stably bound to one another by any physiochemical means. It is important that the nature of the attachment be of such a nature
15 that it does not impair substantially the effectiveness of the agent or the substrate binding ability of the linking molecule. Keeping these parameters in mind, any linkage known to those of ordinary skill in the art may be employed including covalent or noncovalent. Covalent linkage is preferred. Such means and methods of attachment are well known to those of ordinary skill in the art.

Typically the agents used according to the invention are not themselves, in their native
20 form, substrates for transglutaminase. Such agents, however, can be modified according to the invention to render the agent a substrate of transglutaminase. This may be accomplished for example by adding a carboxamide side group(s) to an appropriate moiety of the agent (i.e. a "modified" agent) or by covalently coupling glutamine, lysine or both glutamine and lysine to the agent to form a conjugate that is a substrate of transglutaminase. The most preferred
25 method is to couple polyglutamine, polylysine, a mixed polymer of glutamine and lysine, involucrin (a natural substrate of transglutaminase) or a fragment of involucrin to the agent to form an appropriate conjugate.

Preferred linking molecules are polymers bearing multiple reactive carboxamides and/or aliphatic amines that are substrates of transglutaminase. Carboxamides that are
30 substrates of transglutaminase are well known and include glutamine. Aliphatic amines that are substrates of transglutaminase also are well known and are exemplified in, for example, U.S. patent 5,490,980, the disclosure of which is incorporated herein by reference. Unlike the

'980 patent, however, which depicts single aliphatic amine moieties and plural such moieties as independent substituents in certain circumstances, the present invention involves in one aspect using a plurality of aliphatic amines spaced apart at discrete intervals, preferably along the length of a branched or unbranched polymer. It has been discovered, surprisingly, that the spacing of the reactive moieties can be important to achieving the results of the present invention.

One embodiment involves linking molecules that are polymers having multiple units, which units each bear an aliphatic amine substrate of transglutaminase. The polymer can be a homopolymer or a heteropolymer. As used herein in connection with linking molecules, a polyaliphatic amine substrate of transglutaminase is a linking molecule with at least three aliphatic amines spaced apart from one another at discrete intervals along the backbone of the linking molecule, separated by one or more backbone atoms. This is most easily envisioned, for example, with polymers rich in lysine, whereby discrete units of the polymer carry the aliphatic amine, each being separately a substrate for transglutaminase. The linking molecule itself may be a polymer of contiguous lysines, preferably at least 3, at least 4 and at least 5 such contiguous lysines. Polymers of contiguous units, each carrying an aliphatic amine, are preferred.

The most preferred linking molecules are polymers rich in a carboxamide moiety or an aliphatic amine moiety, such as glutamine, lysine or both glutamine and lysine. A polymer rich in glutamine or lysine is a molecule wherein at least 20% of the units of the polymer carry a carboxamide, an aliphatic amine, or both, such as glutamine, lysine or glutamine and lysine, or wherein the molecule includes at least 3, preferably 4 and most preferably 5 separate and discretely spaced by a regular distance carboxamides or aliphatic amines, such as occurs with contiguous, linked glutamines or lysines. It should be understood, however, that a chain of as few as two glutamines or lysines can be attached to or tethered to an agent to render the agent a substrate of transglutaminase.

As noted above, the invention in one aspect involves attaching active agents to proteinaceous materials using transglutaminase, wherein the native agent itself is a substrate of transglutaminase. Such agents typically will be polypeptides or proteins and most typically will contain reactive glutamines, lysines or both. To determine whether an agent itself is a substrate of transglutaminase (or a modified agent, or a covalent conjugate), a simple screening method is employed.

The screening method involves selecting a nonextracellular matrix protein, nonlabeling agent, preferably an active agent, that is a substrate for transglutaminase. The agent is applied, in an isolated form, to a proteinaceous material such as a body tissue, a body tissue isolate, or more preferably, a polymer rich in glutamine, a polymer rich in lysine or a polymer rich in glutamine and lysine. Then, transglutaminase is applied to the proteinaceous material in an amount sufficient and under appropriate conditions to cross-link the agent to the proteinaceous material if the agent is a substrate of transglutaminase. Then it is determined whether the agent covalently binds to the proteinaceous material. The amounts of materials and conditions employed for these assays are derivable from the examples below and, in general, can be derived by those of ordinary skill in the art without undue experimentation from, for example, the publication by Kahlem, et al., *Proc. Natl. Acad. Sci., USA*, Vol. 93, pp. 14580-14585, December, 1996.

In constructing conjugates, it may be desirable to vary not only the number of glutamines and/or lysines in the linking molecule, but it also may be desirable to tether the linking molecule to the active agent via a spacer. This can remove, for example, any problems that might arise from steric hindrance, wherein access by transglutaminase to the reactive moiety of the linking molecule is hindered. These spacers can be any of a variety of molecules, preferably nonactive, such as straight or even branched carbon chains of C_1 - C_{30} , saturated or unsaturated, phospholipids, amino acids, and in particular glycine, and the like, naturally occurring or synthetic. Additional spacers include alkyl and alkenyl carbonates, carbamates, and carbamides. These are all related and may add polar functionality to the spacers such as the C_1 - C_{30} previously mentioned.

The conjugations or modifications described herein employ routine chemistry, which chemistry does not form a part of the invention and which chemistry is well known to those skilled in the art of chemistry. The use of protecting groups and known linkers such as mono and heterobifunctional linkers are well documented in the literature and will not be repeated here.

Attachment according to the invention thus need not be directed attachment. The components of the compositions of the invention may be provided with functionalized groups to facilitate their attachment and/or linker groups may be interposed between the components of these compositions to facilitate their attachment. In addition, the components of the compositions of the present invention may be synthesized in a single process, whereby the

components could be regarded as one and the same entity. For example, a protein agent may be synthesized recombinantly to include a polyglutamine at one end for linking the polypeptide via transglutaminase.

Specific examples of covalent bonds include those wherein bifunctional cross-linker molecules are used. The cross-linker molecules may be homobifunctional or heterobifunctional, depending upon the nature of the molecules to be conjugated. Homobifunctional cross-linkers have two identical reactive groups. Heterobifunctional cross-linkers are defined as having two different reactive groups that allow for sequential conjugation reaction. Various types of commercially available cross-linkers are reactive with one or more of the following groups: primary amines, secondary amines, sulphhydryls, carboxyls, carbonyls and carbohydrates. Examples of amine-specific cross-linkers are bis(sulfosuccinimidyl) suberate, bis[2-(succinimidooxycarbonyloxy)ethyl] sulfone, disuccinimidyl suberate, disuccinimidyl tartarate, dimethyl adipimate·2 HCl, dimethyl pimelimidate·2 HCl, dimethyl suberimidate·2 HCl, and ethylene glycolbis-[succinimidyl-[succinate]]. Cross-linkers reactive with sulfhydryl groups include bismaleimido-hexane, 1,4-di-[3'-(2'-pyridyldithio)-propionamido]]butane, 1-[p-azidosalicylamido]-4-[iodoacetamido]butane, and N-[4-(p-azidosalicylamido)butyl]-3'-[2'-pyridyldithio]propionamide. Cross-linkers preferentially reactive with carbohydrates include azidobenzoyl hydrazine. Cross-linkers preferentially reactive with carboxyl groups include 4-[p-azidosalicylamido]butylamine. Heterobifunctional cross-linkers that react with amines and sulphhydryls include N-succinimidyl-3-[2-pyridyldithio]propionate, succinimidyl[4-iodoacetyl]aminobenzoate, succinimidyl 4-[N-maleimidomethyl] cyclohexane-1-carboxylate, m-maleimidobenzoyl-N-hydroxysuccinimide ester, sulfosuccinimidyl 6-[3-[2-pyridyldithio]propionamido]hexanoate, and sulfosuccinimidyl 4-[N-maleimidomethyl]cyclohexane-1-carboxylate. Heterobifunctional cross-linkers that react with carboxyl and amine groups include 1-ethyl-3-[[3-dimethylaminopropyl]-carbodiimide hydrochloride. Heterobifunctional cross-linkers that react with carbohydrates and sulphhydryls include 4-[N-maleimidomethyl]-cyclohexane-1-carboxylhydrazide·2 HCl, 4-(4-N-maleimidophenyl)-butyric acid hydrazide·2 HCl, and 3-[2-pyridyldithio]propionyl hydrazide. The cross-linkers are bis-[\$-4-azidosalicylamido)ethyl]disulfide and glutaraldehyde. Amine or thiol groups may be added at any nucleotide of a synthetic nucleic

acid so as to provide a point of attachment for a bifunctional cross-linker molecule. The nucleic acid may be synthesized incorporating conjugation-competent reagents such as Uni-Link AminoModifier, 3'-DMT-C6-Amine-ON CPG, AminoModifier II, N-TFA-C6-AminoModifier, C6-ThiolModifier, C6-Disulfide Phosphoramidite and
5 C6-Disulfide CPG (Clontech, Palo Alto, CA).

In constructing conjugates, it also may be desirable to attach the agent to the linking molecule by a bond that cleaves under normal physiological conditions or that can be caused to cleave specifically upon application of a stimulus such as light, whereby the agent can be released. In certain instances, the agent may be inactive in its conjugated form and activated
10 only when released. In other instances, the agent would be released to exert an activity remote from its point of attachment to the body tissue. In still other instances, the agent would be released in a sustained fashion, to prolong the release of the agent versus an agent applied to tissue but not covalently coupled to the tissue. Readily cleavable bonds include readily hydrolyzable bonds, for example, ester bonds, amide bonds and Schiff's base-type bonds.
15 Bonds which are cleavable by light are well known.

Noncovalent methods of conjugation may also be used. Noncovalent conjugation includes hydrophobic interactions, ionic interactions, high affinity interactions such as biotin-avidin and biotin-streptavidin complexation and other affinity interactions. In one embodiment, a molecule such as avidin is attached to a linking molecule such as
20 polyglutamine. This conjugate, once attached to tissue according to the invention, then becomes a universal linking moiety for any agent attached to a biotin molecule.

As mentioned above, the linking molecules may be part of a microparticle such as a microsphere or a nanosphere and the agent may be contained in the microparticle, either physically entrapped therein, covalently bonded thereto or otherwise physiochemically
25 attached to the microparticle. In preferred embodiments, the microspheres or nanospheres carry, at least on their surface, polymers rich in glutamine, lysine, or both glutamine and lysine. The methods for manufacturing microparticles according to the prior art are well documented and do not form a basis for the present invention. The present invention differs from those of the prior art only in that either the polymers of the microsphere structure
30 themselves contain or are derivatized to contain glutamines and/or lysines, or polymers of glutamine, lysine or glutamine and lysine are included within the mixture of polymers forming the matrix, whereby such polymers are entrapped throughout and at the surface of the

microparticles. Examples of microspheres and nanospheres and their method of manufacture may be found in U.S. Patent 5,075,019, PCT WO95/24929, PCT WO94/23738 and PCT/US96/11990, the disclosures of which are incorporated herein by reference.

Agents in an isolated form are sometimes applied according to the invention. Isolated
5 as used herein will depend upon the agent employed. In general, isolated as used herein means that the material is essentially free of other substances to an extent practical and appropriate for the intended use of the material. In the case of pharmaceuticals and cosmetics, the materials are likely to be substantially pure. In the case of proteins, the proteins are sufficiently pure and sufficiently free from other biological constituents of the host cells from
10 which the proteins are derived so as to be useful in the methods according to the invention. Typically, such agents will be at least 95% or more pure.

Agents are sometimes described as native agents herein. A native agent is one as it occurs in nature (isolated or synthesized to duplicate a naturally occurring molecule), without modification or conjugation as described herein.

15 As mentioned above, the body tissue, to which the agents and conjugates of the invention are to be applied, may be pretreated to facilitate the reaction with transglutaminase. Such treatments include washings, abrasive treatments including physical agents such as pumice, silica and oatmeal, enzymes such as papain, bromelins and the like and chemical agents such as alpha hydroxy acids and glycolic acids. The main object is to treat the body
20 tissue so as to expose or create reactive glutamines and/or lysines. Likewise, as mentioned above, the body tissue may be pretreated by putting down a layer or reactive groups, such as by applying to the body tissue polymers rich in lysine, glutamine or both lysine and glutamine. These materials may be attached to the body tissue by any conventional means, but, according to the invention, also may be attached using transglutaminase.

25 It should be noted that glutamine, lysine, and polymers of glutamine and lysine are described above. As used herein, such terms embrace nonpeptidic multimers of glutamine and lysine whereby amino acid analogs are used to replace these amino acids in the polyglutamine or polylysine substrates. Some well known classes of peptide mimetics and pseudopeptides are: azabicycloalkane amino acids; thiazabicycloalkane amino acids;
30 oxazabicycloalkane amino acids; diazabicycloalkane amino acids. D-amino acids are an important embodiment.

The transglutaminase may be exogenously added transglutaminase or may be

endogenous transglutaminase present at the tissue.

In one embodiment transglutaminase is used to glue two tissues to one another. This can be accomplished in a variety of ways. Transglutaminase, a substrate of transglutaminase, or both can be supplied to the surfaces of two tissues which then are held in contact with one another for a period of time sufficient to permit transglutaminase to crosslink the tissues to one another. In one circumstance, exogenously supplied transglutaminase is applied to the surfaces of the tissues to crosslink substrates of transglutaminase to one another, which substrates are present and are endogenous on the surfaces of the tissue. In another circumstance, exogenously supplied substrates of transglutaminase are applied to the surfaces of the tissues and are acted upon by endogenous transglutaminase to crosslink the tissue surfaces to one another. In another circumstance both transglutaminase and substrate of transglutaminase are applied to the surfaces of the tissue to crosslink the surfaces to one another. In this situation, a single substrate such as polyglutamine could be applied, one end attaching to one surface and the other end attaching to the opposing surface of the tissues to be crosslinked to one another. Alternatively, a first substrate (a linking molecule such as polyglutamine) could be applied to create first reactive surfaces and a second substrate (a complementary linking molecule such as polylysine) could be applied to crosslink the primary linking molecules on opposing surfaces to one another.

The invention also involves kits. Referring to Figure 1, the kit is a package comprising a housing holding a first container 14, a second container 16 and a third container 18. The first container can contain any of the agents or conjugates that are substrates of transglutaminase, as described above. The second container can contain transglutaminase. The third container can contain, for example, a linking molecule for preparing the surface of the body tissue for application of the agents and conjugates of the invention. The transglutaminase preferably is stored in the presence of a chelating agent such as EDTA, and either one of the first or third containers contains calcium for activating the transglutaminase when applied to the tissue. The various containers may also contain preservatives, buffers, vehicles, and the like, as is conventional. The package also may house instructions for using the materials according to the invention.

The conjugates and agents of the invention are applied in effective amounts. An effective amount, in general, means that amount necessary to achieve the purpose for which the agent is applied. If the agent is a pharmaceutical agent, then the amount is that amount

necessary to delay the onset of, slow the progression of, halt altogether the onset or progression of or diagnose a particular condition being treated. In the case of a cosmetic agent, the effective amount will be that amount necessary to achieve the desired cosmetic result. In the case of a sunscreen agent, an effective amount will be that amount necessary to achieve suitable protection from the sun as is conventional. Effective amounts will, of course, depend on the particular condition being treated, severity of the condition, the needs of the patient, individual patient parameters including age, physical condition, size and weight, concurrent treatment, frequency of treatment and mode of treatment. These factors are well-known to those of ordinary skill in the art and can be addressed with no more than routine experimentation. The mode of delivery typically will be topical. Other modes of delivery are, nonetheless, appropriate depending on the condition being treated. Aerosols are an example of an appropriate mode of delivery.

The agent may be a sunscreen agent. Examples of sunscreen agents include: p-aminobenzoate analogs such as 2-ethylhexyl-4-dimethylaminobenzoate (Padimate O); p-methoxy-2-ethyl-hexyl-cinnamate (Parsol 1789); oxybenzone (benzophenone-3); ethylhexylsalicylate; diphenylacrylate polyisobutylene; alkyl- β,β -diphenylacrylate and α -cyano- β,β -diphenylacrylate; 1-(4-aminophenyl)-2-morpholinylethanone; (1-(4-methoxyphenyl)-3-(4-tert-butyl-phenyl)-propan-1,3-dione; methyl anthranilate; octocrylene; Tretinoin α -hydroxyacid; diphenylacrylate polyisobutylene; 1-(4-aminophenyl)-2-morpholinylethanone; diphenylacrylate polyisobutylene; digalloyl trioleate; glyceryl p-aminobenzoate; 4-(omega-dialkylaminoalkoxy)phenylmethylene)-1,3,3-trimethyl-2-oxabicyclo(2.2.2)octan-6-ones; 5-(arylmethylene)-1,3,3-trimethyl-2-oxabicyclo(2.2.2)octan-6-ones; melanin.

Further examples of sunscreen agents include: 3-benzylidene camphor; 4-methylbenzylidene camphor; allantoin PABA benzaldehyde; benzophenone; benzophenone-1; benzophenone-10; benzophenone-11; benzophenone-12; benzophenone-2; benzophenone-3; benzophenone-4; benzophenone-5; benzophenone-6; benzophenone-7; benzophenone-8; benzophenone-9; benzyl salicylate; benzylidene camphor sulfonic acid; bornelone; bumetrizole; butyl methoxydibenzoylmethane; camphor benzalkonium methosulfate; cinoxate; DEA-methoxycinnamate; diisopropyl methyl cinnamate; dimethyl PABA ethyl cetearyltrimonium tosylate; drometrizole; ethyl cinnamate; ethyl dihydroxypropyl PABA; ethyl diisopropylcinnamate; ethyl methoxycinnamate; ethyl urocanate; etocrylene;

glyceryl octanoate dimethoxycinnamate; glyceryl PABA; glycol salicylate; homosalate; isoamyl p-methoxycinnamate; isopropyl dibenzoylmethane; isopropyl methoxycinnamate; isopropylbenzyl salicylate; menthyl anthranilate; menthyl salicylate; n-ethyl-3-nitro PABA; octocrylene; octrizole; octyl dimethyl PABA; octyl methoxycinnamate; octyl salicylate; octyl triazone; PABA; PEG-25 PABA; phenylbenzimidazole sulfonic acid; polyacrylamidomethyl benzylidene camphor; potassium methoxycinnamate; potassium phenylbenzimidazole sulfonate; red petrolatum; sodium phenylbenzimidazole sulfonate; TEA-phenylbenzimidazole sulfonate; TEA-salicylate; terephthalylidene dicamphor sulfonic acid; tripaba panthenol; urocanic acid.

Further examples of compounds which are suitable sunscreen agents include: derivatives of para-amine benzoic acid (PABA); salicylates; cinnamates; benzophenones; camphors; 4-aminobenzoic acid; N,N,N-trimethyl-4-(2-oxoborn-3-ylidenemethyl) anilinium methyl sulphate; homosalate (INN); oxybenzone (INN); 2-phenylbenzimidazole-5-sulphonic acid and its potassium, sodium and triethanolamine salts; 3,3'-(1,4-phenylenedimethylene) bis (7,7-dimethyl-2-oxobicyclo-[2.2.1] hept-1-ylmethanesulphonic acid) and its salts; 1-(4-tert-butylphenyl)-3-(4-methoxyphenyl) propane-1,3-dione; alpha-(2-oxoborn-3-ylidene) toluene-4-sulphonic acid and its salts; 2-cyano-3,3-diphenyl acrylic acid, 2-ethylhexyl ester (octocrylene); polymer of N-{(2 and 4)-[(2-oxoborn-3-ylidene)methyl] benzyl} acrylamide; octyl methoxycinnamate; ethoxylated ethyl-4-aminobenzoate (PEG-25 PABA); isopentyl-4-methoxycinnamate (isoamyl p-methoxycinnamate); 2,4,6-trianilino-(p-carbo-2ethylhexyl-1'-oxy)-1,3,5-triazine (octyl triazone); phenol 2-(2h-benzotriazol-2-yl)-4-methyl-6-(2-methyl-3-(1,3,3,3-tetramethyl-1-(trimethylsilyl)oxy)-disiloxanyl)propyl (drometrizole trisiloxane); 3-(4'-methylbenzylidene)-d-1 camphor (4-methylbenzylidene camphor); 3-benzylidene camphor (3-benzylidene camphor); 2-ethylhexyl salicylate (octyl-salicylate); 2-ethylhexyl-4-dimethyl-aminobenzoate; 2-hydroxy-4-methoxybenzo-phenone-5-sulphonic acid and sodium salt (sulisobenzene and sulisobenzene sodium); 4-isopropylbenzyl salicylate; cinnamic derivatives, such as, for example, 2-ethylhexyl p-methoxycinnamate; salicylic derivatives, such as, for example, 2-ethylhexyl salicylate; camphor derivatives, such as, for example, (4-methylbenzylidene)camphor or benzene-1,4-di(3-methylidene-10-camphorsulfonic) acid; benzimidazole derivatives, such as 2-phenylbenzimidazole-5-sulfonic acid; benzophenone derivatives, such as 2-hydroxy-4-methoxybenzophenone; dibenzoylmethane derivatives, such as 4-tert-butyl-4'-methoxydibenzoylmethane, or β,β -diphenylacrylate derivatives, such as

2-ethylhexyl α -cyano- β,β -diphenylacrylate; p-aminobenzoic acid, cinoxate, diethanolamine, p-methoxycinnamate, digalloyl trioleate, dioxybenzone, ethyl 4-bis(hydroxypropyl)aminobenzoate, 2-ethylhexyl 2-cyano-3,3-diphenylacrylate, ethylhexyl p-methoxycinnamate, 2-ethylhexyl salicylate, glyceryl aminobenzoate, homosalate (3,3,5-trimethylcyclohexylsalicylate), lawsone (2-hydroxy-1,4-naphthoquinone) with or without dihydroxyacetone, methyl anthranilate, oxybenzone, Padimate A, Padimate O, 2-phenylbenzimidazole-5-sulfonic acid, triethanolamine salicylate, red petrolatum, and suisobenzene; titanium dioxide or zinc oxide.

The agent may also be a cosmetic agent. Examples of cosmetic components include:

- 10 Vitamin C; Alpha -tocopherol (Vitamin E analog); Ammonium lauryl Sulfate; Cocamidopropyl Betaine; Lauramide DEA; Cocamide DEA; Methyl paraben; Propyl paraben; Butyl paraben; Salicylic acid; Propylene glycol; EDTA; BHT; BHA; TBHQ; DMDM hydantoin; Imidazolidinyl urea; Potassium sorbate; Sodium Benzoate; phenoxyethanol; Polysorbate 20 and 80; Sodium lauryl ether sulfate; Oleyl betaine; Tego betaine; Sorbitol; 15 Glycerin monolaurate; Glycerol stearate.

The agent may also be a coloring agent for coloring hair or skin. A coloring agent is one which is able to change the color of skin, hair or nails. Color change may be effected through for example, a lightening or darkening of skin, hair or nails. Examples of coloring agents for hair include: 1,2,4-benzenetriacetate; 1,2,4-trihydroxybenzene;

- 20 1,3-bis-(2,4-diaminophenoxy)propane; 1,5-naphthalenediol; 1-naphthol; 2,3-naphthalenediol; 2,4-diamino-5-methylphenetol HCl; 2,4-diamino-5-methylphenoxyethanol HCl; 2,4-diaminodiphenylamine; 2,4-diaminophenol; 2,4-diaminophenol HCl; 2,4-diaminophenoxyethanol HCl; 2,6-bis(2-hydroxyethoxy)-3,5-pyridinediamine HCl; 2,6-diaminopyridine; 2,6-dimethoxy-3,5-pyridinediamine HCl; 2,7-naphthalenediol; 25 2-amino-3-hydroxypyridine; 2-amino-3-nitrophenol; 2-amino-4-hydroxyethylaminoanisole; 2-amino-4-hydroxyethylaminoanisole sulfate; 2-amino-6-chloro-4-nitrophenol; 2-aminomethyl-p-aminophenol HCl; 2-chloro-5-nitro-n-hydroxyethyl p-phenylenediamine; 2-chloro-6-ethylamino-4-nitrophenol; 2-chloro-p-phenylenediamine; 2-chloro-p-phenylenediamine sulfate; 2-hydroxyethyl picramic acid; 30 2-hydroxyethylamino-5-nitroanisole; 2-methoxymethyl-p-aminophenol HCl; 2-methyl-5-hydroxyethylaminophenol; 2-methylresorcinol; 2-nitro-5-glyceryl methylaniline; 2-nitro-n-hydroxyethyl-p-anisidine; 2-nitro-p-phenylenediamine; 3,4-diaminobenzoic acid;

- 3,4-methylenedioxyaniline; 3,4-methylenedioxyphenol;
3-methylamino-4-nitrophenoxyethanol; 3-nitro-4-aminophenoxyethanol; 3-nitro-p-cresol;
3-nitro-p-hydroxyethylaminophenol; 4,4-diaminodiphenylamine;
4,5-diamino-1-methylpyrazole HCl; 4,6-bis(2-hydroxyethoxy)-m-phenylenediamine HCl;
5 4-amino-2-hydroxytoluene; 4-amino-2-nitrodiphenylamine-2-carboxylic acid;
4-amino-3-nitrophenol; 4-amino-m-cresol; 4-chlororesorcinol; 4-hydroxyindole;
4-hydroxypropylamino-3-nitrophenol; 4-methoxytoluene-2,5-diamine HCl;
4-nitro-m-phenylenediamine; 4-nitro-o-phenylenediamine; 4-nitro-o-phenylenediamine HCl;
4-nitrophenyl aminoethylurea; 5-amino-2,6-dimethoxy-3-hydroxypyridine;
10 5-amino-6-chloro-o-cresol; 6-amino-m-cresol; 6-amino-o-cresol; 6-hydroxyindole;
6-methoxy-2,3-pyridinediamine HCl; 6-nitro-2,5-pyridinediamine; 6-nitro-o-toluidine; acacia
catechu; acid black 1; acid black 52; acid blue 1; acid blue 3; acid blue 62; acid blue 74; acid
blue 9; acid brown 13; acid green 1; acid green 25; acid green 50; acid orange 24; acid orange
3; acid orange 6; acid orange 7; acid red 14; acid red 18; acid red 27; acid red 33; acid red 35;
15 acid red 51; acid red 52; acid red 73; acid red 87; acid red 92; acid red 95; acid violet 43; acid
violet 9; acid yellow 1; acid yellow 23; acid yellow 3; acid yellow 73 sodium salt; basic blue
26; basic blue 41; basic blue 6; basic blue 7; basic blue 9; basic blue 99; basic brown 16; basic
brown 17; basic brown 4; basic green 1; basic red 2; basic red 22; basic red 76; basic violet
14; basic yellow 11; basic yellow 57; brilliant black 1; chromium hydroxide green; chromium
20 oxide greens; curry red; dihydroxyindole; direct black 51; direct blue 86; direct red 23; direct
red 80; direct red 81; direct violet 48; direct yellow 12; disperse black 9; disperse blue 1;
disperse blue 3; disperse blue 7; disperse brown 1; disperse orange 3; disperse red 11; disperse
red 15; disperse red 17; disperse violet 1; disperse violet 4; fast green FCF; HC blue No. 10;
HC blue No. 11; HC blue No. 12; HC blue No. 2; HC blue No. 4; HC blue No. 5; HC blue
25 No. 6; HC blue No. 7; HC blue No. 8; HC blue No. 9; HC brown No. 1; HC brown No. 2; HC
green No. 1; HC orange No. 1; HC orange No. 2; HC orange No. 3; HC red No. 1; HC red No.
10; HC red No. 11; HC red No. 13; HC red No. 3; HC red No. 7; HC red No. 8; HC red No. 9;
HC violet No. 1; HC violet No. 2; HC yellow No. 10; HC yellow No. 11; HC yellow No. 12;
HC yellow No. 13; HC yellow No. 2; HC yellow No. 4; HC yellow No. 5; HC yellow No. 6;
30 HC yellow No. 7; HC yellow No. 8; HC yellow No. 9; henna; hydroquinone;
hydroxyanthraquinoneaminopropyl methyl morpholinium methosulfate;
hydroxybenzomorpholine; hydroxyethyl-2,6-dinitro-p-anisidine;

- hydroxyethyl-2-nitro-p-toluidine; hydroxyethyl-3,4-methylenedioxyaniline HCl;
hydroxyethyl-p-phenylenediamine sulfate; hydroxyethylaminomethyl-p-aminophenol HCl;
hydroxypropyl bis(n-hydroxyethyl-p-phenylenediamine) HCl; lawsone; lead acetate;
m-aminophenol; m-aminophenol HCl; m-aminophenol sulfate; m-phenylenediamine;
5 m-phenylenediamine sulfate; N,N-bis(2-hydroxyethyl)-p-phenylenediamine sulfate;
N,N-diethyl-m-aminophenol; N,N-diethyl-m-aminophenol sulfate; N,N-dimethyl
2,6-pyridinediamine HCl; N,N-dimethyl-p-phenylenediamine;
N,N-dimethyl-p-phenylenediamine sulfate;
N,N-bis(2-hydroxyethyl)-2-nitro-p-phenylenediamine;
10 N,N-dimethyl-n-hydroxyethyl-3-nitro-p-phenylenediamine; n-ethyl-3-nitro PABA;
n-methoxyethyl-p-phenylenediamine HCl; n-methyl-3-nitro-p-phenylenediamine;
n-phenyl-p-phenylenediamine; n-phenyl-p-phenylenediamine HCl;
n-phenyl-p-phenylenediamine sulfate; o-aminophenol; p-aminophenol; p-aminophenol HCl;
p-aminophenol sulfate; p-methylaminophenol; p-methylaminophenol sulfate;
15 p-phenylenediamine; p-phenylenediamine HCl; p-phenylenediamine sulfate; phenyl methyl
pyrazolone; phloroglucinol; picramic acid; pigment blue 15; pigment green 7; pigment red
112; pigment red 172 aluminum lake; pigment red 4; pigment red 48; pigment red 5; pigment
red 57; pigment red 57:1; pigment red 63:1; pigment red 64:1; pigment red 83; pigment red
90:1 aluminum lake; pigment violet 19; pigment violet 23; pigment yellow 12; pigment
20 yellow 13; pigment yellow 73; ponceau sx; resorcinol; silver nitrate; sodium picramate;
solvent black 3; solvent green 3; solvent green 7; solvent orange 1; solvent red 1; solvent red
23; solvent red 3; solvent red 43; solvent red 48; solvent red 72; solvent red 73; solvent violet
13; solvent yellow 29; solvent yellow 33; solvent yellow 44; sunset yellow; thymol;
toluene-2,5-diamine; toluene-2,5-diamine sulfate; toluene-3,4-diamine; ultramarines; VAT red
25 1; m- and p-phenylenediamines, their N-substituted derivatives and their salts; N-substituted
derivatives of o-phenylenediamines; methylphenylenediamines, their N-substituted
derivatives and their salts; diaminophenols; hydroquinone; alpha-naphthol; lead acetate.

Coloring agents also include bleaching agents such as ammonium persulfate;
hydroquinone and strontium dioxide.

- 30 Other examples of coloring agents are cosmetic colorants which include: acid red 195;
aluminum stearate; anthocyanins; beta vulgaris; beta vulgaris; bismuth oxychloride;
bromocresol green; bromothymol blue; calcium stearate; capsanthin/capsorubin caramel; CI

10006; CI 10020; CI 10316; CI 10316; CI 11680; CI 11710; CI 11725; CI 11920; CI 12010;
CI 12085; CI 12120; CI 12150; CI 12370; CI 12420; CI 12480; CI 12490; CI 12700; CI
13015; CI 14270; CI 14700; CI 14700; CI 14720; CI 14815; CI 15510; CI 15510; CI 15525;
CI 15580; CI 15620; CI 15630; CI 15800; CI 15850; CI 15850; CI 15850; CI 15850; CI
5 15850; CI 15850; CI 15850; CI 15850; CI 15850; CI 15850; CI 15850; CI 15865; CI 15865;
CI 15880; CI 15980; CI 15985; CI 15985; CI 16035; CI 16185; CI 16185; CI 16230; CI
16255; CI 16290; CI 17200; CI 17200; CI 18050; CI 18130; CI 18690; CI 18736; CI 18820;
CI 18965; CI 19140; CI 19140; CI 19140; CI 20040; CI 20170; CI 20470; CI 21100; CI
21108; CI 21230; CI 24790; CI 26100; CI 27290; CI 27755; CI 28440; CI 40215; CI 40800;
10 CI 40820; CI 40825; CI 40850; CI 42045; CI 42051; CI 42053; CI 42080; CI 42090; CI
42090; CI 42090; CI 42100; CI 42170; CI 42510; CI 42520; CI 42735; CI 44045; CI 44090;
CI 45100; CI 45190; CI 45220; CI 45350; CI 45350; CI 45370; CI 45370; CI 45370; CI
45370; CI 45380; CI 45380; CI 45380; CI 45380; CI 45396; CI 45405; CI 45410; CI 45410;
CI 45410; CI 45410; CI 45410; CI 45410; CI 45410; CI 45425; CI 45425; CI 45425; CI
15 45430; CI 45430; CI 47000; CI 47005; CI 47005; CI 50325; CI 50420; CI 51319; CI 58000;
CI 59040; CI 60724; CI 60725; CI 60730; CI 61565; CI 61570; CI 61585; CI 62045; CI
69800; CI 69825; CI 71105; CI 73000; CI 73015; CI 73015; CI 73360; CI 73385; CI 73900;
CI 73915; CI 74100; CI 74160; CI 74180; CI 74260; CI 75100; CI 75120; CI 75125; CI
75130; CI 75135; CI 75170; CI 75300; CI 75470; CI 75810; CI 75810; CI 75810; CI 75810;
20 CI 77000; CI 77002; CI 77004; CI 77004; CI 77004; CI 77007; CI 77015; CI 77120; CI
77163; CI 77220; CI 77231; CI 77266; CI 77267; CI 77268:1; CI 77288; CI 77289; CI 77346;
CI 77400; CI 77480; CI 77489; CI 77491; CI 77492; CI 77499; CI 77510; CI 77713; CI
77742; CI 77745; CI 77820; CI 77891; CI 77947; lactoflavin; magnesium stearate; riboflavin
and zinc stearate.

25 The agent may also be a moisturizing agent. A moisturizing agent is an agent which
softens and smoothen skin and in some instances hair. Some moisturizing agents are also
humectants in that they are able to hold and retain moisture. Emollient agents can be
moisturing agents. Moisturizing agents can be used soften skin prior to abrasive events such
as shaving. In these latter embodiments, the composition of the invention comprising a
30 moisturizing agent can be supplied in a shaving gel or creme. Examples of moisturizing
agents include: proteoglycans and glycosaminoglycans including hyaluronic acid, crosslinked
hyaluronic acid, derivatized hyaluronic acid, chondroitin sulfate; mono- and poly-hydroxyl

containing chemicals such as glycerin, sorbitol; pyrrolidine carboxylic acid; proteins such as hydrolyzed animal and vegetable protein, collagens, derivatized collagens, elastins; allantoin; polymer skin conditioning agents; polyols such as glycerol; chitosans; derivatized chitosans; and polyglutamine.

5 Other examples of moisturizing agents include D,L-panthenol, D-panthenol, vitamin A palmitate, vitamin E acetate, methylsilanetriol mannuronate, natural oils such as tallow oil, macadamia nut oil, borage oil, evening primrose oil, kukui nut oil, rice bran oil, tea tree oil, a medium chain fatty acid ester of glycerol, such as glycerol triheptanoate, glyceryl trioctanoate, glycerol trioctanoate, mineral water, silicones, silicone derivatives; allantoin; dipotassium
10 glycyrrhizinate; stearyl glycyrrhizinate; squalane NF; squalane EX; cetyl ester wax; orange roughy oil; hydrogenated phospholipids; hydrocarbon oils and waxes, such as mineral oil, polyethylene and paraffin; triglyceride esters, such as olive oil, avocado oil, and squalene; lanolin and derivatives; ether-esters, such as fatty acid esters of ethoxylated fatty alcohols; and fatty acids having 10 to 20 carbon atoms, such as lauric, myristic, oleyl, and stearate.

15 Emollients useful in the invention as moisturizers include: acetamidoethoxybutyl trimonium chloride; acetyl trioctyl citrate; acetylated castor oil; acetylated cetyl hydroxyprolinate; acetylated glycol stearate; acetylated hydrogenated cottonseed glyceride; acetylated hydrogenated lanolin; acetylated hydrogenated lard glyceride; acetylated hydrogenated tallow glyceride; acetylated hydrogenated tallow glycerides;
20 acetylated hydrogenated vegetable glyceride; acetylated lanolin; acetylated lanolin alcohol; acetylated lanolin ricinoleate; acetylated lard glyceride; acetylated palm kernel glycerides; acetylated sucrose distearate; adeps bovis; adeps suillus; aleurites moluccana; allyl caproate; almond oil peg-6 esters; aloe barbadensis; althea officinalis; aluminum hydroxide; aluminum stearates; aluminum tristearate; amodimethicone/dimethicone copolyol;
25 amp-isostearoyl hydrolyzed collagen; anacardium occidentale; apple peel wax; apricot kernel oil PEG-6 esters; arachidonic acid; arachidyl alcohol; arachidyl behenate; arachidyl glycol isostearate; arachidyl propionate; arachis hypogaea; arctium lappa; avena sativa; avocado oil PEG-11 esters; bassia latifolia; batyl alcohol; batyl isostearate; batyl stearate; bayberry wax; behenoxy dimethicone; behenyl/isostearyl beeswax; behenyl alcohol; behenyl
30 behenate; behenyl erucate; behenyl isostearate; benzyl laurate; bis-diglyceryl/caprylate/caprate/isostearate/hydroxystearate adipate; bis-diglyceryl caprylate/caprate/isostearate/stearate/hydroxystearate adipate; bisphenylhexamethicone; borago officinalis; borago

officinalis; brassica botrytis; brassica oleifera; brassica oleifera; brevoortia; bubulum; butyl
 acetyl ricinoleate; butyl isostearate; butyl myristate; butyl oleate; butyl stearate; butylene
 glycol dicaprylate/dicaprate; butylene glycol montanate; butyloctyl beeswax; butyloctyl
 oleate; butyrospermum parkii; butyroyl trihexyl citrate; butyrum; buxus chinensis; C10-18
 5 triglycerides; C11-15 pareth-12 stearate; C11-15 pareth-3 oleate; C11-15 pareth-3 stearate;
 C12-13 alcohols; C12-13 alkyl lactate; C12-13 alkyl octanoate; C12-15 alcohols; C12-15
 alkyl benzoate; C12-15 alkyl lactate; C12-15 alkyl octanoate; C12-15 pareth-12 oleate;
 C12-16 alcohols; C12-18 acid triglyceride; C13-14 isoparaffin; C15-18 glycol; C18-28 alkyl
 acetate; C18-36 acid glycol ester; C18-36 acid triglyceride; C18-38 alkyl beeswax; C18-70
 10 isoparaffin; C20-40 alkyl behenate; C20-40 isoparaffin; C24-28 alkyl methicone; C30-45
 alkyl methicone; C9-11 alcohols; Calendula officinalis; camelina sativa; cananga odorata;
 candelilla cera; canola; capryl glycol; caprylic/capric/diglyceryl succinate;
 caprylic/capric/lauric triglyceride; caprylic/capric/linoleic triglyceride;
 caprylic/capric/myristic/stearic triglyceride; caprylic/capric/stearic triglyceride;
 15 caprylic/capric glycerides; caprylic/capric triglyceride; carnauba; carthamus tinctorius;
 carthamus tinctorius; cera alba; ceratonia siliqua; ceratonia siliqua; cetearyl alcohol; cetearyl
 behenate; cetearyl candelillate; cetearyl isononanoate; cetearyl octanoate; cetearyl palmitate;
 cetyl acetate; cetyl acetyl ricinoleate; cetyl alcohol; cetyl C12-15-pareth-9 carboxylate;
 cetyl caprylate; cetyl dimethicone; cetyl esters; cetyl glycol; cetyl glycol isostearate; cetyl
 20 isononanoate; cetyl lactate; cetyl laurate; cetyl myristate; cetyl octanoate; cetyl oleate; cetyl
 palmitate; cetyl ricinoleate; cetyl stearate; cetyl arachidol; chamomilla recutita; chimyl
 isostearate; cholesterol; cholesteryl hydroxystearate; cholesteryl isostearate; cholesteryl
 macadamiate; cholesteryl nonanoate; cholesteryl stearate; cistus ladaniferus; cocaminobutyric
 acid; cocaminopropionic acid; coco-caprylate/caprate; coco-rape seedate; cocoglycerides;
 25 coconut acid; coconut alcohol; cocos nucifera; cocoyl glutamic acid; coenzyme a; corn acid;
 corn oil PEG-6 esters; corn oil PEG-8 esters; corylus americana; corylus avellana; cottonseed
 acid; cottonseed glyceride; cucumis sativus; cucurbita pepo; curcuma zedoaria; cyatheaceae;
 cyclomethicone; dalea spinosa; daucus carota; decyl alcohol; decyl isostearate; decyl
 myristate; decyl oleate; decyl succinate; decyltetradecanol; di-C12-13 alkyl malate;
 30 di-C12-13 alkyl tartrate; di-C12-15 alkyl adipate; dibutyl adipate; dibutyl sebacate; dicapryl
 adipate; dicaprylyl maleate; dicetyl adipate; dicocamine; dicocodimethylamine dilinoleate;
 dicocoyl pentaerythrityl distearyl citrate; didecene; diethyl palmitoyl aspartate; diethyl

sebacate; diethyl succinate; diethylene glycol dibenzoate; diethylene glycol diisononanoate; diethylene glycol dioctanoate; diethylene glycol dioctanoate/diisononanoate; dihexyl adipate; dihydroabietyl behenate; dihydrocholesterol; dihydrocholesteryl octyldecanoate; dihydrogenated tallow phthalate; dihydrophytosteryl octyldecanoate; dihydroxyethyl

5 soyamine dioleate; dihydroxyethylamino hydroxypropyl oleate; diisobutyl adipate; diisocetyl adipate; diisodecyl adipate; diisononyl adipate; diisopropyl adipate; diisopropyl dimer dilinoleate; diisopropyl sebacate; diisostearyl adipate; diisostearyl dimer dilinoleate; diisostearyl fumarate; diisostearyl glutarate; diisostearyl malate; dilaureth-7 citrate; dilauryl citrate; dilinoleic acid; dimethicone; dimethicone copolyol; imethicone copolyol almondate;

10 dimethicone copolyol avocadoate; dimethicone copolyol beeswax; dimethicone copolyol cocoa butterate; dimethicone copolyol olivate; dimethicone copolyol phthalate; dimethicone copolyol shea butterate; dimethicone propylethylenediamine behenate; dimethiconol; dimethiconol hydroxystearate; dimethiconol isostearate; dimethiconol stearate; dimethyl adipate; dimethyl lauramine dimer dilinoleate; dimethyl lauramine isostearate; dimethyl

15 maleate; dimethyl succinate; dimethyl tallowamine; dioctyl adipate; dioctyl dimer dilinoleate; dioctyl malate; dioctyl sebacate; dioctyl succinate; dioctylcyclohexane; dioctyldodecyl dimer dilinoleate; dipentaerythrityl hexaheptanoate/hexacaprylate/hexacaprate dipropyl adipate; dipropylene glycol dibenzoate; distearyldimethylamine dilinoleate; ditridecyl adipate; ditridecyl dimer dilinoleate; dodecyltetradecanol; dromiceius; elaeis guineensis; elaeis

20 guineensis; epoxidized soybean oil; erucyl arachidate; erucyl erucate; erucyl oleate; ethiodized oil; ethyl arachidonate; ethyl avocadoate; ethyl ester of hydrolyzed animal protein; ethyl isostearate; ethyl laurate; ethyl linoleate; ethyl linolenate; ethyl minkate; ethyl morrhuate; ethyl myristate; ethyl oleate; ethyl olivate; ethyl palmitate; ethyl pelargonate; ethyl persate; ethyl stearate; fish glycerides; gadi iecur; glycereth-7 triacetate; glycerin/oxybutylene

25 copolymer stearyl ether; glyceryl/sorbitol oleate/hydroxystearate; glyceryl abietate; glyceryl adipate; glyceryl arachidate; glyceryl arachidonate; glyceryl behenate; glyceryl caprate; glyceryl caprylate; glyceryl caprylate/caprate; glyceryl cocoate; glyceryl diarachidate; glyceryl dibehenate; glyceryl dierucate; glyceryl dihydroxystearate; glyceryl diisopalmitate; glyceryl diisostearate; glyceryl dilaurate; glyceryl dilinoleate; glyceryl dimyristate; glyceryl

30 dioleate; glyceryl dipalmitate; glyceryl dipalmitoleate; glyceryl diricinoleate; glyceryl distearate; glyceryl erucate; glyceryl hydroxystearate; glyceryl isostearate; glyceryl lanolate; glyceryl laurate; glyceryl laurate/oleate; glyceryl linoleate; glyceryl linolenate; glyceryl

- myristate; glyceryl octanoate/stearate/adipate; glyceryl oleate; glyceryl palmitate; glyceryl palmitate/stearate; glyceryl palmitate lactate; glyceryl ricinoleate; glyceryl sesquioleate; glyceryl stearate; glyceryl stearate citrate; glyceryl stearate diacetate; glyceryl stearate lactate; glyceryl triacetyl hydroxystearate; glyceryl triacetyl ricinoleate; glycine soja; glycine soja;
- 5 glycol/butylene glycol montanate; glycol cetearate; glycol dibehenate; glycol dilaurate; glycol dioctanoate; glycol dioleate; glycol distearate; glycol ditallowate; glycol hydroxystearate; glycol oleate; glycol ricinoleate; glycol stearate; glycosaminoglycans; glycosphingolipids; gossypium; helianthus annuus; heptylundecanol; hexadecyl methicone; hexamethyldisiloxane; hexanediol distearate; hexyl isostearate; hexyl laurate; hexyldecyl
- 10 oleate; hordeum vulgare; hydrogenated butylene/ethylene/styrene copolymer; hydrogenated C12-18 triglycerides; hydrogenated c6-14 olefin polymers; hydrogenated castor oil; hydrogenated castor oil laurate; hydrogenated coco-glycerides; hydrogenated coconut acid; hydrogenated coconut oil; hydrogenated cottonseed glyceride; hydrogenated cottonseed oil; hydrogenated ethylene/propylene/styrene copolymer;
- 15 hydrogenated fish oil; hydrogenated jojoba oil; hydrogenated jojoba wax; hydrogenated lanolin; hydrogenated lard; hydrogenated menhaden oil; hydrogenated mink oil; hydrogenated olive oil unsaponifiables; hydrogenated orange roughy oil; hydrogenated palm/palm kernel oil PEG-6 esters; hydrogenated palm glyceride; hydrogenated palm glycerides; hydrogenated palm kernel glycerides; hydrogenated palm kernel oil; hydrogenated palm oil; hydrogenated
- 20 peanut oil; hydrogenated polyisobutene; hydrogenated rapeseed oil; hydrogenated shark liver oil; hydrogenated soy glyceride; hydrogenated soybean glycerides; hydrogenated soybean oil; hydrogenated tallow; hydrogenated tallow acid; hydrogenated tallow alcohol; hydrogenated tallow glyceride; hydrogenated tallow glyceride citrate; hydrogenated tallow glyceride lactate; hydrogenated tallow glycerides; hydrogenated tallow glycerides citrate; hydrogenated
- 25 vegetable glyceride; hydrogenated vegetable glycerides; hydrogenated vegetable glycerides phosphate; hydrogenated vegetable oil; hydrolyzed collagen; hydroxylated lanolin; hydroxylated milk glycerides; hydroxyoctacosanyl hydroxystearate; hyptis suaveolens; isatis tinctoria; isoamyl laurate; isobutyl myristate; isobutyl palmitate; isobutyl pelargonate; isobutyl stearate; isobutyl tallowate; isobutylated lanolin oil; isocetyl alcohol; isocetyl
- 30 behenate; isocetyl isodecanoate; isocetyl linoleoyl stearate; isocetyl myristate; isocetyl palmitate; isocetyl salicylate; isocetyl stearate; isocetyl stearoyl stearate; isodeceth-2 cocoate; isodecyl citrate; isodecyl cocoate; isodecyl hydroxystearate; isodecyl isononanoate; isodecyl

laurate; isodecyl myristate; isodecyl neopentanoate; isodecyl octanoate; isodecyl oleate;
isodecyl palmitate; isodecyl stearate; isododecane; isododecene; isoeicosane; isohexadecane;
isohexyl laurate; isohexyl neopentanoate; isohexyl palmitate; isolauryl behenate; isomerized
jojoba oil; isononyl isononanoate; isopropyl arachidate; isopropyl avocadate; isopropyl
5 behenate; isopropyl C12-15-pareth-9 carboxylate; isopropyl hydroxystearate; isopropyl
isostearate; isopropyl lanolate; isopropyl laurate; isopropyl linoleate; isopropyl myristate;
isopropyl oleate; isopropyl palmitate; isopropyl PPG-2-isodeceth-7 carboxylate; isopropyl
ricinoleate; isopropyl stearate; isopropyl tallowate; isopropyl titanium triisostearate; isostearyl
alcohol; isostearyl avocadate; isostearyl behenate; isostearyl benzoate; isostearyl erucate;
10 isostearyl glyceryl pentaerythrityl ether; isostearyl isononanoate; isostearyl isostearate;
isostearyl lactate; isostearyl myristate; isostearyl neopentanoate; isostearyl octanoate;
isostearyl palmitate; isostearyl stearoyl stearate; isotridecyl isononanoate; isotridecyl
myristate; jojoba alcohol; jojoba wax; juglans regia; lactis lipida; laneth-10 acetate; laneth-9
acetate; lanolin; lanolin; lanolin acid; lanolin alcohol; lanolin cera; lanolin linoleate; lanolin
15 ricinoleate; lanosterol; lard glycerides; laureth-2 acetate; laureth-2 benzoate; laureth-2
octanoate; lauric/palmitic/oleic triglyceride; lauryl alcohol; lauryl behenate; lauryl cocoate;
lauryl glycol; lauryl isostearate; lauryl lactate; lauryl myristate; lauryl oleate; lauryl palmitate;
lauryl stearate; lauryldimonium hydroxypropyl hydrolyzed collagen; laurylmethicone
copolyol; lavandula hybrida; lecithin; lesquerella fendleri; limnanthes alba; linoleic acid;
20 linolenic acid; linoleyl lactate; linseed acid; linum usitatissimum; macadamia ternifolia;
maleated soybean oil; mangifera indica; mango seed oil PEG-70 esters; MEL; methicone;
methyl acetyl ricinoleate; methyl caproate; methyl caprylate; methyl caprylate/caprato; methyl
cocoate; methyl dehydroabietate; methyl gluceth-20 benzoate; methyl glucose dioleate;
methyl glucose laurate; methyl glucose sesquicaprylate/sesquicaprate; methyl glucose
25 sesquicocoate; methyl glucose sesquiisostearate; methyl glucose sesquilaurate; methyl glucose
sesquioleate; methyl glucose sesquistearate; methyl hydroxystearate; methyl laurate; methyl
linoleate; methyl myristate; methyl oleate; methyl palmitate; methyl pelargonate; methyl
ricinoleate; methyl stearate; mink oil PEG-13 esters; moringa pterygosperma; mortierella
isabellina; musa sapientum; mustela; mustela; myreth-2 myristate; myreth-3 caprate; myreth-3
30 laurate; myreth-3 myristate; myreth-3 octanoate; myreth-3 palmitate; myristoyl hydrolyzed
collagen; myristyl alcohol; myristyl isostearate; myristyl lactate; myristyl lignocerate;
myristyl myristate; myristyl neopentanoate; myristyl octanoate; myristyl propionate; myristyl

stearate; neopentyl glycol dicaprate; neopentyl glycol dicaprylate/dicaprate; neopentyl glycol
 dicaprylate/dipelargonate/dicaprate; neopentyl glycol dioctanoate; nonyl acetate; octacosanyl
 glycol; octacosanyl glycol isostearate; octyl acetoxystearate; octyl cocoate; octyl
 hydroxystearate; octyl isononanoate; octyl isopalmitate; octyl isostearate; octyl laurate; octyl
 5 myristate; octyl neopentanoate; octyl octanoate; octyl oleate; octyl palmitate; octyl
 pelargonate; octyl stearate; octyldecanol; octyldodecanol; octyldodecyl behenate;
 octyldodecyl benzoate; octyldodecyl erucate; octyldodecyl lactate; octyldodecyl myristate;
 octyldodecyl neodecanoate; octyldodecyl neopentanoate; octyldodecyl octanoate;
 octyldodecyl oleate; octyldodecyl ricinoleate; octyldodecyl stearate; octyldodecyl stearyl
 10 stearate; oenothera biennis; olea europaea; olea europaea; oleic/linoleic triglyceride;
 oleic/palmitic/lauric/myristic/linoleic triglyceride; oleic acid; oleostearine; oleoyl hydrolyzed
 collagen; oleyl acetate; oleyl alcohol; oleyl arachidate; oleyl erucate; oleyl lactate; oleyl
 lanolate; oleyl linoleate; oleyl myristate; oleyl oleate; oleyl stearate; olive oil PEG-10 esters;
 olive oil PEG-6 esters; olus; omental lipids; orange peel wax; orbignya oleifera; oryza sativa;
 15 oryza sativa; ovum; ozonized jojoba oil; palm glyceride; palm glycerides; palm kernel acid;
 palm kernel alcohol; palm kernel glycerides; palm kernel wax; palmitic acid; palmitoyl
 hydrolyzed collagen; pantethine; papaver orientale; paraffin; paraffinum liquidum; PCA
 glyceryl oleate; peanut oil PEG-6 esters; PEG/PPG-125/30 copolymer; PEG/PPG-35/9
 copolymer; PEG-10 coconut oil esters; PEG-10 hydrogenated lanolin; PEG-10 lanolin;
 20 PEG-10 polyglyceryl-2 laurate; PEG-11 castor oil; PEG-2 milk solids; PEG-20 hydrogenated
 lanolin; PEG-20 methyl glucose distearate; PEG-200 hydrogenated glyceryl palmate; PEG-4
 proline linoleate; PEG-4 proline linolenate; PEG-5 glyceryl triisostearate; PEG-5
 hydrogenated lanolin; PEG-5 pentaerythrityl ether; PEG-5 tricetyl citrate; PEG-5 tridecyl
 citrate; PEG-5 trilauryl citrate; PEG-5 trimyristyl citrate; PEG-5 tristearyl citrate; PEG-75
 25 lanolin; PEG-8 hydrogenated fish glycerides; PEG-8 linoleate; PEG-8 linolenate; pellis lipida;
 pentadecyl alcohol; pentadesma butyracea; pentadoxynol-200; pentaerythrityl dioleate;
 pentaerythrityl isostearate/caprate/caprylate/adipate; pentaerythrityl stearate; pentaerythrityl
 stearate/caprate/caprylate adipate; pentaerythrityl tetraabietate; pentaerythrityl tetraacetate;
 pentaerythrityl tetrabehenate; pentaerythrityl tetrabenzoate; pentaerythrityl
 30 tetracaprylate/caprate; pentaerythrityl tetracocoate; pentaerythrityl tetraisononanoate;
 pentaerythrityl tetraisostearate; pentaerythrityl tetralaurate; pentaerythrityl tetramyristate;
 pentaerythrityl tetraoctanoate; pentaerythrityl tetraoleate; pentaerythrityl tetrapelargonate;

- pentaerythrityl tetrastearate; pentaerythrityl trioleate; pentahydrosqualene;
perfluoropolymethylisopropyl ether; persea gratissima; persea gratissima; petrolatum;
petroleum hydrocarbon; phenyl dimethicone; phenyl methicone; phenyl trimethicone;
phosphatidylcholine; pimenta acris; piscum iecur; pistacia vera; placental lipids;
- 5 polyglyceryl-4 cocoate; polygonum aviculare; polyisoprene; polypentene; polyquaternium-2;
polysilicone-3; polysilicone-4; polysilicone-5; PPG-1 trideceth-6; PPG-1-ceteth-1;
PPG-1-ceteth-10; PPG-1-ceteth-20; PPG-1-ceteth-5; PPG-10 butanediol; PPG-10 cetyl ether
phosphate; PPG-10 jojoba acid; PPG-10 jojoba alcohol; PPG-10 methyl glucose ether;
PPG-10 oleyl ether; PPG-11 stearyl ether; PPG-12; PPG-12/SMDI copolymer; PPG-12 butyl
10 ether; PPG-12-PEG-50 lanolin; PPG-12-PEG-65 lanolin oil; PPG-15; PPG-15 stearyl ether;
PPG-15 stearyl ether benzoate; PPG-17; PPG-17 butyl ether; PPG-17 dioleate; PPG-2 butyl
ether; PPG-2 hydrogenated tallowamine; PPG-2 isostearate; PPG-2 lanolin alcohol ether;
PPG-2 myristyl ether propionate; PPG-2-buteth-2; PPG-2-ceteth-1; PPG-2-ceteth-5; PPG-20;
PPG-20 butyl ether; PPG-20 lanolin alcohol ether; PPG-20 methyl glucose ether acetate;
- 15 PPG-20 oleyl ether; PPG-23 oleyl ether; PPG-23-steareth-34; PPG-25 butyl ether phosphate;
PPG-26; PPG-26 butyl ether; PPG-26 oleate; PPG-3 myristyl ether; PPG-3-deceth-2
carboxylic acid; PPG-3-ISODECETH-1; PPG-30; PPG-30 cetyl ether; PPG-30 isocetyl ether;
PPG-30 lanolin alcohol ether; PPG-30 oleyl ether; PPG-34; PPG-36 oleate;
PPG-36-buteth-36; PPG-37 oleyl ether; PPG-4 jojoba acid; PPG-4 jojoba alcohol; PPG-4
20 laureth-2; PPG-4 laureth-7; PPG-4 lauryl ether; PPG-4 myristyl ether; PPG-4-buteth-4;
PPG-4-ceteth-20; PPG-4-deceth-4; PPG-40-PEG-60 lanolin oil; PPG-5 lanolin alcohol ether;
PPG-5 lanolin wax; PPG-5 lanolin wax glyceride; PPG-5 pentaerythrityl ether;
PPG-5-buteth-5; PPG-5-laureth-5; PPG-50 oleyl ether; PPG-52 butyl ether; PPG-6-deceth-4;
PPG-6-deceth-9; PPG-6-laureth-3; PPG-6-sorbeth-245; PPG-6-sorbeth-500; PPG-68-PEG-10
25 trimethylolpropane; PPG-7/succinic acid copolymer; PPG-7 lauryl ether; PPG-8 deceth-6;
PPG-8 polyglyceryl-2 ether; PPG-9; PPG-9 diglyceryl ether; PPG-9 laurate;
PPG-9-steareth-3; pristane; propylene glycol behenate; propylene glycol capreth-4; propylene
glycol caprylate; propylene glycol ceteth-3 acetate; propylene glycol ceteth-3 propionate;
propylene glycol citrate; propylene glycol cocoate; propylene glycol dicaprate; propylene
30 glycol dicaproate; propylene glycol dicaprylate; propylene glycol dicaprylate/dicaprate;
propylene glycol dicocoate; propylene glycol diisostearate; propylene glycol dilaurate;
propylene glycol dioctanoate; propylene glycol dioleate; propylene glycol dipelargonate;

- propylene glycol distearate; propylene glycol hydroxystearate; propylene glycol isoceteth-3 acetate; propylene glycol isostearate; propylene glycol laurate; propylene glycol linoleate; propylene glycol linolenate; propylene glycol myristate; propylene glycol myristyl ether; propylene glycol myristyl ether acetate; propylene glycol oleate; propylene glycol oleyl-5;
- 5 propylene glycol ricinoleate; propylene glycol soyate; propylene glycol stearate; prunus armeniaca; prunus armeniaca; prunus avium; prunus dulcis; prunus persica; rapeseed glyceride; rapeseed glycerides; red petrolatum; rhus succedanea; ricinoleic acid; ricinus communis; rosa canina; rosa moschata; safflower glyceride; salmo; salvia hispanica; sesamum indicum; sesamum indicum; shellac; shellac cera; shorea stenoptera; silica dimethyl silylate;
- 10 silica silylate; simethicone; sorbitan distearate; soy acid; sphingolipids; squalane; squalene; squali iecur; stearoxy dimethicone; stearoxymethicone/dimethicone copolymer; stearoxytrimethylsilane; stearyl/aminopropyl methicone copolymer; stearyl acetate; stearyl alcohol; stearyl behenate; stearyl benzoate; stearyl caprylate; stearyl citrate; stearyl dimethicone; stearyl erucate; stearyl glycol; stearyl glycol isostearate; stearyl heptanoate;
- 15 stearyl lactate; stearyl linoleate; stearyl methicone; stearyl octanoate; stearyl stearate; stearyl stearoyl stearate; sucrose distearate; sulfurized jojoba oil; sunflower seed oil glyceride; sunflower seed oil glycerides; synthetic candelilla wax; synthetic carnauba; synthetic japan wax; synthetic jojoba oil; synthetic wax; tall oil acid; tall oil glycerides; tall oil sterol; tallol; tallow acid; tallow alcohol; tallow glyceride; tallow glycerides; taraktogenos kurzii;
- 20 tetrabutoxypropyl trisiloxane; tetradecyleicosanol; tetradecyleicosyl stearate; tetradecyloctadecanol; tetramethyl tetraphenyl trisiloxane; theobroma cacao; tri-C12-13 alkyl citrate; triarachidin; tribehenin; tricaprinn; tricaprillin; tricaprilyl citrate; tridecyl alcohol; tridecyl behenate; tridecyl cocoate; tridecyl erucate; tridecyl isononanoate; tridecyl myristate; tridecyl neopentanoate; tridecyl octanoate; tridecyl stearate; tridecyl stearoyl stearate; tridecyl
- 25 trimellitate; trierucin; triheptylundecanoin; trihydroxymethoxystearin; trihydroxystearin; triisocetyl citrate; triisononanoin; triisopalmitin; triisopropyl trilinoleate; triisostearin; triisostearin PEG-6 esters; triisostearyl citrate; triisostearyl trilinoleate; trilaurin; trilauryl citrate; trilinoleic acid; trilinolein; trilinolenin; trimethyl pentaphenyl trisiloxane; trimethylolpropane tricaprilate/tricaprate; trimethylolpropane tricocoate; trimethylolpropane
- 30 triisostearate; trimethylolpropane trilaurate; trimethylolpropane trioctanoate; trimethylolpropane tristearate; trimethylsiloxysilicate; trimethylsilylamodimethicone; trimyristin; trioctanoin; trioctyldodecyl citrate; triolein; triolein PEG-6 esters; trioleyl

phosphate; tripalmitin; tripalmitolein; triphenyl trimethicone; tripropylene glycol citrate; triricinolein; tris(tributoxysiloxy)methylsilane; trisebacin; tristearin; tristearyl citrate; triticum vulgare; triticum vulgare; triundecanoin; undecylpentadecanol; vegetable glycerides phosphate; vitis vinifera; wheat germ acid; wheat germ glycerides; zea mays.

5 Humectants useful in the invention as moisturizing agents include: 1,2,6-hexanetriol; acetamide MEA; aluminum hydroxide; arachidyl glycol; arginine PCA; butoxypropanol; butylene glycol; butyloctanol; capryl glycol; carboxymethyl chitosan succinamide; chitosan PCA; copper acetyl tyrosinate methylsilanol; copper PCA; copper PCA methylsilanol; cyclomethicone; diglycerin; dimethicone copolyol acetate; dimethicone copolyol adipate;
10 dimethicone copolyol behenate; dimethicone copolyol butyl ether; dimethicone copolyol hydroxystearate; dimethicone copolyol isostearate; dimethicone copolyol laurate; dimethicone copolyol methyl ether; dimethicone copolyol phosphate; dimethicone copolyol stearate; dimethicone copolyolamine; dimethicone silylate; dimethyl imidazolidinone; dimethylsilanol hyaluronate; dipotassium glycyrrhizate; erythritol; ethoxydiglycol; fructose; glucamine;
15 gluconic acid; glucose; glucose glutamate; glucuronic acid; glutamic acid; glutamic acid; glycereth-12; glycereth-20; glycereth-26; glycereth-7; glycerin; glycogen; glycyrrhetinyl stearate; glycyrrhizic acid; heilmoor clay; hexacosyl glycol; hexanediol beeswax; hexanetriol beeswax; hexyldecanol; histidine; histidine; hyaluronic acid; hydrogenated honey; hydrogenated starch hydrolysate; hydrolyzed collagen; hydrolyzed elastin; hydrolyzed
20 glycosaminoglycans; hydrolyzed keratin; hydrolyzed silk; hydrolyzed soy protein; hydrolyzed wheat protein/dimethicone copolyol phosphate copolymer; hydroxyethyl sorbitol; inositol; inositol hexa-PCA; isopropyl hydroxybutyramide dimethicone copolyol; lactamide MEA; lactic acid; lactitol; lactose; lauryl PCA; lysine PCA; lysine PCA; lysine PCA; magnesium PCA; maltitol; manganese PCA; mannitol; MEL; menthyl PCA; methoxy PEG-10; methoxy
25 PEG-100; methoxy PEG-16; methoxy PEG-40; methyl gluceth-10; methyl gluceth-20; methyl glucose dioleate; methylsilanol PCA; octyl PCA; PCA; PEG-10; PEG-10 propylene glycol; PEG-100; PEG-12; PEG-135; PEG-14; PEG-150; PEG-16; PEG-18; PEG-180; PEG-2 lactamide; PEG-20; PEG-20 stearate; PEG-200; PEG-240; PEG-25M; PEG-3 stearate; PEG-32; PEG-4; PEG-40; PEG-45M; PEG-6; PEG-60; PEG-75; PEG-8; PEG-8 stearate;
30 PEG-9; PEG-90; placental protein; polydextrose; polyglucuronic acid; polyglycerin-3; polyglyceryl sorbitol; polysilicone-1; polysilicone-2; potassium dimethicone copolyol panthenyl phosphate; potassium dimethicone copolyol phosphate; potassium PCA; PPG-20

methyl glucose ether; PPG-20 methyl glucose ether distearate; PPG-38-buteth-37; propylene glycol; pyridoxine dilaurate; saccharide isomerate; serica; serum albumin; silk amino acids; sodium carboxymethyl chitin; sodium lactate; sodium mannuronate methylsilanol; sodium PCA; sodium PCA; sodium PCA methylsilanol; sodium PG-propyl thiosulfate dimethicone; 5 sodium polyglutamate; soluble collagen; sorbitol; soy sterol; sucrose; sulfated castor oil; TEA-lactate; TEA-PCA; trehalose; tricontanyl PVP; trifluoromethyl C1-4 alkyl dimethicone; trilactin; urea; xylitol; zea mays; zinc PCA.

The agent can also be a depilatory agent. A depilatory agent is an agent which removes body hair. Examples of depilatory agents include: alkali sulphides; alkaline earth 10 sulphides; ammonium thioglycolate; ammonium thiolactate; barium sulfide; calcium sulfide; calcium thioglycolate; ethanolamine thioglycolate; glyceryl thioglycolate; isooctyl thioglycolate; lithium sulfide; magnesium sulfide; magnesium thioglycolate; mercaptopropionic acid; potassium sulfide; potassium thioglycolate; sodium sulfide; sodium thioglycolate; strontium sulfide; strontium thioglycolate; thioglycerin; thioglycollic acid and 15 its salts; thiolactic acid; and zinc sulfide.

A preferred cosmetic agent is any of the known bulking agents which can be added to the hair or nails to provide 'body' and strength. Bulking agents are well known to those of ordinary skill in the art. Examples of bulking agents generally include cationic surfactant/polymers, fatty alcohols (non-ionic surfactant), waxes or esters, non-ionic polymers 20 (e.g. polyglycols) for thickening, and insoluble silicone. The preferred bulking agent is the cationic surfactant, which places a dispersive charge on the hair. Examples of cationic surfactants include: quaternary ammonium hydroxides, e.g., tetramethylammonium hydroxide, alkyltrimethylammonium hydroxides wherein the alkyl group has from about 8 to 22 carbon atoms, for example octyltrimethylammonium hydroxide, 25 dodecyltrimethyl-ammonium hydroxide, hexadecyltrimethylammonium hydroxide, cetyltrimethylammonium hydroxide, octyldimethylbenzylammonium hydroxide, decyldimethyl-benzylammonium hydroxide, stearyldimethylbenzylammonium hydroxide, didodecyldimethylammonium hydroxide, dioctadecyldimethylammonium hydroxide, tallow trimethylammonium hydroxide, cocotrimethylammonium hydroxide, and the corresponding 30 salts thereof, e.g., chlorides; cetylpyridinium hydroxide or salts thereof, e.g., chloride; Quaternium -5, Quaternium -31, Quaternium -18 and mixtures thereof. Additional bulking agents can be solutions of proteins, peptides, and polynucleotides or combinations thereof.

Particular bulking agents include collagen, keratins, plant structural proteins, silk, fibrin, mucopolysaccharide and elastin. Other examples of bulking agents include: polylysine; biotin, panthenol, glycoprotein, and mucopolysaccharide; amodimethicone; acrylates; dimethicone copolymer; di-isobutyl adipate; isododecane; polypropylene glycol, glycerol, disaccharides, urea, dithiothreitol, edta, methyl paraben, propylparaben; polyvinylpyrrolidone and copolymers or derivatives thereof; for example, copolymers with the ethyl or butyl ester of PVA/MA (partially neutralized), copolymers with vinyl acetate/crotonic acid, copolymers of PVP/VA in all proportions, Polyquaternium-11, and copolymers with ethyl methacrylate/oleyl methacrylate/diethylaminoethyl methacrylate quaternized with dimethyl sulfate, as well as carboxyvinyl polymers, such as hydroxyethyl cellulose, hydroxypropyl methylcellulose, and guar gum, xanthan gum, tragacanth gum, and other natural viscosity boosters; ceramide; copolymers of vinyl acetate and crotonic acid, terpolymers of vinyl acetate, crotonic acid and a vinyl ester of an alpha-branched saturated aliphatic monocarboxylic acid such as vinyl neodecanoate, and copolymers of methyl vinyl ether and maleic anhydride (molar ratio about 1:1) wherein such copolymers are 50% esterified with a saturated aliphatic alcohol containing from 1 to 4 carbon atoms such as ethanol or butanol; and acrylic copolymers and terpolymers containing acrylic acid or methacrylic acid as the anionic radical containing moiety such as terpolymers of methacrylic acid, butylacrylate and ethyl methacrylate which is presently the preferred acrylic polymer.

Bulking agents can be used as hair conditioning or hair fixative agents. Hair conditioning agents are agents which improve the appearance, texture and sheen of hair as well as increasing hair body or suppleness. Usually these compounds facilitate hair styling. Examples of hair conditioning agents include: Acetamide MEA; Acetamidoethoxybutyl Trimonium Chloride; Acetylated Lanolin; Acetylated Lanolin Alcohol; Acetylmethionyl Methylsilanol Elastinate; Acrylates/Carbamate Copolymer; Alanine; Albumen; Alfalfa (Medicago Sativa) Oil Unsaponifiables; Almondamidopropalkonium Chloride; Almondamidopropyl Betaine; Aluminum Capryloyl Hydrolyzed Collagen; Aluminum Undecylenoyl Collagen Amino Acids; Amino Bispropyl Dimethicone; Aminopropyl Dimethicone; Aminopropyl Laurylglutamine; Ammonium Caseinate; Ammonium Hydrolyzed Collagen; Ammonium Lauroyl Sarcosinate; Amodimethicone; Amodimethicone/Dimethicone Copolyol; Amodimethicone Hydroxystearate; AMP-Isostearoyl Gelatin/Keratin Amino Acids/Lysine Hydroxypropyltrimonium Chloride; AMP-Isostearoyl Hydrolyzed Collagen;

- AMP-Isostearoyl Hydrolyzed Soy Protein; AMP-Isostearoyl Hydrolyzed Wheat Protein;
 AMPD-Isostearoyl Hydrolyzed Collagen; AMPD-Rosin Hydrolyzed Collagen;
 Apricotamidopropyl Betaine; Apricotamidopropyl Ethyldimonium Ethosulfate; Argemone
 Mexicana Oil; Arginine; Arginine Aspartate; Asparagine; Aspartic Acid; Atelocollagen;
 5 Avocadamidopropyl Betaine; Avocado (Persea Gratissima) Oil Unsaponifiables;
 Babassuamide DEA; Babassuamidopropylammonium Chloride; Babassuamidopropylamine
 Oxide; Babassuamidopropyl Betaine; Beer; Behenamide DEA; Behenamide MEA;
 Behenamidopropyl Betaine; Behenamidopropyl Dimethylamine Behenate; Behenamidopropyl
 Dimethylamine Lactate; Behenamidopropyl Ethyldimonium Ethosulfate; Behenamidopropyl
 10 PG-Dimonium Chloride; Behenoyl PG-Trimonium Chloride; Behentrimonium Chloride;
 Behentrimonium Methosulfate; Behenyl Betaine; Behenyl Hydroxyethyl Imidazoline;
 Benzyltrimonium Hydrolyzed Collagen; Biotin; Bisphenylhexamethicone; Butoxy Chitosan;
 Buttermilk Powder; Butyloctyl Salicylate; Calcium Caseinate; Calcium Pantothenate;
 Canolamidopropyl Betaine; Canolamidopropyl Ethyldimonium Ethosulfate; Caproyl
 15 Sphingosine; Capryl/Capramidopropyl Betaine; Capryl Hydroxyethyl Imidazoline; Capryloyl
 Collagen Amino Acids; Capryloyl Glycine; Capryloyl Hydrolyzed Collagen; Capryloyl
 Hydrolyzed Keratin; Capryloyl Keratin Amino Acids; Capryloyl Pea Amino Acids; Capryloyl
 Quinoa Amino Acids; Capryloyl Silk Amino Acids; Caprylyl Glycol; Caprylyl Hydroxyethyl
 Imidazoline; Caprylyl Pyrrolidone; Carboxybutyl Chitosan; Carboxymethyl Chitin;
 20 Carboxymethyl Chitosan Succinamide; Carboxymethyl Isostearamidopropyl Morpholine;
 Carnitine; Carpronium Chloride; Casein; Catalase; Cauliflower (Brassica Oleracea Botrytis)
 Oil Unsaponifiables; Ceramide 1; Ceramide 2; Ceramide 3; Ceramide 4; Ceramide 5;
 Ceramide 1 A; Ceramide 6 II; Cetearyltrimonium Chloride; Cetearyl Dimethicone/Vinyl
 Dimethicone Crosspolymer; Cetearyl Isononanoate; Cetearyl Octanoate; Cetearyl Palmitate;
 25 Cetyl Betaine; Cetyl Glycol; Cetyl Pyrrolidonylmethyl Dimonium Chloride; Cetyl
 Triethylammonium Dimethicone Copolyol Phthalate; Cholecalciferol Polypeptide;
 Cocamidoethyl Betaine; Cocamidopropylamine Oxide; Cocamidopropyl Amine Oxide;
 Cocamidopropyl Betaine; Cocamidopropyl Dimethylamine Dihydroxymethylpropionate;
 Cocamidopropyl Dimethylamine Hydrolyzed Collagen; Cocamidopropyl Dimethylamine
 30 Lactate; Cocamidopropyl Dimethylamine Propionate; Cocamidopropyl Dimethylamino-
 hydroxypropyl Hydrolyzed Collagen; Cocamidopropyl Dimethylammonium C8-16
 Isoalkylsuccinyl Lactoglobulin Sulfonate; Cocamidopropyldimonium Hydroxypropyl

- Hydrolyzed Collagen; Cocamidopropyl Ethyldimonium Ethosulfate; Cocamidopropyl Hydroxysultaine; Cocamidopropyl Morpholine; Cocamidopropyl Morpholine Lactate; Cocamidopropyl PG-Dimonium Chloride; Cocamidopropyl PG-Dimonium Chloride Phosphate; Cocamidopropyltrimonium Chloride; Cocamine Oxide; Cocaminobutyric Acid;
- 5 Cocaminopropionic Acid; Cocoalkonium Chloride; Cocoamphodipropionic Acid; Cocobetainamido Amphopropionate; Coco-Betaine; Cocodimonium Hydroxypropyl Hydrolyzed Casein; Cocodimonium Hydroxypropyl Hydrolyzed Collagen; Cocodimonium Hydroxypropyl Hydrolyzed Hair Keratin; Cocodimonium Hydroxypropyl Hydrolyzed Keratin; Cocodimonium Hydroxypropyl Hydrolyzed Rice Protein; Cocodimonium
- 10 Hydroxypropyl Hydrolyzed Silk; Cocodimonium Hydroxypropyl Hydrolyzed Soy Protein; Cocodimonium Hydroxypropyl Hydrolyzed Wheat Protein; Cocodimonium Hydroxypropyl Silk Amino Acids; Coco-Ethyldimonium Ethosulfate; Coco-Hydroxysultaine; Coco-Morpholine Oxide; Coconut (Cocos Nucifera) Oil; Coco/Oleamidopropyl Betaine; Coco-Sultaine; Cocotrimonium Chloride; Cocotrimonium Methosulfate; Cocoyl Benzyl
- 15 Hydroxyethyl Imidazolinium Chloride; Cocoyl Glutamic Acid; Cocoyl Hydrolyzed Collage; Cocoyl Hydrolyzed Keratin; Cocoyl Hydrolyzed Soy Protein; Cocoyl Hydroxyethyl Imidazoline; Cocoyl Hydroxyethylimidazolinium PG-Chloride phosphate; cocoyl sarcosinamide DEA; Cocyl sarcosine; Collagen; Collagen Amino Acids; Corn (Zea Mays) Gluten Protein; Corn (Zea Mays) Oil; Corn (Zea Mays) Oil Unsaponifiables; Crystallins;
- 20 Cylcomethicone; Cysteine; Cysteine HCl; Cystine; DATEM; DEA-Cocoamphodipropionate; DEA-Cyclocarboxypropylolate; DEA-Hydrolyzed Lecithin; DEA-Lauraminopropionate; Decyl Betaine; Decyl Mercaptomethylimidazole; Desamido Collagen; Dextran Hydroxypropyltrimonium Chloride; Diaminopyrimidine Oxide; Dibehenamidopropyldimethylamine Dilinoleate; DibehenylDjarachidyl Dimonium Chloride; Dibehenyldimonium Chloride;
- 25 Dibehenyldimonium Methosulfate; Dibutyl Lauroyl Glutamide; Di-C12-15 Alkyl Dimonium Chloride; Di-C12-18 Alkyl Dimonium Chloride; Di-C14-18 Alkyl Dimonium Chloride; Dicapryl/Dicaprylyl Dimonium Chloride; Dicapryloyl Cystine; Dicetyldiminium Chloride; Dicocodimethylamine Dilinoleate; Dicocodimonium Chloride; Dicocylethyl Hydroxyethylmonium Methosulfate; Didecyldimonium Chloride; Diethylaminoethyl
- 30 Cocoate; Diethylaminoethyl PEG-5 Cocoate; Diethylaminoethyl PEG-5 Laurate; Diethylaminoethyl Stearate; Diethylene Glycol Dibenzoate; Diethylene Glycol Diisononanoate; Diethylene Glycol Dioctanoate; Diethylene Glycol Dioctanoate/

- Diisononanoate; Diethylene Tricaseinamide; Dihydrogenated Palmoylethyl Hydroxyethylmonium Methosulfate; Dihydrogenated Palmoyl Hydroxyethylmonium Methosulfate; Dihydrogenated Tallowamidoethyl Hydroxyethylmonium Chloride; Dihydrogenated Tallowamidoethyl Hydroxyethylmonium Methosulfate; Dihydrogenated Tallow
- 5 Benzylmonium Chloride; Dihydrogenated Tallowethyl Hydroxyethylmonium Methosulfate; Dihydrogenated Tallow Hydroxyethylmonium Methosulfate; Dihydrogenated Tallowylethyl Hydroxyethylmonium Methosulfate; Dihydroxyethylamino Hydroxypropyl Oleate; Dihydroxyethyl C12-15 Alkoxypropylamine Oxide; Dihydroxyethyl Cocamine Oxide; Dihydroxyethyl Oleyl Glycinate; Dihydroxyethyl Soy Glycinate; Dihydroxyethyl Stearamine
- 10 Oxide; Dihydroxyethyl Stearyl Glycinate; Dihydroxyethyl Tallowamine/IPDI Copolymer; Dihydroxyethyl Tallowamine Oleate; dihydroxyethyl Tallowamine Oxide; dihydroxyethyl Tallow Glycinate; Dihydroxypropyl PEG-5 Linoleammonium Chloride Phosphate; Diisostearamidopropyl Epoxypropylmonium Chloride; Dilaureth-4 Dimonium Chloride; Dilauryl Acetyl Dimonium Chloride; Dilauryldimonium Chloride; Dilinoleamidopropyl
- 15 Dimethylamine Dimethicone Copolyol Phosphate; Dimethicone Bisamino Hydroxypropyl Copolyol; Dimethicone Copolyol; Dimethicone Copolyol Acetate; Dimethicone Copolyol Adipate; Dimethicone Copolyol Almondate; Dimethicone Copolyol Avocadoate; Dimethicone Copolyol Beeswax; Dimethicone Copolyol Bishydroxyethylamine; Dimethiocone Copolyol Borageate; Dimethicone Copolyol Butyl Ether; Dimethicone
- 20 Copolyol Cocoa Butterate; Dimethicone Copolyol Dhupa Butterate; Dimethicone Copolyol Ethyl Ether; Dimethicone Copolyol Kokum Butterate; Dimethicone Copolyol Lactate; Dimethicone Copolyol Mango Butterate; Dimethicone Copolyol Methyl Ether; Dimethicone Copolyol Mohwa Butterate; Dimethicone Copolyol Oliviate; Dimethicone Copolyol Phthalate; Dimethicone Copolyol Sal Butterate; Dimethicone Copolyol Shea Butterate; Dimethicone
- 25 Copolyol Undecylenate; Dimethicone Hydroxypropyl Trimonium Chloride; Dimethicone/Mercaptopropyl Methicone Copolymer; Dimethicone Propyl PG-Betaine; Dimethicone/Sodium PG-Propyldimethicone Thiosulfate Copolymer; Dimethiconol Arginine; Dimethiconol Cysteine; Dimethiconol Lactate; Dimethiconol Panthenol; Dimethiconol/Silsesquioxane Copolymer; Dimethaxysilyl Ethylenediaminopropyl Dimethicone;
- 30 Dimethylaminopropylamido PCA Dimethicone; Dimethyl Aspartic Acid; Dimethyl Glutamic Acid; Dimethyl Lauramine Dimer Dilinoleate; Dimethyl Lauramine Isostearate; Dimethyl Lauramine Oleate; DimethylPABAmidopropyl Laurdimonium Tosylate; Dioctyldodeceth-2

- Lauroyl Glutamate; Dioctyldodecyl Dodecanedioate; Dioctyldodecyl Lauroyl Glutamate;
Dioleoyl EDTHP-Monium Methosulfate; Dioleoylethyl Hydroxyethylmonium Methosulfate;
Dioleoylisopropyl Dimonium Methosulfate; Dipalmitoyl Cystine; Dipalmitoylethyl
Dimonium Chloride; Dipalmitoylethyl Hydroxyethylmonium Methosulfate; Dipalmoylethyl
5 Hydroxyethylmonium Methosulfate; Disodium Caproamphodiacetate; Disodium
Caproamphodipropionate; Disodium Capryloamphodiacetate; Disodium
Capryloamphodipropionate; Disodium Cocaminopropyl Iminodiacetate; Disodium
Cocoamphocarboxyethylhydroxypropylsulfonate; Disodium Cocoamphodiacetate; Disodium
Cocoamphodipropionate; Disodium Cystinyl Disuccinate; Disodium Dicarboxyethyl
10 Cocopropylenediamine; Disodium Hydrogenated Tallow Glutamate; Disodium
Isostearoamphodiacetate; Disodium Isostearoamphodipropionate; Disodium Laureth-5
Carboxyamphodiacetate; Disodium Lauriminodipropionate; Disodium Lauroamphodiacetate;
Disodium Lauroamphodipropionate; Disodium Oleoamphodipropionate; Disodium PPG-2-
Isodeceth-7 Carboxyamphodiacetate; Disodium Steariminodipropionate; Disodium
15 Stearoamphodiacetate; Disodium Stearoyl Glutamate; Disodium Tallowamphodiacetate;
Disodium Tallowiminodipropionate; Disodium Wheatgermamphodiacetate; Disoyamidoethyl
Hydroxyethyl Ammonium Lactate; Disoydimonium Chloride; Disoyoylethyl
Hydroxyethylmonium Methosulfate; Disteareth-6 Dimonium Chloride; Disteareth-2 Lauroyl
Glutamate; Disteareth-5 Lauroyl Glutamate; Distearoylethyl Dimonium Chloride;
20 Distearoylethyl Hydroxyethylmonium Methosulfate; Distearoylpropyl Trimonium Chloride;
Distearoyldimethylamine Dilinoleate; Distearoyldimonium Chloride; Distearyl
Epoxypropylmonium Chloride; Ditallowamidoethyl Hydroxypropylamine;
Ditallowamidoethyl Hydroxypropylmonium Methosulfate; Ditallow Dimonium Cellulose
Sulfate; Ditallowdimonium Chloride; Ditallowethyl Hydroxyethylmonium Methosulfate;
25 Ditallowoylethyl Hydroxyethylmonium Methosulfate; Ditridecyldimonium Chloride;
Dodecylbenzyltrimonium Chloride; Dodecylhexadecyltrimonium Chloride;
Dodecylxylylditrimonium Chloride; Egg; Egg Oil; Egg Powder; Elastin; Elastin Amino
Acids; Erucalkonium Chloride; Erucamidopropyl Hydroxysultaine; Ethyl Almondate; Ethyl
Apricot Kernelate; Ethyl Biotinate; Ethyl Ester of Hydrolyzed Animal Protein; Ethyl Ester of
30 Hydrolyzed Keratin; Ethyl Ester of Hydrolyzed Silk; Ethyl Glutamate; Ethyl Hydroxymethyl
Oleyl Oxazoline; Ethyl Minkate; Ethyl Morrhuate; Ethyl Myristate; Ethyl Oleate; Ethyl
Olivate; Ethyl Palmitate; Ethyl Pelargonate; Ethyl Persate; Ethyl Serinate; Ethyl Stearate;

- Ethyl Wheat Germate; Fibronectin; Gelatin; Gelatin/Keratin Amino Acids/Lysine
Hydroxypropyltrimonium Chloride; Gelatin/Lysine/Polyacrylamide Hydroxypropyltrimonium
Chloride; Ginseng Hydroxypropyltrimonium Chloride; Glucaric Acid; Glucose Oxidase;
Glutamic Acid; Glutamine; Glutamyl Histamine; Glyceryl Collagenate; Glyceryl Lanolate;
5 Glycine; Glycoproteins; Glycyl Glycine; Guar Hydroxypropyltrimonium Chloride; Hair
Keratin Amino Acids; Hexyldecyl Ester of Hydrolyzed Collagen; Hexyldodecyl Salicylate;
Hinokitiol; Histidine; Histidine HCl; Human Placental Enzymes; Human Placental Lipids;
Human Placental Protein; Hydrogenated Lanolin; Hydrogenated Olive Oil Unsaponifiables;
Hydrogenated Palmtrimonium Chloride; Hydrogenated Tallowalkonium Chloride;
10 Hydrogenated Tallow Betaine; Hydrogenated Tallowoyl Glutamic Acid; Hydrogenated
Tallowtrimonium Chloride; Hydrolyzed Actin; Hydrolyzed Casein; Hydrolyzed Collagen;
Hydrolyzed Conchiorin Protein; Hydrolyzed Corn Protein; Hydrolyzed DNA; Hydrolyzed
Egg Protein; Hydrolyzed Elastin; Hydrolyzed Extensin; Hydrolyzed Fibronectin; Hydrolyzed
Glycosaminoglycans; Hydrolyzed Hair Keratin; Hydrolyzed Hemoglobin; Hydrolyzed Human
15 Placental Protein; Hydrolyzed Keratin; Hydrolyzed Lupine Protein; Hydrolyzed Maple
Sycamore Protein; Hydrolyzed Milk Protein; Hydrolyzed Oat Flour; Hydrolyzed Oat Protein;
Hydrolyzed Oats; Hydrolyzed Pea Protein; Hydrolyzed Placental Protein; Hydrolyzed Potato
Protein; Hydrolyzed Reticulin; Hydrolyzed Rice Bran Protein; Hydrolyzed Rice Protein;
Hydrolyzed RNA; Hydrolyzed Serum Protein; Hydrolyzed Silk; Hydrolyzed Soy Protein;
20 Hydrolyzed Soy Protein/Dimethicone Copolyol Acetate; Hydrolyzed Spinal Protein;
Hydrolyzed Sweet Almond Protein; Hydrolyzed Vegetable Protein; Hydrolyzed Wheat
Gluten; Hydrolyzed Wheat Protein; Hydrolyzed Wheat Protein/Dimethicone Copolyol
Acetate; Hydrolyzed Wheat Protein Hydroxypropyl Polysiloxane; Hydrolyzed Wheat
Protein/PEG-20 Acetate Copolymer; Hydrolyzed Yeast; Hydrolyzed Yeast Protein;
25 Hydrolyzed Zein; Hydroxycaproyl Phytosphingosine; Hydroxycapryloyl Phytosphingosine;
Hydroxycetyl Hydroxyethyl Dimonium Chloride; Hydroxyethyl Behenamidopropyl
Dimonium Chloride; Hydroxyethyl Carboxymethyl; Cocamidopropylamine; Hydroxyethyl
Cetyldimonium Chloride; Hydroxyethyl Cetyldimonium Phosphate; Hydroxyethyl Diphenyl
Imidazoline; Hydroxyethyl Hydroxypropyl C12-15 Alkoxypropylamine Oxide; Hydroxyethyl
30 Laurdimonium Chloride; Hydroxyethyl Tallowdimonium Chloride; Hydroxylauroyl
Phytosphingosine; Hydroxyphenyl Glycinamide; Hydroxyproline; Hydroxypropyl
Biscetearyldimonium Chloride; Hydroxypropyl Bisisostearamidopropyl dimonium Chloride;

- Hydroxypropyl Bisoleyldimonium Chloride; Hydroxypropyl Bisstearyldimonium Chloride;
Hydroxypropyldimethicone; Hydroxypropyl Guar Hydroxypropyltrimonium Chloride;
Hydroxypropyltrimonium Gelatin; Hydroxypropyltrimonium Honey;
Hydroxypropyltrimonium Hydrolyzed Casein; Hydroxypropyltrimonium Hydrolyzed
- 5 Collagen; Hydroxypropyltrimonium Hydrolyzed Keratin; Hydroxypropyltrimonium
Hydrolyzed Rice Bran Protein; Hydroxypropyltrimonium Hydrolyzed Silk;
Hydroxypropyltrimonium Hydrolyzed Soy Protein; Hydroxypropyltrimonium Hydrolyzed
Vegetable Protein; Hydroxypropyltrimonium Hydrolyzed Wheat Protein;
Hydroxystearamidopropyl Trimonium Chloride; Hydroxystearamidopropyl Trimonium
- 10 Methosulfate; Inositol; Iodized Corn Protein; Isobutylated Lanolin Oil; Isoleucine;
Isostearamidopropylamine Oxide; Isostearamidopropyl Betaine; Isostearamidopropyl
Epoxypropylmorpholinium Chloride; Isostearamidopropyl Ethyldimonium Ethosulfate;
Isostearamidopropyl Ethylmorpholinium Ethosulfate; Isostearamidopropyl
Laurylaceto-dimonium Chloride; Isostearamidopropyl Morpholine Oxide; Isostearamidopropyl
- 15 PG-Dimonium Chloride; Isostearaminopropylkonium Chloride; Isostearoyl Hydrolyzed
Collagen; Isostearoyl PG-Trimonium Chloride; Isostearyl Benzylimidonium Chloride;
Isostearyl Ethyldimonium Chloride; Isostearyl Ethylimidazolinium Ethosulfate; Isostearyl
Glyceryl Pentaerythrityl Ether; Isostearyl Hydroxyethyl Imidazoline; Isostearyl
Laurdimonium Chloride; Isotridecyl Laurate; Isotridecyl Myristate; Jojoba Butter; Jojoba
- 20 (Buxus Chinensis) Oil; Jojoba Wax; Juniperus Oxycedrus Tar; Keratin; Keratin Amino Acids;
Lactamide MEA; Lactoferrin; Lactoglobulin; Lactoyl Methylsilanol Elastinate; Lactoyl
Phytosphingosine; Laneth-9 Acetate; Laneth-10 Acetate; Lanolin; Lanolin Alcohol; Lanolin
Linoleate; Lanolin Oil; Lanolin Ricinoleate; Lanolin Wax; Lanosterol; Lauramidopropyl-
amine Oxide; Lauramidopropyl Betaine; Lauramidopropyl PG-Dimonium Chloride;
- 25 Lauramine Oxide; Lauraminopropionic Acid; Laurdimonium Hydroxypropyl Hydrolyzed Soy
Protein; Laurdimonium Hydroxypropyl Hydrolyzed Wheat Protein; Lauroamphodipropionic
Acid; Lauroyl Collagen Amino Acids; Lauroyl Hydrolyzed Collagen; Lauroyl Hydrolyzed
Elastin; Lauroyl Lysine; Lauroyl PG-Trimonium Chloride; Lauroyl Sarcosine; Lauroyl Silk
Amino Acids; Laurtrimonium Bromide; Laurylamine Dipropylenediamine; Lauryl
- 30 Aminopropylglycine; Lauryl Betaine; Lauryl Diethylenediaminoglycine; Lauryl
Dimethylamine Cyclocarboxypropyloleate; Lauryldimonium Hydroxypropyl Hydrolyzed
Casein; Lauryldimonium Hydroxypropyl Hydrolyzed Collagen; Lauryldimonium

- Hydroxypropyl Hydrolyzed Keratin; Lauryldimonium Hydroxypropyl Hydrolyzed Silk;
Lauryldimonium Hydroxypropyl Hydrolyzed Soy Protein; Lauryl Glycol; Lauryl
Hydroxyethyl Imidazoline; Lauryl Hydroxysultaine; Lauryl Methyl Gluceth-10
Hydroxypropyldimonium Chloride; Lauryl Myristate; Lauryl Pyrrolidone; Lauryl Sultaine;
- 5 Lecithinamide DEA; Leucine; Linoleamide; Linoleamide DEA; Linoleamide MEA;
Linoleamide MIPA; Linoleamidopropalkonium Chloride; Linoleamidopropyl Dimethylamine
Dimer Dilinoleate; Linoleamidopropyl Ethyldimonium Ethosulfate; Linoleamidopropyl PG-
Dimonium Chloride Phosphate Dimethicone; Linoleic Acid; Linolenic Acid; Lupin (Lupinus
Albus) Oil Unsaponifiables; Lysine; Lysine Aspartate; Maltodextrin; Marmot Oil; MEA-
- 10 Hydrolyzed Collagen; MEA-Hydrolyzed Silk; Methionine; Methyl Aspartic Acid; Methyl
Glutamic Acid; Methyl Hydroxycetyl Glucaminium Lactate; Methyl Hydroxymethyl Oleyl
Oxazoline; Methylsilanol Acetylmethionate; Methylsilanol Elastinate; Milkamidopropyl
Amine Oxide; Milkamidopropyl Betaine; Milk Amino Acids; Milk Protein; Mineral Oil;
Minkamidopropalkonium Chloride; Minkamidopropylamine Oxide; Minkamidopropyl
- 15 Betaine; Minkamidopropyl Ethyldimonium Ethosulfate; Mink Oil; Mink Wax; Mixed
Isopropanolamines Lanolate; Myristamidopropylamine Oxide; Myristamidopropyl Betaine;
Myristamine Oxide; Myristaminopropionic Acid; Myristoyl Glutamic Acid; Myristoyl
Hydrolyzed Collagen; Myristoyl Sarcosine; Myristyl Betaine; Myristyl/Cetyl Amine Oxide;
Myristyl Hydroxyethyl Imidazoline; Niacin; Niacinamide; Nonfat Dry Colostrum; Nonfat Dry
- 20 Milk; Norvaline; Oat (Avena Sativa) Protein; Octyldodecyl Lanolate; Octyldodecyltrimonium
Chloride; Olealkonium Chloride; Oleamidopropylamine Oxide; Oleamidopropyl Betaine;
Oleamidopropyl Dimethylamine Glycolate; Oleamidopropyl Dimethylamine Hydrolyzed
Collagen; Oleamidopropyl Dimethylamine Lactate; Oleamidopropyl Dimethylamine
Propionate; Oleamidopropyldimonium Hydroxypropyl Hydrolyzed Collagen;
- 25 Oleamidopropyl Hydroxysultaine; Oleamidopropyl PG-Dimonium Chloride; Oleamine
Bishydroxypropyltrimonium Chloride; Oleamine Oxide; Oleoyl Hydrolyzed Collagen; Oleoyl
PG-Trimonium Chloride; Oleoyl Sarcosine; Oleyl Betaine; Oleyl Epoxypropyldimonium
Chloride; Oleyl Hydroxyethyl Imidazoline; Oleyl Lanolate; Oleyl Linoleate; Oleyl Myristate;
Oleyl Oleate; Oleyl Stearate; Olivamidopropylamine Oxide; Olivamidopropyl Betaine;
- 30 Olivamidopropyl Dimethylamine Lactate; Olive (Olea Europaea) Oil Unsaponifiables;
Ostrich Oil; Oxidized Keratin; Palmamidopropyl Betaine; Palmitamidopropylamine Oxide;
Palmitamidopropyl Betaine; Palmitamine Oxide; Palmitoyl Collagen Amino Acids; Palmitoyl

- Glycine; Palmitoyl Hydrolyzed Collagen; Palmitoyl Hydrolyzed Milk Protein; Palmitoyl Hydrolyzed Wheat Protein; Palmitoyl Keratin Amino Acids; Palmitoyl Pea Amino Acids; Palmitoyl PG-Trimonium Chloride; Palmitoyl Quinoa Amino Acids; Palmitoyl Silk Amino Acids; Palm Kernelamidopropyl Betaine; Pancreatin; Pantethine; Panthenol; Panthenyl Ethyl Ether; Panthenyl Ethyl Ether Acetate; Panthenyl Hydroxypropyl Steardimonium Chloride; Panthenyl Triacetate; Pantothenic Acid; Pantothenic Acid Polypeptide; Papain; PCA Dimethicone; PCA Ethyl Cocoyl Arginate; PEG-105 Behenyl Propylenediamine; PEG-2 Dimeadowfoamamidoethylmonium Methosulfate; PEG-3 Dioleoylamidoethylmonium Methosulfate; PEG-5 Ditridecylmonium Chloride; PEG-5 Hydrogenated Lanolin; PEG-10 Hydrogenated Lanolin; PEG-20 Hydrogenated Lanolin; PEG-24 Hydrogenated Lanolin; PEG-30 Hydrogenated Lanolin; PEG-70 Hydrogenated Lanolin; PEG-5 Lanolinamide; PEG-3 Lauramine Oxide; PEG-2 Milk Solids; PEG-5 Oleamide Dioleate; PEG-2 Oleammonium Chloride; PEG-8/SMDI Copolymer; PEG-15 Stearmonium Chloride; PEG-20 Tallow Ammonium Ethosulfate; PEG-15 Tallow Polyamine; PEG-3 Tallow Propylenedimonium Dimethosulfate; Pepsin; Petrolatum; PG-Hydroxyethylcellulose Cocodimonium Chloride; PG-Hydroxyethylcellulose Lauryldimonium Chloride; PG-Hydroxyethylcellulose Stearyldimonium Chloride; Phenylalanine; Phenyl Trimethicone; Phytosphingosine; Phytosteryl Macadamiate; Placental Enzymes; Placental Lipids; Placental Protein; Polybeta-Alanine; Polyglyceryl-2 Oleyl Ether; Polyglyceryl-4 Oleyl Ether; Polylysine;
- Polymethacrylamidopropyltrimonium Chloride; Polymethacrylamidopropyltrimonium Methosulfate; Potymethylglutamate; Polyquaternium-43; Polyquaternium-44; Polysilicone-1; Polysilicone-2; Polysilicone-3; Polysilicone-4; Polysilicone-5; Polysilicone-6; Polysilicone-7; Polysilicone-8; Polysilicone-10; Potassium Abietoyl Hydrolyzed Collagen; Potassium Caseinate; Potassium Cocoyl Glutamate; Potassium Cocoyl Glycinate; Potassium Cocoyl Hydrolyzed Casein; Potassium Cocoyl Hydrolyzed Collagen; Potassium Cocoyl Hydrolyzed Corn Protein; Potassium Cocoyl Hydrolyzed Keratin; Potassium Cocoyl Hydrolyzed Potato Protein; Potassium Cocoyl Hydrolyzed Rice Bran Protein; Potassium Cocoyl Hydrolyzed Rice Protein; Potassium Cocoyl Hydrolyzed Silk; Potassium Cocoyl Hydrolyzed Soy Protein; Potassium Cocoyl Hydrolyzed Wheat Protein; Potassium Dihydroxyethyl Cocamine Oxide Phosphate; Potassium Dimethicone Copolyol Panthenyl Phosphate; Potassium Lauroyl Collagen Amino Acids; Potassium Lauroyl Glutamate; Potassium Lauroyl Hydrolyzed Collagen; Potassium Lauroyl Hydrolyzed Soy Protein; Potassium Lauroyl Wheat Amino

Acids; Potassium Myristoyl Glutamate; Potassium Myristoyl Hydrolyzed Collagen;
 Potassium Oleoyl Hydrolyzed Collagen; Potassium Palmitoyl Hydrolyzed Wheat Protein;
 Potassium Stearoyl Hydrolyzed Collagen; Potassium Undecylenoyl Alginate; Potassium
 Undecylenoyl Carrageenan; Potassium Undecylenoyl Hydrolyzed Collagen; Potassium
 5 Undecylenoyl Hydrolyzed Corn Protein; Potassium Undecylenoyl Hydrolyzed Soy Protein;
 Potassium Undecylenoyl Hydrolyzed Wheat Protein; PPG-2-Buteth-2; PPG-2-Buteth-3; PPG-
 3-Buteth-5; PPG-4-Buteth-4; PPG-5-Buteth-5; PPG-5-Buteth-7; PPG-7-Buteth-10; PPG-9-
 Buteth-12; PPG-10-Buteth-9; PPG-12-Buteth-12; PPG-12-Buteth-16; PPG-15-Buteth-20;
 PPG-17-Buteth-17; PPG-20-Buteth-30; PPG-24-Buteth-27; PPG-26-Buteth-26; PPG-28-
 10 Buteth-35; PPG-30-Buteth-30; PPG-33-Buteth-45; PPG-36-Buteth-36; PPG-38-Buteth-37;
 PPG-2 Butyl Ether; PPG-4 Butyl Ether; PPG-5 Butyl Ether; PPG-9 Butyl Ether; PPG-12
 Butyl Ether; PPG-14 Butyl Ether; PPC-15 Butyl Ether; PPG-16 Butyl Ether; PPG-17 Butyl
 Ether; PPG-18 Butyl Ether; PPG-20 Butyl Ether; PPG-22 Butyl Ether; PPG-24 Butyl Ether;
 PPG-26 Butyl Ether; PPG-30 Butyl Ether; PPG-33 Butyl Ether; PPG-40 Butyl Ether; PPG-52
 15 Butyl Ether; PPG-53 Butyl Ether; PPG-9 Diethylmonium Chloride; PPG-2 Lanolin Alcohol
 Ether; PPG-5 Lanolin Alcohol Ether; PPG-10 Lanolin Alcohol Ether; PPG-20 Lanolin
 Alcohol Ether; PPG-30 Lanolin Alcohol Ether; PPG-10 Methyl Glucose Ether; PPG-20
 Methyl Glucose Ether; PPG-20-PEG-20 Hydrogenated Lanolin; PPG-12-PEG-50 Lanolin;
 PPG-12-PEG-65 Lanolin Oil; PPG-40-PEG-60 Lanolin Oil; PPG-12 /SMDI Copolymer;
 20 PPG-51/SMDI Copolymer; PPG-7/Succinic Acid Copolymer; Procollagen; Proline;
 Propyltrimonium Hydrolyzed Collagen; Propyltrimonium Hydrolyzed Soy Protein;
 Propyltrimonium Hydrolyzed Wheat Protein; Pyridoxine; Pyridoxine Dicaprylate; Pyridoxine
 Dilaurate; Pyridoxine Dioctenoate; Pyridoxine Dipalmitate; Pyridoxine HCl; Pyridoxine
 Tripalmitate; Quaternium-8; Quaternium-14; Quaternium-16; Quaternium-22; Quaternium-
 25 26; Quaternium-27; Quaternium-33; Quaternium-52; Quaternium-53; Quaternium-56;
 Quaternium-60; Quaternium-61; Quaternium-63; Quaternium-70; Quaternium-72;
 Quaternium-75; Quaternium-76 Hydrolyzed Collagen; Quaternium-77; Quaternium-78;
 Quaternium-79 Hydrolyzed Collagen; Quaternium-79 Hydrolyzed Keratin; Quaternium-79
 Hydrolyzed Milk Protein; Quaternium-79 Hydrolyzed Silk; Quaternium-79 Hydrolyzed Soy
 30 Protein; Quaternium-79 Hydrolyzed Wheat Protein; Quaternium-80; Quaternium-81;
 Quaternium-82; Quaternium-83; Quaternium-85; Quaternium-86; Quinine; Rapeseed
 (Brassica; Campestris) Oil Unsaponifiables; Resorcinol Acetate; Ricinoleamidopropyl

- Betaine; Ricinoleamidopropyltrimonium Chloride; Ricinoleamidopropyltrimonium Methosulfate; Rosin Hydrolyzed Collagen; Rutin; Saffloweramidopropyl Ethyldimonium Ethosulfate; Salicylic Acid; Selenium Sulfide; Sericin; Serine; Serum Albumin; Serum Protein; Sesame (Sesamum Indicum) Oil Unsaponifiables; Sesamidopropylamine Oxide;
- 5 Sesamidopropyl Betaine; Shea Butter (Butyrospermum Parkii) Unsaponifiables; Shellac Wax; Silicone Quaternium-1; Silicone Quaternium-2; Silicone Quaternium-3; Silicone Quaternium-4; Silicone Quaternium-5; Silicone Quaternium-6; Silicone Quaternium-7; Silicone Quaternium-8; Silicone Quaternium-9; Silicone Quaternium-10; Silicone Quaternium-11; Silicone Quaternium-12; Silicone Quaternium-13; Silk Amino Acids; Sodium C12-15
- 10 Alkoxypropyl Iminodipropionate; Sodium Caproamphoacetate; Sodium Caproamphohydroxypropylsulfonate; Sodium Caproamphopropionate; Sodium Capryloamphoacetate; Sodium Capryloamphohydroxypropylsulfonate; Sodium Capryloamphopropionate; Sodium Caseinate; Sodium Chondroitin Sulfate; Sodium C8-16 Isoalkylsuccinyl Lactoglobulin Sulfonate; Sodium Cocaminopropionate; Sodium
- 15 Cocoamphoacetate; Sodium Cocoamphohydroxypropylsulfonate; Sodium Cocoamphopropionate; Sodium Cocoyl Collagen Amino Acids; Sodium Cocoyl Hydrolyzed Collagen; Sodium Cocoyl Hydrolyzed Keratin; Sodium Cocoyl Hydrolyzed Rice Protein; Sodium Cocoyl Hydrolyzed Soy Protein; Sodium Cocoyl Hydrolyzed Wheat Protein; Sodium Cocoyl Sarcosinate; Sodium Cornamphopropionate; Sodium Dicarboxyethylcoco
- 20 Phosphoethyl Imidazoline; Sodium Diethylaminopropyl Cocoaspartamide; Sodium Dimethicone Copolyol Acetyl Methyltaurate; Sodium Glutamate; Sodium Hydrolyzed Casein; Sodium Hydroxymethylglycinate; Sodium Isostearoamphoacetate; Sodium Isostearoamphopropionate; Sodium Lauraminopropionate; Sodium Lauraminodipropionate; Sodium Lauroamphoacetate; Sodium Lauroamphohydroxypropylsulfonate; Sodium
- 25 Lauroampho PG-Acetate Phosphate; Sodium Lauroamphopropionate; Sodium Lauroyl Aspartate; Sodium Lauroyl Collagen Amino Acids; Sodium Lauroyl Glutamate; Sodium Lauroyl Hydrolyzed Collagen; Sodium Lauroyl Hydrolyzed Silk; Sodium Lauroyl Oat Amino Acids; Sodium Lauroyl Sarcosinate; Sodium Lauroyl Silk Amino Acids; Sodium Lauroyl Wheat Amino Acids; Sodium Milkamidopropyl PG-Dimonium Chloride Phosphate; Sodium
- 30 Myristoamphoacetate; Sodium Myristoyl Hydrolyzed Collagen; Sodium Myristoyl Isethionate; Sodium Myristoyl Sarcosinate; Sodium Oleoamphoacetate; Sodium Oleoamphohydroxypropylsulfonate; Sodium Oleoamphopropionate; Sodium Oleoyl

- Hydrolyzed Collagen; Sodium Oleoyl Isethionate; Sodium Palmitoyl Chondroitin Sulfate; Sodium Palmitoyl Hydrolyzed Collagen; Sodium Palmitoyl Hydrolyzed Wheat Protein; Sodium Pantothenate; Sodium PCA; Sodium PG-Propyl Thiosulfate Dimethicone; Sodium Polyaspartate; Sodium Polyglutamate; Sodium Ricinoleoamphoacetate; Sodium Soy
- 5 Hydrolyzed Collagen; Sodium Stearoamphoacetate; Sodium Stearoamphohydroxypropyl-sulfonate; Sodium Stearoamphopropionate; Sodium Stearoyl Casein; Sodium Stearoyl Chondroitin Sulfate; Sodium Stearoyl Glutamate; Sodium Stearoyl Hyaluronate; Sodium Stearoyl Hydrolyzed Collagen; Sodium Stearoyl Hydrolyzed Corn Protein; Sodium Stearoyl Hydrolyzed Silk; Sodium Stearoyl Hydrolyzed Soy Protein; Sodium Stearoyl Hydrolyzed
- 10 Wheat Protein; Sodium Stearoyl Lactalbumin; Sodium Stearoyl Oat Protein; Sodium Stearoyl Pea Protein; Sodium Stearoyl Soy Protein; Sodium Tallamphopropionate; Sodium Tallowamphoacetate; Sodium/TEA-Lauroyl Collagen Amino Acids; Sodium/TEA-Lauroyl Hydrolyzed Collagen; Sodium/TEA-Lauroyl Hydrolyzed Keratin; Sodium/TEA-Lauroyl Keratin Amino Acids; Sodium/TEA-Undecylenoyl Alginate; Sodium/TEA-Undecylenoyl
- 15 Carrageenan; Sodium/TEA-Undecylenoyl Collagen Amino Acids; Sodium/TEA-Undecylenoyl Hydrolyzed Collagen; Sodium/TEA-Undecylenoyl Hydrolyzed Corn Protein; Sodium/TEA-Undecylenoyl Hydrolyzed Soy Protein; Sodium/TEA-Undecylenoyl Hydrolyzed Wheat Protein; Sodium Undecylenoamphoacetate; Sodium Undecylenoamphopropionate; Sodium Wheat Germamphoacetate; Soluble Collagen; Soluble Proteoglycan;
- 20 Soyamidoethyldimonium/Trimonium Hydroxypropyl Hydrolyzed Wheat Protein; Soyamidopropyl Betaine; Soybean (Glycine Soja) Oil Unsaponifiables; Soybean (Glycine Soja) Protein; Soybean Lipid; Soy Dihydroxypropyldimonium Glucoside; Soydimonium Hydroxypropyl Hydrolyzed Wheat Protein; Soyethylmonium Ethosulfate; Soy Hydroxyethyl Imidazoline; Soytrimonium Chloride; Squalane; Squalene; Stearalkonium
- 25 Dimethicone Copolyol Phthalate; Stearamidoethyl Diethylamine; Stearamidoethyl Diethylamine Phosphate; Stearamidopropylamine Oxide; Stearamidopropyl Betaine; Stearamidopropyl Dimethylamine; Stearamidopropyl Dimethylamine Lactate; Stearamidopropyl Dimethylamine Stearate; Stearamidopropyl Ethyldimonium Ethosulfate; Stearamidopropyl PG-Dimonium Chloride Phosphate; Stearamidopropyl Pyrrolidonylmethyl
- 30 Dimonium Chloride; Stearamidopropyl Trimonium Methosulfate; Stearamine Oxide; Steardimonium Hydroxypropyl Hydrolyzed Casein; Steardimonium Hydroxypropyl Hydrolyzed Collagen; Steardimonium Hydroxypropyl Hydrolyzed Keratin; Steardimonium

- Hydroxypropyl Hydrolyzed Rice Protein; Steardimonium Hydroxypropyl Hydrolyzed Silk;
Steardimonium Hydroxypropyl Hydrolyzed Vegetable Protein; Steardimonium
Hydroxypropyl Hydrolyzed Wheat Protein; Stearoyl Glutamic Acid; Stearoyl Leucine;
Stearoyl PG-Trimonium Chloride; Stearoyl Sarcosine; Steartrimonium Bromide;
- 5 Steartrimonium Chloride; Steartrimonium Hydroxyethyl Hydrolyzed Collagen;
Steartrimonium Methosulfate; Steartrimonium Saccharinate; Stearyl/Aminopropyl Methicone
Copolymer; Stearyl Betaine; Stearyl Hydroxyethyl Imidazoline; Stearyl Hydroxyethyl-
imidonium Chloride; Stearyl Octyldimonium Chloride; Stearyl Octyldimonium Methosulfate;
Stearyl PG-Dimonium Chloride Phosphate; Sulfur; Sulfurized Hydrolyzed Corn Protein;
- 10 Sulfurized TEA-Ricinoleate; Sunflower (*Helianthus Annuus*) Seed Oil Unsaponifiables;
Sweet Almond (*Prunus Amygdalus*; *Dulcis*) Protein; Tall Oil Benzyl Hydroxyethyl
Imidazolinium Chloride; Tall Oil Hydroxyethyl Imidazoline; Tallowamidopropylamine
Oxide; Tallowamidopropyl Betaine; Tallowamidopropyl Hydroxysultaine; Tallowamine
Oxide; Tallow Betaine; Tallow Dihydroxyethyl Betaine; Tallow Hydroxyethyl Imidazoline;
- 15 Tallowtrimonium Chloride; TEA-Abietoyl Hydrolyzed Collagen; TEA-Cocoyl Glutamate;
TEA-Cocoyl Hydrolyzed Collagen; TEA-Cocoyl Hydrolyzed Soy Protein; TEA-Cocoyl
Sarcosinate; TEA-Hydrogenated Tallowoyl Glutamate; TEA-Isostearoyl Hydrolyzed
Collagen; TEA-Lauraminopropionate; TEA-Lauroyl Collagen Amino Acids; TEA-Lauroyl
Glutamate; TEA-Lauroyl Hydrolyzed Collagen; TEA-Lauroyl Keratin Amino Acids; TEA-
- 20 Lauroyl Sarcosinate; TEA-Myristaminopropionate; TEA-Myristoyl Hydrolyzed Collagen;
TEA-Oleoyl Hydrolyzed Collagen; TEA-Oleoyl Sarcosinate; TEA-Palm Kernel Sarcosinate;
TEA-Undecylenoyl Hydrolyzed Collagen; Tetrabutoxypropyl Trisiloxane; Thenoyl
Methionate; Thiodiglycolamide; Threonine; Tricetylmonium Chloride; Triethonium
Hydrolyzed Collagen Ethosulfate; Trimethylsilyamodimethicone; Trioctanoin; TriPABA
- 25 Panthenol; Trisodium Lauroampho PG-Acetate Chloride Phosphate; Triundecanoin;
Tryptophan; Tyrosine; Undecylenamide DEA; Undecylenamide MEA; Undecylenamido-
propylamine Oxide; Undecylenamidopropyl Betaine; Undecylenamidopropyltrimonium
Methosulfate; Undecylenoyl Hydrolyzed Collagen; Undecylenoyl Wheat Amino Acids;
Undecylenoyl Xanthan Gum; Valine; Vegetable Oil; Wheat Amino Acids; Wheat
- 30 Germamidopropalkonium Chloride; Wheat Germamidopropylamine Oxide; Wheat
Germamidopropyl Betaine; Wheatgermamidopropyl Dimethylamine Hydrolyzed Collagen;
Wheatgermamidopropyl Dimethylamine Hydrolyzed Wheat Protein; Wheat

Germamidopropyltrimonium Hydroxypropyl Hydrolyzed Wheat Protein; Wheat
Germamidopropyl Epoxypropyltrimonium Chloride; Wheatgermamidopropyl Ethyldimonium
Ethosulfate; Wheat (Triticum Vulgare) Germ Oil Unsaponifiables; Wheat (Triticum Vulgare)
Germ Protein; Wheat (Triticum Vulgare) Gluten; Wheat (Triticum Vulgare) Protein; Whey
5 Protein; Yogurt; Zein; Zinc Hydrolyzed Collagen.

Antistatic agents can sometimes also be used as hair conditioning agents. Antistatic
agents are agents reduce static electricity by neutralizing electrical charge on a surface.

Antistatic agents include: acetamide MEA; acetamidoethoxybutyl trimonium chloride;
acetamidopropyl trimonium chloride; acetum; acetylated lanolin; acetylated lanolin alcohol;
10 acetylated lanolin ricinoleate; acetylmethionyl methylsilanol elastinate; acrylamide/sodium
acrylate copolymer; acrylamides copolymer; acrylates/ammonium methacrylate copolymer
acrylates/pvp copolymer; acrylates copolymer; adipic acid/dimethylaminohydroxypropyl
diethylenetriamine copolymer; adipic acid/epoxypropyl diethylenetriamine copolymer;
alanine; allantoin acetyl methionine; almondamidopropalkonium chloride; almond-
15 midopropyl dimethylamine; aluminum capryloyl hydrolyzed collagen; aluminum
undecylenoyl collagen amino acids; aminoethylacrylate phosphate/acrylates copolymer
aminopropyl laurylglutamine; ammonium acrylates copolymer; ammonium caseinate;
ammonium hydrolyzed collagen; ammonium lauroyl sarcosinate; ammonium VA/acrylates
copolymer; amodimethicone; amodimethicone/dimethicone copolyol; amp-isostearoyl
20 hydrolyzed collagen; apricotamidopropyl ethyldimonium ethosulfate; arginine; asparagine;
aspartic acid; avocadamidopropalkonium chloride; avocadamidopropyl dimethylamine;
babassuamidopropalkonium chloride; babassuamidopropyl dimethylamine; behenalkonium
chloride; behenamidopropyl dimethylamine; behenamidopropyl dimethylamine behenate;
behenamidopropyl dimethylamine lactate; behenamidopropyl ethyldimonium ethosulfate;
25 behenamidopropyl PG-dimonium chloride; behenoyl PG-trimonium chloride;
behentrimonium methosulfate; behenyl betaine; behenyl hydroxyethyl imidazoline; benzyl
nicotinate; benzyl triethyl ammonium chloride; benzyltrimonium hydrolyzed collagen;
betaine; bishydroxyethyl dihydroxypropyl stearaminium chloride; butyl ester of ethylene/MA
copolymer butyl ester of PVM/MA copolymer; C12-15 alkyl salicylate; C12-16 alcohols;
30 C14-20 isoalkylamidopropylethyldimonium ethosulfate; C18-22 isoalkylamidopropylethyl-
dimonium ethosulfate; calcium pantothenate; calcium pantothenate; canolamidopropyl
ethyldimonium ethosulfate; capramide DEA; capryl hydroxyethyl imidazoline; capryloyl

- collagen amino acids; capryloyl hydrolyzed collagen; capryloyl hydrolyzed keratin; capryloyl
keratin amino acids; caprylyl hydroxyethyl imidazoline; carpronium chloride; casein; ceresin;
cetethyl morpholinium ethosulfate; cetethyldimonium bromide; cetrimonium methosulfate;
cetrimonium saccharinate; cetrimonium tosylate; cetyl betaine; cetyl pyrrolidonylmethyl
5 dimonium chloride; cetylpyridinium chloride; cholecalciferol polypeptide; cocamidopropyl
dimethylamine; cocamidopropyl dimethylamine hydrolyzed collagen; cocamidopropyl
dimethylamine propionate; cocamidopropyl dimethylaminohydroxypropyl hydrolyzed
collagen; cocamidopropyl dimethylammonium C8-16 isoalkylsuccinyl lactoglobulin
sulfonate; cocamidopropyl ethyldimonium ethosulfate; cocamidopropyl morpholine;
10 cocamidopropyl morpholine lactate; cocamidopropyl PG-dimonium chloride; cocamidopropyl
PG-dimonium chloride phosphate; cocamidopropyldimonium hydroxypropyl hydrolyzed
collagen; cocamidopropyltrimonium chloride; cocamine oxide; coco/oleamidopropyl betaine
coco-ethyldimonium ethosulfate; coco-hydroxysultaine; coco-morpholine oxide;
cocoalkonium chloride; cocodimonium hydroxypropyl hydrolyzed casein; cocodimonium
15 hydroxypropyl hydrolyzed collagen; cocodimonium hydroxypropyl hydrolyzed hair keratin;
cocodimonium hydroxypropyl hydrolyzed keratin; cocodimonium hydroxypropyl hydrolyzed
rice protein; cocodimonium hydroxypropyl hydrolyzed silk; cocodimonium hydroxypropyl
hydrolyzed soy protein; cocodimonium hydroxypropyl hydrolyzed wheat protein;
cocodimonium hydroxypropyl silk amino acids; cocotrimonium chloride; cocoyl benzyl
20 hydroxyethyl imidazolinium chloride; cocoyl hydrolyzed collagen; cocoyl hydrolyzed keratin;
cocoyl hydrolyzed soy protein; cocoyl polyglyceryl-4 hydroxypropyl dihydroxyethylamine;
corn starch/acrylamide/sodium acrylate copolymer; cyclomethicone; cysteine; cystine;
DEA-lauraminopropionate; DEA-linoleate; decyl betaine; decylamine oxide;
dibehenyl/diarachidyl dimonium chloride; dibehenyl methylamine; dibehenyldimonium
25 chloride; dibehenyldimonium methosulfate; dicapryl/dicaprylyl dimonium chloride
dicapryloyl cystine; dicetyldimonium chloride; dicocodimonium chloride; dicocoylethyl
hydroxyethylmonium methosulfate; didecyldimonium chloride; diethyl aspartate; diethyl
glutamate; diethylaminoethyl PEG-5 laurate; diethylene tricaseinamide; dihydrogenated
tallow benzylmonium chloride; dihydrogenated tallow benzylmonium hectorite;
30 dihydrogenated tallow hydroxyethylmonium methosulfate; dihydrogenated tallowamidoethyl
hydroxyethylmonium chloride; dihydrogenated tallowamidoethyl hydroxyethylmonium
methosulfate; dihydrogenated tallowdimonium chloride; dihydrogenated tallowethyl

- hydroxyethylmonium methosulfate; dihydrogenated tallowoylethyl hydroxyethylmonium methosulfate; dihydroxyethyl C12-15 alkoxypropylamine oxide; dihydroxyethyl cocamine oxide; dihydroxyethyl soya glycinate; dihydroxyethyl stearamine oxide; dihydroxyethyl stearyl glycinate; dihydroxyethyl tallowamine oxide; dilaureth-4 dimonium chloride; dilauryl
- 5 acetyl dimonium chloride; dilauryldimonium chloride; dilinoleamidopropyl dimethylamine; dimethicone copolyol; dimethicone propyl PG-betaine; dimethyl aspartic acid; dimethyl behenamine; dimethyl cystinate; dimethyl glutamic acid; dimethyl glutarate; dimethyl lauramine; dimethyl lauramine oleate; dimethyl myristamine; dimethyl palmitamine; dimethyl soyamine; dimethyl stearamine; dioctylamine; dioctyldodecyl dodecanedioate; dioleoyl
- 10 edthp-monium methosulfate; dioleyl edthp-monium methosulfate; dipalmitoyl cystine; dipalmitoyl hydroxyproline; dipalmitoylethyl hydroxyethylmonium methosulfate; dipalmoylethyl hydroxyethylmonium methosulfate; disodium caproamphodiacetate; disodium capryloamphodiacetate; disodium hydrogenated cottonseed glyceride sulfosuccinate; disodium lauriminodipropionate; disodium lauroamphodiacetate; disodium
- 15 lauroamphodipropionate; disodium oleamido MIPA-sulfosuccinate; disodium steariminodipropionate; disodium stearoamphodiacetate; disoyadimonium chloride; disteareth-6 dimonium chloride; distearoylethyl hydroxyethylmonium methosulfate; distearyldimonium chloride; ditallowamidoethyl hydroxypropylmonium methosulfate; ditallowdimonium chloride; ditallowethyl hydroxyethylmonium methosulfate;
- 20 ditallowoylethyl hydroxyethylmonium methosulfate; ditridecyldimonium chloride; docosahexaenoic acid; dodecylbenzyltrimonium chloride; dodecylxylylditrimonium chloride; erucalkonium chloride; erucamidopropyl hydroxysultaine; ethyl aspartate; ethyl ester of hydrolyzed animal protein; ethyl ester of hydrolyzed keratin; ethyl ester of hydrolyzed silk; ethyl ester of PVM/MA copolymer; ethyl glutamate; ethyl hydroxymethyl oleyl oxazoline;
- 25 ethyl PEG-15 cocamine sulfate; ethyl serinate; gelatin/keratin amino acids/lysine hydroxypropyl trimonium chloride; gelatin/lysine/polyacrylamide hydroxypropyltrimonium chloride; ginseng hydroxypropyltrimonium chloride; glucosamine HCl; glutamic acid; glutamic acid; glutamine; glyceryl distearate; glyceryl lanolate; glycine; glycol oleate; glycol ricinoleate; guar hydroxypropyltrimonium chloride; hair keratin amino acids; hexadimethrine
- 30 chloride; hexyl nicotinate; hinokitiol; histidine; hyaluronic acid; hydrogenated lanolin; hydrogenated tallowalkonium chloride; hydrogenated tallowamine oxide; hydrogenated tallowtrimonium chloride; hydrolyzed albumen; hydrolyzed casein; hydrolyzed collagen;

hydrolyzed corn protein; hydrolyzed elastin; hydrolyzed hair keratin; hydrolyzed human placental protein; hydrolyzed keratin; hydrolyzed lupine protein; hydrolyzed milk protein; hydrolyzed oat protein; hydrolyzed oats; hydrolyzed pea protein; hydrolyzed placental protein; hydrolyzed potato protein; hydrolyzed rice bran protein; hydrolyzed rice protein;

5 hydrolyzed serum protein; hydrolyzed silk; hydrolyzed soy protein; hydrolyzed spinal protein; hydrolyzed sweet almond protein; hydrolyzed vegetable protein; hydrolyzed wheat protein; hydrolyzed yeast protein; hydrolyzed zein; hydroxycetyl hydroxyethyl dimonium chloride; hydroxyethyl cetyldimonium chloride; hydroxyethyl cetyldimonium phosphate; hydroxyethyl stearamide-mipa; hydroxylated lanolin; hydroxyproline; hydroxypropyl biscetearyldimonium

10 chloride; hydroxypropyl bisisostearamidopropyldimonium chloride; hydroxypropyl bisoleylldimonium chloride; hydroxypropyl bisstearyldimonium chloride; hydroxypropyl guar; hydroxypropyl guar hydroxypropyltrimonium chloride; hydroxypropyltrimonium amylopectin/glycerin crosspolymer; hydroxypropyltrimonium gelatin; hydroxypropyltrimonium hydrolyzed casein; hydroxypropyltrimonium hydrolyzed collagen;

15 hydroxypropyltrimonium hydrolyzed keratin; hydroxypropyltrimonium hydrolyzed rice bran protein; hydroxypropyltrimonium hydrolyzed silk; hydroxypropyltrimonium hydrolyzed soy protein; hydroxypropyltrimonium hydrolyzed vegetable protein; hydroxypropyltrimonium hydrolyzed wheat protein; hydroxystearamide MEA; hydroxystearamidopropyl trimonium chloride; hydroxystearamidopropyl trimonium methosulfate; hydroxystearyl

20 methylglucamine; inositol; isobutylated lanolin oil; isodecyl isononanoate; isodecyl salicylate; isoleucine; isononamidopropyl ethyldimonium ethosulfate; isononyl isononanoate; isopropyl ester of PVM/MA copolymer; isopropyl lanolate; isopropyl palmitate; isostearamide DEA; isostearamide MEA; isostearamide MIPA; isostearamidopropyl betaine; isostearamidopropyl dimethylamine; isostearamidopropyl dimethylamine gluconate; isostearamidopropyl

25 dimethylamine glycolate; isostearamidopropyl dimethylamine lactate; isostearamidopropyl epoxypromyl dimonium chloride; isostearamidopropyl ethyldimonium ethosulfate; isostearamidopropyl ethylmorpholinium ethosulfate; isostearamidopropyl laurylaceto-

30 dimonium chloride; isostearamidopropyl morpholine; isostearamidopropyl morpholine lactate; isostearamidopropyl PG-dimonium chloride; isostearaminopropalkonium chloride; isostearyl hydrolyzed collagen; isostearyl PG-trimonium chloride; isostearyl benzylimidonium chloride; isostearyl diglyceryl succinate; isostearyl ethyldimonium chloride; isostearyl ethylimidonium ethosulfate; isostearyl hydroxyethyl imidazoline; keratin amino

- acids; lactamide MEA; lactamidopropyl trimonium chloride; lactoglobulin; lactoyl methylsilanol elastinate; lanolin; lanolin alcohol; lanolin cera; lanolin linoleate; lanolin ricinoleate; lanosterol; lapyrium chloride; lauramide DEA; lauramide MEA; lauramide MIPA; lauramidopropyl acetamidodimonium chloride; lauramidopropyl betaine; lauramidopropyl
- 5 dimethylamine; lauramidopropyl dimethylamine propionate; lauramidopropyl PG-dimonium chloride; lauramidopropylamine oxide; lauramine; lauramine oxide; lauraminopropionic acid; laurdimonium hydroxypropyl hydrolyzed soy protein; laurdimonium hydroxypropyl hydrolyzed wheat protein; lauroyl collagen amino acids; lauroyl hydrolyzed collagen; lauroyl PG-trimonium chloride; lauroyl sarcosine; laurtrimonium bromide; laurtrimonium
- 10 trichlorophenoxide; lauryl aminopropylglycine; lauryl betaine; lauryl diethylenediaminoglycine; lauryl dimethylamine cyclocarboxypropyloleate; lauryl glycol; lauryl hydroxyethyl imidazoline; lauryl isoquinolinium bromide; lauryl isoquinolinium saccharinate; lauryl methyl gluceth-10 hydroxypropyldimonium chloride; lauryl myristate; lauryl palmitate; lauryl sultaine; lauryldimonium hydroxypropyl hydrolyzed casein;
- 15 lauryldimonium hydroxypropyl hydrolyzed collagen; lauryldimonium hydroxypropyl hydrolyzed keratin; lauryldimonium hydroxypropyl hydrolyzed silk; lauryldimonium hydroxypropyl hydrolyzed soy protein; lauryldimonium hydroxypropyl hydrolyzed wheat protein; laurylpyridinium chloride; lecithin; lecithinamide DEA; leucine; linoleamide; linoleamide DEA; linoleamide MEA; linoleamide MIPA; linoleamidopropalkonium chloride;
- 20 linoleamidopropyl dimethylamine; linoleamidopropyl dimethylamine dimer dilinoleate; linoleamidopropyl dimethylamine lactate; linoleamidopropyl ethyldimonium ethosulfate; linoleamidopropyl PG-dimonium chloride phosphate; linoleic acid; linolenic acid; lysine; lysine; lysine PCA; methacryloyl ethyl betaine/acrylates copolymer; methenammonium chloride; methicone; methionine; methyl aspartic acid; methyl glutamic acid; methyl
- 25 hydroxycetyl glucaminium lactate; methyl hydroxymethyl oleyl oxazoline; methylbenzethonium chloride; methylenebis tallow acetamidodimonium chloride; methylsilanol acetylmethionate; methylsilanol acetyltyrosine; methylsilanol elastinate; methylsilanol hydroxyproline; methylsilanol hydroxyproline aspartate; methylsilanol mannuronate; milk amino acids; minkamidopropalkonium chloride; minkamidopropyl
- 30 dimethylamine; minkamidopropyl ethyldimonium ethosulfate; monosaccharide lactate condensate; montan acid wax; montan cera; myristamide DEA; myristamide MEA; myristamide MIPA; myristamidopropyl betaine; myristamidopropyl dimethylamine;

- myristamidopropylamine oxide; myristamine oxide; myristaminopropionic acid; myristoyl hydrolyzed collagen; myristoyl sarcosine; myristyl betaine; myristyl hydroxyethyl imidazoline; niacin; norvaline; norvaline; norvaline; octylacrylamide/acrylates/ butylaminoethyl methacrylate copolymer; octyldecyl trimonium chloride;
- 5 octyldodecyltrimonium chloride; oleamide DEA; oleamide MEA; oleamide MIPA; oleamidopropyl betaine; oleamidopropyl dimethylamine; oleamidopropyl dimethylamine glycolate; oleamidopropyl dimethylamine hydrolyzed collagen; oleamidopropyl dimethylamine lactate; oleamidopropyl dimethylamine propionate; oleamidopropyl ethyldimonium ethosulfate; oleamidopropyl hydroxysultaine; oleamidopropyl PG-dimonium
- 10 chloride; oleamidopropylamine oxide; oleamidopropyldimonium hydroxypropyl hydrolyzed collagen; oleamine; oleamine bishydroxypropyltrimonium chloride; oleamine oxide; oleoyl hydrolyzed collagen; oleoyl PG-trimonium chloride; oleoyl sarcosine; oleyl betaine; oleyl hydroxyethyl imidazoline; oleyl lanolate; olivamidopropyl dimethylamine; olivamidopropyl dimethylamine lactate; oryzanol; ouricury wax; palm kernelamidopropyl betaine;
- 15 palmamidopropyl betaine; palmitamide DEA; palmitamide MEA; palmitamidopropyl betaine; palmitamidopropyl diethylamine; palmitamidopropyl dimethylamine; palmitamidopropyl dimethylamine lactate; palmitamidopropyl dimethylamine propionate; palmitamidopropylamine oxide; palmitamine; palmitamine oxide; palmitoleamidopropyl dimethylamine lactate; palmitoleamidopropyl dimethylamine propionate; palmitoyl collagen
- 20 amino acids; palmitoyl hydrolyzed collagen; palmitoyl hydrolyzed milk protein; palmitoyl keratin amino acids; palmitoyl PG-trimonium chloride; panthenol; panthenyl ethyl ether; panthenyl ethyl ether acetate; panthenyl hydroxypropyl steardimonium chloride; panthenyl triacetate; pantothenic acid; pantothenic acid polypeptide; paraffinum liquidum; PCA ethyl cocoyl arginate; PEG-10 coco-benzonium chloride; PEG-10 coconut oil esters; PEG-10
- 25 stearamine; PEG-10 stearyl benzonium chloride; PEG-105 behenyl propylenediamine; PEG-15 cocomonium chloride; PEG-15 cocopolyamine; PEG-15 oleammonium chloride; PEG-15 stearamine; PEG-15 stearmonium chloride; PEG-15 tallow polyamine; PEG-2 coco-benzonium chloride; PEG-2 cocomonium chloride; PEG-2 milk solids; PEG-2 oleammonium chloride; PEG-2 stearamine; PEG-2 stearmonium chloride; PEG-20 tallow
- 30 ammonium ethosulfate; PEG-25 diethylmonium chloride; PEG-3 lauramine oxide; PEG-3 tallow propylenedimonium dimethosulfate; PEG-5 cocomonium methosulfate; PEG-5 ditridecylmonium chloride; PEG-5 stearamine; PEG-5 stearyl ammonium chloride; PEG-5

- stearyl ammonium lactate; PEG-5 tall oil sterol ether; PEG-5 tallow benzonium chloride; PEG-50 stearamine; PEG-8 palmitoyl methyl diethonium methosulfate; petrolatum; PG-hydroxyethylcellulose cocodimonium chloride; PG-hydroxyethylcellulose lauryldimonium chloride; PG-hydroxyethylcellulose stearyldimonium chloride; phenyl
- 5 trimethicone; phenylalanine; phenylalanine; phosphatidylcholine; phthalic anhydride/glycerin/glycidyl decanoate copolymer; polyacrylamide; polybutylene terephthalate; polyethylacrylate; polyethylene; polymethacrylamidopropyltrimonium chloride; polyquaternium-1; polyquaternium-10; polyquaternium-11; polyquaternium-12; polyquaternium-13; polyquaternium-14; polyquaternium-15;
- 10 polyquaternium-16; polyquaternium-17; polyquaternium-18; polyquaternium-19; polyquaternium-2; polyquaternium-20; polyquaternium-22; polyquaternium-24; polyquaternium-27; polyquaternium-28; polyquaternium-29; polyquaternium-30; polyquaternium-31; polyquaternium-32; polyquaternium-33; polyquaternium-34; polyquaternium-35; polyquaternium-36; polyquaternium-37; polyquaternium-39;
- 15 polyquaternium-4; polyquaternium-42; polyquaternium-5; polyquaternium-6; polyquaternium-7; polyquaternium-8; polyquaternium-9; polysilicone-7; polyvinyl acetate; polyvinyl butyral; polyvinyl imidazolinium acetate; polyvinyl methyl ether; potassium caseinate; potassium cocoyl hydrolyzed casein; potassium cocoyl hydrolyzed collagen; potassium cocoyl hydrolyzed keratin; potassium cocoyl hydrolyzed rice bran protein;
- 20 potassium cocoyl hydrolyzed rice protein; potassium cocoyl hydrolyzed silk; potassium cocoyl hydrolyzed soy protein; potassium cocoyl hydrolyzed wheat protein; potassium lauroyl collagen amino acids; potassium lauroyl hydrolyzed collagen; potassium lauroyl hydrolyzed soy protein; potassium lauroyl wheat amino acids; potassium lauryl hydroxypropyl sulfonate; potassium myristoyl hydrolyzed collagen; potassium oleoyl hydrolyzed collagen; potassium
- 25 stearyl hydrolyzed collagen; potassium tallate; potassium undecylenoyl hydrolyzed collagen; PPG-12-buteth-16; PPG-14 butyl ether; PPG-15 butyl ether; PPG-15-buteth-20; PPG-16 butyl ether; PPG-18 butyl ether; PPG-2-buteth-3; PPG-20 methyl glucose ether; PPG-20-buteth-30; PPG-22 butyl ether; PPG-24-buteth-27; PPG-25 diethylmonium chloride; PPG-26-buteth-26; PPG-28-buteth-35; PPG-3 tallow aminopropylamine; PPG-3-buteth-5; PPG-30 butyl ether;
- 30 PPG-33 butyl ether; PPG-33-buteth-45; PPG-4 butyl ether; PPG-40 butyl ether; PPG-40 diethylmonium chloride; PPG-5 butyl ether; PPG-5-buteth-7; PPG-53 butyl ether; PPG-7-buteth-10; PPG-9 butyl ether; PPG-9 diethylmonium chloride; PPG-9-buteth-12;

proline; proline; propyltrimonium hydrolyzed collagen; propyltrimonium hydrolyzed soy protein; propyltrimonium hydrolyzed wheat protein; PVM/MA copolymer; PVP/dimethylaminoethylmethacrylate copolymer; PVP/eicosene copolymer; PVP/hexadecene copolymer; PVP/VA/itaconic acid copolymer; PVP/VA/vinyl propionate copolymer; PVP/va copolymer; pyridoxine; pyridoxine dicaprylate; pyridoxine dilaurate; pyridoxine dioctenoate; 5 pyridoxine dipalmitate; pyridoxine HCl; pyridoxine tripalmitate; quaternium-1; quaternium-14; quaternium-16; quaternium-18; quaternium-18 methosulfate; quaternium-22; quaternium-24; quaternium-26; quaternium-27; quaternium-30; quaternium-33; quaternium-43; quaternium-45; quaternium-51; quaternium-52; quaternium-53; 10 quaternium-56; quaternium-60; quaternium-61; quaternium-62; quaternium-63; quaternium-70; quaternium-71; quaternium-72; quaternium-73; quaternium-75; quaternium-76 hydrolyzed collagen; quaternium-77; quaternium-78; quaternium-79 hydrolyzed collagen; quaternium-79 hydrolyzed keratin; quaternium-79 hydrolyzed milk protein; quaternium-79 hydrolyzed silk; quaternium-79 hydrolyzed soy protein; 15 quaternium-79 hydrolyzed wheat protein; quaternium-8; quaternium-80; quaternium-81; quaternium-82; quaternium-83; quaternium-84; quaternium-85; rapeseedamidopropyl benzyldimonium chloride; rapeseedamidopropyl epoxypentyl dimonium chloride; rapeseedamidopropyl ethyldimonium ethosulfate; resorcinol acetate; ricinoleamide DEA; ricinoleamide MEA; ricinoleamide MIPA; ricinoleamidopropyl betaine; ricinoleamidopropyl 20 dimethylamine; ricinoleamidopropyl dimethylamine lactate; ricinoleamidopropyl ethyldimonium ethosulfate; ricinoleamidopropyltrimonium chloride; ricinoleamidopropyltrimonium methosulfate; saffloweramidopropyl ethyldimonium ethosulfate; serica; sericin; serine; silicone quaternium-1; silicone quaternium-2; silicone quaternium-3; silicone quaternium-4; silicone quaternium-5; silicone quaternium-6; silicone 25 quaternium-7; silicone quaternium-8; silicone quaternium-9; sine adipe lac; sodium/TEA-lauroyl collagen amino acids; sodium/TEA-lauroyl hydrolyzed collagen; sodium/TEA-lauroyl hydrolyzed keratin; sodium/TEA-lauroyl keratin amino acids; sodium/TEA-undecylenoyl collagen amino acids; sodium/TEA-undecylenoyl hydrolyzed collagen; sodium acrylate/vinyl alcohol copolymer; sodium carrageenan; sodium caseinate; 30 sodium chondroitin sulfate; sodium cocoyl collagen amino acids; sodium cocoyl hydrolyzed collagen; sodium cocoyl hydrolyzed keratin; sodium cocoyl hydrolyzed rice protein; sodium cocoyl hydrolyzed soy protein; sodium isethionate; sodium lauraminopropionate; sodium

lauriminodipropionate; sodium lauroamphohydroxypropylsulfonate; sodium lauroamphopropionate; sodium lauroyl collagen amino acids; sodium lauroyl glutamate; sodium lauroyl hydrolyzed collagen; sodium lauroyl hydrolyzed silk; sodium lauroyl isethionate; sodium lauroyl sarcosinate; sodium lauroyl taurate; sodium lauroyl wheat amino acids; sodium methyl oleoyl taurate; sodium myristoamphoacetate; sodium myristoyl hydrolyzed collagen; sodium myristoyl isethionate; sodium myristoyl sarcosinate; sodium oleoamphoacetate; sodium oleoamphopropionate; sodium oleoyl hydrolyzed collagen; sodium oleoyl isethionate; sodium PCA; sodium PCA; sodium soya hydrolyzed collagen; sodium stearoamphoacetate; sodium stearoyl hydrolyzed collagen; sodium tallamphopropionate; sodium urocanate; soluble collagen; soy dihydroxypropyldimonium polyglucose; soyaethyl morpholinium ethosulfate; soyamidopropalkonium chloride; soyamidopropyl ethyldimonium ethosulfate; soyamine; soydimonium hydroxypropyl hydrolyzed wheat protein; soyethyldimonium ethosulfate; soytrimonium chloride; squalene; starch diethylaminoethyl ether; steapyrium chloride; stearamide DEA; stearamide MEA; stearamide MEA-stearate; stearamide MIPA; stearamidoethyl diethanolamine; stearamidoethyl diethylamine; stearamidoethyl diethylamine phosphate; stearamidoethyl ethanolamine; stearamidoethyl ethanolamine phosphate; stearamidopropalkonium chloride; stearamidopropyl betaine; stearamidopropyl cetaryl dimonium tosylate; stearamidopropyl dimethylamine; stearamidopropyl dimethylamine lactate; stearamidopropyl ethyldimonium ethosulfate; stearamidopropyl morpholine; stearamidopropyl morpholine lactate; stearamidopropyl PG-dimonium chloride phosphate; stearamidopropyl pyrrolidonylmethyl dimonium chloride; stearamidopropyl trimonium methosulfate; stearamidopropylamine oxide; stearamine; stearamine oxide; steardimonium hydroxypropyl hydrolyzed casein; steardimonium hydroxypropyl hydrolyzed collagen; steardimonium hydroxypropyl hydrolyzed keratin; steardimonium hydroxypropyl hydrolyzed rice protein; steardimonium hydroxypropyl hydrolyzed silk; steardimonium hydroxypropyl hydrolyzed vegetable protein; steardimonium hydroxypropyl hydrolyzed wheat protein; stearoyl PG-trimonium chloride; stearoyl sarcosine; steartrimonium hydroxyethyl hydrolyzed collagen; steartrimonium methosulfate; stearyl betaine; stearyl hydroxyethyl imidazoline; stearyl hydroxyethylimidonium chloride; stearyl octyldimonium chloride; stearyl octyldimonium methosulfate; stearylvinyl ether/MA copolymer; sucrose cocoate; sulfur; synthetic wax; tall oil benzyl hydroxyethyl imidazolinium chloride; tall oil hydroxyethyl imidazoline; tallamide DEA; tallow trihydroxyethylammonium

- acetate; tallowalkonium chloride; tallowamide DEA; tallowamide MEA;
tallowamidopropylamine oxide; tallowamine oxide; tallowdimonium propyltrimonium
dichloride; tallowtrimonium chloride; TEA-abietoyl hydrolyzed collagen; TEA-cocoyl
hydrolyzed collagen; TEA-cocoyl hydrolyzed soy protein; TEA-lauraminopropionate;
5 TEA-lauroyl keratin amino acids; TEA-lauroyl sarcosinate; TEA-myristaminopropionate;
TEA-myristoyl hydrolyzed collagen; TEA-oleoyl hydrolyzed collagen; TEA-oleoyl
sarcosinate; TEA-palm kernel sarcosinate; TEA-undecylenoyl hydrolyzed collagen; tetrabutyl
ammonium bromide; thenoyl methionate; threonine; threonine; tricetylmonium chloride;
tridecyl salicylate; triethonium hydrolyzed collagen ethosulfate; trilaurylamine;
10 trimethylsilylamodimethicone; trioctanoin; tripaba panthenol; trisodium lauroampho
PG-acetate phosphate chloride; tristearyl PG-phosphate dimonium chloride; triundecanoin;
tryptophan; tryptophan; tyrosine; undecylenamide DEA; undecylenamide MEA;
undecylenamidopropyltrimonium methosulfate; undecylenoyl collagen amino acids;
undecylenoyl hydrolyzed collagen; undecylenyl alcohol; urea; VA/crotonates/vinyl
15 neodecanoate copolymer; va/crotonates copolymer; valine; wheat germamidopropalkonium
chloride; wheat germamidopropyl epoxypropyldimonium chloride; wheat
germamidopropylamine oxide; wheat germamidopropyldimonium hydroxypropyl hydrolyzed
wheat protein; wheatgermamidopropyl dimethylamine hydrolyzed collagen;
wheatgermamidopropyl dimethylamine hydrolyzed wheat protein; wheatgermamidopropyl
20 ethyldimonium ethosulfate; zea mays; zinc hydrolyzed collagen.

In particular, cationic and amphoteric fatty acids such as polyquaternium compounds
are useful as hair conditioners or fixatives. Examples of cationic amino and quaternary
ammonium monomers include, for example, vinyl compounds substituted with dialkyl
aminoalkyl acrylate, dialkylamino alkylmethacrylate, monoalkylaminoalkyl acrylate,
25 monoalkylaminoalkyl methacrylate, trialkyl methacryloxyalkyl ammonium salt, trialkyl
acryloxyalkyl ammonium salt, diallyl quaternary ammonium salts, and vinyl quaternary
ammonium monomers having cyclic cationic nitrogen-containing rings such as pyridinium,
imidazolium, and quaternized pyrrolidine, e.g., alkyl vinyl imidazolium, alkyl vinyl
pyridinium, and alkyl vinyl pyrrolidine salts. The alkyl portions of these, monomers are
30 preferably lower alkyls such as the C1-C3 alkyls, more preferably C1 and C2 alkyls.

Other compounds useful as bulking agents include:

octylacrylamide/acrylates/butylaminoethyl methacrylate copolymer (a polymer of N-tert-octyl

acrylamide, methyl methacrylate, hydroxypropyl methacrylate, acrylic acid and t-butyl aminoethyl methacrylate).

Other cationic conditioning compounds include quaternary nitrogen derivatives of cellulose ethers, homopolymers of dimethyldiallyl-ammonium chloride, copolymers of acrylamide and dimethyldiallylammonium chloride, homopolymers or copolymers derived from acrylic acid or methacrylic acid containing cationic nitrogen functional groups attached to the polymer via ester or amide linkages, polycondensation products of N,N'-bis-(2,3-epoxypropyl)-piperazine or of piperazine-bis-acrylamide and piperazine, poly-(dimethylbutenylammonium chloride)- α,θ -bis-(triethanol-ammonium) chloride.

The agent can also be a hair fixative as described above. Hair fixatives are agents which impart hair-holding or style-retention properties to hair. Film formers, such as gums and polymeric substances, can also be used as hair fixatives. Examples of hair fixative agents including some film formers which are suitable hair fixatives include:

Acrylamide/Ammonium Acrylate Copolymer; Acrylamides/DMAPA Acrylates/Wethoxy PEG Methacrylate Copolymer; Acrylamidopropyltrimonium Chloride/Acrylamide Copolymer; Acrylamidopropyltrimonium Chloride/Acrylates Copolymer; Acrylates/Acetoacetoxyethyl Methacrylate Copolymer; Acrylates/Acrylamide Copolymer; Acrylates/Ammonium Methacrylate Copolymer; Acrylates Copolymer; Acrylates/Octylacrylamide Copolymer; Acrylates/PVP Copolymer; Acrylates/VA Copolymer; Adipic Acid/Diethylenetriamine Copolymer; Adipic Acid/Dimethylaminohydroxypropyl Diethylenetriamine Copolymer; Adipic Acid/Epoxypropyl Diethylenetriamine Copolymer; Adipic Acid/Isophthalic Acid/Neopentyl Glycol/Trimethylolpropane Copolymer; Allyl Stearate/VA Copolymer; Aminoethylacrylate Phosphate/Acrylates Copolymer; Ammonium VA/Acrylates Copolymer; AMP-Acrylates/Diacetoneacrylamide Copolymer; AMP-Acrylates/Dimethylaminoethylmethacrylate Copolymer; AMPD-Acrylates/Diacetoneacrylamide Copolymer; Butylated PVP; Butyl Ester of Ethylene/MA Copolymer; Butyl Ester of PVM/MA Copolymer; Calcium/Sodium PVM/MA Copolymer; Corn Starch/Acrylamide/Sodium Acrylate Copolymer; Diethylene Glycolamine/Epichlorohydrin/Piperazine Copolymer; Ethyl Ester of PVM/MA Copolymer; Isobutylene/MA Copolymer; Isopropyl Ester of PVM/MA Copolymer; Karaya (Sterculia Urens) Gum; Lauryl Methacrylate/Glycol Dimethacrylate Copolymer; Methacryloyl Ethyl Betaine/Acrylates Copolymer; Octylacrylamide/Acrylates/Butylaminoethyl Methacrylate Copolymer; PEG-

- 8/SMDI Copolymer; Polyacrylamide; Polybeta-alanine/Glutaric Acid Crosspolymer; Polybutylene Terephthalate; Polyethylacrylate; Polyethylene Terephthalate; Polyperfluoroperhydrophenanthrene; Polyquaternium-1; Polyquaternium-2; Polyquaternium-4; Polyquaternium-5; Polyquaternium-6; Polyquaternium-7; Polyquaternium-8;
- 5 Polyquaternium-9; Polyquaternium-10; Polyquaternium-11; Polyquaternium-12 ; Polyquaternium-13; Polyquaternium-14; Polyquaternium-15; Polyquaternium-16; Polyquaternium-17; Polyquaternium-18; Polyquaternium-19 ; Polyquaternium-20; Polyquaternium-22; Polyquaternium-24; Polyquaternium-27; Polyquaternium-28; Polyquaternium-29; Polyquaternium-30; Polyquaternium-31; Polyquaternium-32;
- 10 Polyquaternium-33; Polyquaternium-34; Polyquaternium-35; Polyquaternium-36; Polyquaternium-37; Polyquaternium-39; Polyquaternium-45; Polyquaternium-46; Polyquaternium-47; Polysilicone-9; Polyvinyl Acetate; Polyvinyl Butyral; Polyvinylcaprolactam; Polyvinylformamide; Polyvinyl Imidazolinium Acetate; Polyvinyl Methyl Ether; PPG-12/SMDI Copolymer PPG-51/SMDI Copolymer; PVM/MA Copolymer;
- 15 PVP; PVP/Acrylates/Lauryl Methacrylate Copolymer; PVP/Dimethylaminoethylmethacrylate Copolymer; PVP/DMAPA Acrylates Copolymer; PVP/Hexadecene Copolymer; PVP/VA Copolymer; PVP/VA/Itaconic Acid Copolymer; PVP/VA/Vinyl Propionate Copolymer; PVP/Vinyl Caprolactam/DMAPA Acrylates Copolymer; Rosin Acrylate; Shellac; Sodium Polyacrylate; Terephthalic Acid/Isophthalic Acid/Sodium Isophthalic Acid Sulfonate/Glycol
- 20 Copolymer; VA/Crotonates Copolymer; VA/Crotonates/Methacryloxybenzophenone-1 Copolymer; VA/Crotonates/Vinyl Neodecanoate Copolymer; VA/Crotonates/Vinyl Propionate Copolymer; VA/DBM Copolymer; VA/Vinyl Butyl Benzoate/Crotonates Copolymer; Vinyl Caprolactam/PVP/Dimethylaminoethyl Methacrylate Copolymer; Yeast Palmitate.
- 25 Other compounds which are useful as hair fixatives include shellac, polyvinylpyrrolidone-ethyl methacrylate-methacrylic acid tarpolymer, vinyl acetate-crotonic acid copolymer, vinyl acetate-crotonic acid-vinyl neodeconate tarpolymer, poly(vinylpyrrolidone-ethylmethacrylate) methacrylic acid copolymer, vinyl methyl ether-maleic anhydride copolymer, octylacrylamide-acrylate-butylaminoethyl-methacrylate
- 30 copolymer, and poly(vinylpyrrolidone-dimethylaminoethyl-methacrylate) copolymer and derivatives; thioglycollic acid and its salts and esters; potassium or sodium hydroxide; lithium hydroxide; calcium hydroxide; quinine and its salts; resorcinol; 1,3-

bis(hydroxymethyl)imidazolidine-2-thione; etidronic acid and its salts (1-hydroxy-ethylidene-diphosphonic acid and its salts).

Examples of anti-foaming agents which are useful as bulking agents include:

- 5 bisphenylhexamethicone; dimethicone; dimethiconol; hexamethyldisiloxane; hexyl alcohol; isopropyl alcohol; petroleum distillates; phenethyl disiloxane; phenyl trimethicone; polysilicone-7; propyl alcohol; silica dimethyl silylate; silica silylate; tetramethyl decynediol; trimethylsiloxysilicate.

- 10 The agent also can be a tissue sealant. Tissue sealants are those used in wound healing to mechanically seal wounds. The use of transglutaminase to covalently attach such materials would add mechanical and adhesive strength to this sealant. Such tissue sealants are composed typically of fibrinogen, collagen, hyaluronic acid, synthetic peptides and the like. They also can be polyglutamines, polylysines, or polymers of both glutamine and lysine, corneocyte proteins and the like.

- 15 The agents also can be insect repellants. A widely used insect repellant is N-N-diethyl-3-methylbenzamide. Pheromones are also useful as insect repellants.

The agent also may be cultured cells and cultured body tissues used for wound healing, cartilage replacement, corneal replacements and other like surgical procedures.

As mentioned earlier, the agent can also be a film forming agent. A film forming agent is an agent which produces a continuous film on skin, hair or nails upon application.

- 20 Film forming agents are useful in wound healing or in some cases as hair fixatives, as described above. Examples of film forming agents include: acetyl tributyl citrate; acetyl triethyl citrate; acetyl trioctyl citrate; acrylamide/sodium acrylate copolymer; acrylamides/acrylates/DMAPA/methoxy PEG methacrylate copolymer; acrylamides copolymer; acrylamidopropyltrimonium chloride/acrylates copolymer;
- 25 acrylates/acetoacetoxyethyl methacrylate copolymer; acrylates/acrylamide copolymer; acrylates/ammonium methacrylate copolymer; acrylates/C10-30 alkyl acrylate crosspolymer; acrylates/diacetoneacrylamide copolymer; acrylates/octylacrylamide copolymer; acrylates/PVP copolymer; acrylates/steareth-50 acrylate copolymer; acrylates/VA copolymer; acrylates/VA crosspolymer; acrylates copolymer; acrylic acid/acrylonitrogens copolymer;
- 30 adipic acid/diethylene glycol/glycerin crosspolymer; adipic acid/diethylenetriamine copolymer; adipic acid/dimethylaminohydroxypropyl diethylenetriamine copolymer; adipic acid/epoxypropyl diethylenetriamine copolymer; adipic acid/isophthalic acid/neopentyl

- glycol/trimethylolpropane; copolymer; albumen; allyl stearate/VA copolymer;
aminoethylacrylate phosphate/acrylates copolymer; ammonium acrylates/acrylonitrogens
copolymer; ammonium acrylates copolymer; ammonium alginate; ammonium VA/acrylates
copolymer; amp-acrylates/diacetoneacrylamide copolymer; amp-acrylates copolymer;
- 5 ampd-acrylates/diacetoneacrylamide copolymer; bayberry wax; behenyl/isostearyl beeswax;
benzoic acid/phthalic anhydride/pentaerythritol/neopentyl glycol/palmitic acid copolymer;
butadiene/acrylonitrile copolymer; butoxy chitosan; butyl benzoic acid/phthalic
anhydride/trimethylolethane copolymer; butyl benzyl phthalate; butyl ester of ethylene/MA
copolymer; butyl ester of PVM/MA copolymer; butyl phthalyl butyl glycolate; butylated
- 10 polyoxymethylene urea; butylated PVP; calcium/sodium PVM/MA copolymer; calcium
carrageenan; camphor; candelilla cera; carboxymethyl chitosan succinamide; carboxymethyl
hydroxyethylcellulose; carnauba; cellulose acetate; cellulose acetate butyrate; cellulose
acetate propionate; cellulose gum; cera alba; ceratonia siliqua; cetyl hydroxyethylcellulose;
chitosan succinamide; collodion; colophonium; copaifera officinalis; copal; corn
- 15 starch/acrylamide/sodium acrylate copolymer; croscarmellose; cyanopsis tetragonalba;
desamido collagen; dibutyl adipate; dibutyl lauroyl glutamide; dibutyl phthalate; dibutyl
sebacate; dicapryl adipate; dicetyl adipate; diethyl phthalate; diethylene
glycolamine/epichlorohydrin/piperazine copolymer; diglycol/chdm/isophthalates/sip
copolymer; dilinoleic acid/ethylenediamine copolymer; dimethicone/mercaptopropyl
- 20 methicone copolymer; dimethicone/sodium PG-propyldimethicone thiosulfate copolymer;
dimethyl phthalate; dioctyl adipate; dioctyl phthalate; dioctyl sebacate; dioctyl succinate;
dmapa acrylates/acrylic acid/acrylonitrogens copolymer; dmhf; dodecanedioic acid/cetearyl
alcohol/glycol copolymer; ethyl cyanoacrylate; ethyl ester of PVM/MA copolymer; ethyl
tosylamide; ethylcellulose; ethylene/acrylic acid/VA copolymer; ethylene/acrylic acid
- 25 copolymer; ethylene/calcium acrylate copolymer; ethylene/MA copolymer;
ethylene/magnesium acrylate copolymer; ethylene/propylene copolymer; ethylene/sodium
acrylate copolymer; ethylene/VA copolymer; ethylene/zinc acrylate copolymer; flexible
collodion; gellan gum; glyceryl alginate; glyceryl hydrogenated rosinate; glyceryl
polyacrylate; glyceryl rosinate; glycosaminoglycans; guar hydroxypropyltrimonium chloride;
- 30 gutta percha; hydrogenated styrene/butadiene copolymer; hydrogenated styrene/methyl
styrene/indene copolymer; hydrolyzed collagen; hydrolyzed elastin; hydrolyzed keratin;
hydroxybutyl methylcellulose; hydroxyethyl ethylcellulose; hydroxyethylcellulose;

- hydroxylated lanolin; hydroxypropyl guar; hydroxypropyl methylcellulose;
hydroxypropylcellulose; isobutylene/sodium maleate copolymer; isopropyl ester of PVM/MA
copolymer; lanolin cera; lauryl acrylate/VA copolymer; lithium oxidized polyethylene;
maltodextrin; melamine/formaldehyde resin; methacryloyl ethyl betaine/acrylates copolymer;
5 methyl hydrogenated rosin; methyl methacrylate crosspolymer; methyl rosin; mustela;
natto gum; nitrocellulose; nonoxynyl hydroxyethylcellulose; oat beta glucan;
octylacrylamide/acrylates/butylaminoethyl methacrylate copolymer; oleoyl hydrolyzed
collagen; ouricury wax; oxidized polypropylene; PEG-8/SMDI copolymer;
PEG-crosspolymer; pentaerythrityl hydrogenated rosin; pentaerythrityl rosin; phthalic
10 anhydride/adipic acid/castor oil/neopentyl glycol/PEG-3/trimethylolpropane copolymer;
phthalic anhydride/benzoic acid/trimethylolpropane copolymer; phthalic anhydride/butyl
benzoic acid/propylene glycol copolymer; phthalic anhydride/glycerin/glycidyl decanoate
copolymer; phthalic anhydride/trimellitic anhydride/glycols copolymer; polyacrylamide;
polyacrylamidomethylpropane sulfonic acid; polyacrylic acid; polybutylene terephthalate;
15 polychlorotrifluoroethylene; polydimethylaminoethyl methacrylate; polyethylacrylate;
polyethylene; polyethylene terephthalate; polyglucuronic acid; polyglycerylmethacrylate;
polyisobutene; polymethacrylamidopropyltrimonium chloride; polymethyl acrylate;
polymethyl methacrylate; polyoxyisobutylene/methylene urea copolymer; polypropylene;
Polyquaternium-1; Polyquaternium-10; Polyquaternium-11; Polyquaternium-12;
20 Polyquaternium-13; Polyquaternium-14; Polyquaternium-15; Polyquaternium-16;
Polyquaternium-17; Polyquaternium-18; Polyquaternium-19; Polyquaternium-2;
Polyquaternium-20; Polyquaternium-22; Polyquaternium-24; Polyquaternium-27;
Polyquaternium-28; Polyquaternium-29; Polyquaternium-30; Polyquaternium-31;
Polyquaternium-32; Polyquaternium-33; Polyquaternium-34; Polyquaternium-35;
25 Polyquaternium-36; Polyquaternium-37; Polyquaternium-39; Polyquaternium-4;
Polyquaternium-42; Polyquaternium-5; Polyquaternium-6; Polyquaternium-7;
Polyquaternium-8; Polyquaternium-9; Polysilicone-6; polystyrene; polyurethane; polyvinyl
acetate; polyvinyl alcohol; polyvinyl butyral; polyvinyl imidazolinium acetate; polyvinyl
laurate; polyvinyl methyl ether; potassium acetate; potassium carrageenan; potassium
30 hyaluronate; PPG-26/TDI copolymer; PPG-51/SMDI copolymer; procollagen; propylene
glycol diundecanoate; PVM/MA copolymer; PVP; PVP/decene copolymer;
PVP/dimethylaminoethylmethacrylate copolymer; PVP/eicosene copolymer; PVP/hexadecene

copolymer; PVP/VA/itaconic acid copolymer; PVP/VA/vinyl propionate copolymer; PVP/va
copolymer; rosin acrylate; rosin hydrolyzed collagen; rubber latex; shellac; shellac cera;
sodium acrylate/vinyl alcohol copolymer; sodium carrageenan; sodium dvb/acrylates
copolymer; sodium polyacrylate starch; sodium polymethacrylate; sodium polystyrene
5 sulfonate; sodium PVM/MA/decadiene crosspolymer; sodium styrene/acrylamide copolymer;
sodium styrene/acrylates copolymer; sodium tauride acrylates/acrylic acid/acrylonitrogens
copolymer; soluble collagen; starch/acrylates/acrylamide copolymer; starch diethylaminoethyl
ether; steareth-10 allyl ether/acrylates copolymer; stearylvinyl ether/MA copolymer; styrax
benzoin; styrax benzoin; styrene/acrylates/acrylonitrile copolymer; styrene/acrylates/
10 ammonium methacrylate copolymer; styrene/allyl benzoate copolymer; styrene/MA
copolymer; styrene/pvp copolymer; sucrose acetate isobutyrate; sucrose benzoate; sucrose
benzoate/sucrose acetate isobutyrate/butyl benzyl phthalate/methyl methacrylate copolymer;
sucrose benzoate/sucrose acetate isobutyrate/butyl benzyl phthalate; copolymer; sucrose
benzoate/sucrose acetate isobutyrate copolymer; TEA-acrylates/acrylonitrogens copolymer;
15 tosylamide/epoxy resin; tosylamide/formaldehyde resin; triacetin; tributyl citrate;
tributylcresylbutane; tricetyl phosphate; tricontanyl PVP; trimethylpentanediol/isophthalic
acid/trimellitic anhydride copolymer; tromethamine acrylates/acrylonitrogens copolymer;
VA/butyl maleate/isobornyl acrylate copolymer; VA/crotonates/methacryloxybenzophenone-1
copolymer; VA/crotonates/vinyl neodecanoate copolymer; VA/crotonates/vinyl propionate
20 copolymer; VA/crotonates copolymer; VA/dbm copolymer; VA/isobutyl maleate/vinyl
neodecanoate copolymer; VA/vinyl butyl benzoate/crotonates copolymer; vinyl acetate; vinyl
caprolactam/pvp/dimethylaminoethyl methacrylate copolymer.

The agent can also be an anti-nerve gas agent. An anti-nerve gas agent is an agent
which counteracts the effects of a nerve gas agent. Examples of anti-nerve gas agents include:
25 organophosphate hydrolases such as phosphotriesterase; pyridostigmine, physostigmine,
eptastigmine, pralidoxime-2-chloride (2-PAM); potassium 2,3-butadion monoximate;
potassium permanganate; sodium phenolate or sodium cresolate; chlorinated lime and
magnesium oxide; chloramines; bentonite; and a mixture of atropine and PAM.

The agent can also be a vitamin including vitamin A, vitamin B, vitamin C, vitamin D,
30 vitamin E, and their provitamin counterparts.

As mentioned above, the agent may be a pharmaceutical agent.

When administered the pharmaceutical agents of the invention are applied in

pharmaceutically acceptable amounts and in pharmaceutically acceptable compositions. Such preparations may routinely contain salts, buffering agents, preservatives, compatible carriers and optionally other therapeutic or nontherapeutic ingredients. When used in medicine, the salts should be pharmaceutically acceptable, but nonpharmaceutically acceptable salts may
5 conveniently be used to prepare pharmaceutically acceptable salts thereof and are not excluded from the scope of the invention.

Examples of categories of pharmaceutical agents include: analgesic; amino acid; antagonist; anti-acne agent; anti-allergic; anti-asthmatic; antibacterial; anticholinergic; antifungal; antiglaucoma agent; antihistamine; anti-infective; anti-infective, topical; anti-
10 inflammatory; antikeratinizing agent; antimicrobial; antimycotic; antineoplastic, antineutropenic; antiproliferative; antipruritic; antiseborrheic; carbonic anhydrase inhibitor; cholinergic; cholinergic agonist; diagnostic aids; ectoparasiticide; fluorescent agent; glucocorticoid; hair growth stimulant; histamine H2 receptor antagonists; immunizing agent; immunomodulator; immunoregulator; immunostimulant; immunosuppressant; keratolytic;
15 mucosal protective agent; radioactive agents; wound healing agent.

Analgesic: Acetaminophen; Alfentanil Hydrochloride; Aminobenzoate Potassium; Aminobenzoate Sodium; Anidoxime; Anileridine; Anileridine Hydrochloride; Anilopam Hydrochloride; Anirolac; Antipyrine; Aspirin; Benoxaprofen; Benzydamine Hydrochloride;
20 Bicifadine Hydrochloride; Brifentanil Hydrochloride; Bromadoline Maleate; Bromfenac Sodium; Buprenorphine Hydrochloride; Butacetin; Butixirate; Butorphanol; Butorphanol Tartrate; Carbamazepine; Carbaspirin Calcium; Carbiphen Hydrochloride; Carfentanil Citrate; Ciprofadol Succinate; Ciramadol; Ciramadol Hydrochloride; Clonixeril; Clonixin; Codeine ; Codeine Phosphate; Codeine Sulfate; Conorphone Hydrochloride; Cyclazocine;
25 Dexoadrol Hydrochloride; Dexpemedolac; Dezocine; Diflunisal; Dihydrocodeine Bitartrate; Dimefadane; Dipyrone; Doxpicomine Hydrochloride; Drinidene; Enadoline Hydrochloride; Epirizole; Ergotamine Tartrate; Ethoxazene Hydrochloride; Etofenamate; Eugenol; Fenoprofen; Fenoprofen Calcium; Fentanyl Citrate; Floctafenine; Flufenisal; Flunixin; Flunixin Meglumine; Flupirtine Maleate; Fluproquazone; Fluradoline Hydrochloride;
30 Flurbiprofen ; Hydromorphone Hydrochloride; Ibufenac; Indoprofen; Ketazocine; Ketorfanol; Ketorolac Tromethamine; Letimide Hydrochloride; Levomethadyl Acetate; Levomethadyl Acetate Hydrochloride; Levonantradol Hydrochloride; Levorphanol Tartrate; Lofemizole

- Hydrochloride; Lofentanil Oxalate; Lorcinadol; Lornoxicam; Magnesium Salicylate;
Mefenamic Acid; Menabitan Hydrochloride; Meperidine Hydrochloride; Meptazinol
Hydrochloride; Methadone Hydrochloride; Methadyl Acetate; Methopholine;
Methotrimeprazine; Metkephamid Acetate; Mimbane Hydrochloride; Mirfentanil
- 5 Hydrochloride; Molinazone; Morphine Sulfate; Moxazocine; Nabitan Hydrochloride;
Nalbuphine Hydrochloride; Nalmexone Hydrochloride ; Namoxyrate; Nantradol
Hydrochloride; Naproxen ; Naproxen Sodium ; Naproxol; Nefopam Hydrochloride;
Nexeridine Hydrochloride; Noracymethadol Hydrochloride; Ocfentanil Hydrochloride;
Octazamide; Olvanil; Oxetorone Fumarate; Oxycodone; Oxycodone Hydrochloride;
- 10 Oxycodone Terephthalate; Oxymorphone Hydrochloride; Pemedolac; Pentamorphone;
Pentazocine; Pentazocine Hydrochloride; Pentazocine Lactate; Phenazopyridine
Hydrochloride; Phenylramidol Hydrochloride; Picenadol Hydrochloride; Pinadoline;
Pirfenidone; Piroxicam Olamine; Pravadoline Maleate; Prodilidine Hydrochloride; Profadol
Hydrochloride; Propiram Fumarate; Propoxyphene Hydrochloride; Propoxyphene Napsylate;
- 15 Proxazole ; Proxazole Citrate ; Proxorphan Tartrate; Pyrroliphen Hydrochloride;
Remifentanil Hydrochloride; Salcolex ; Salethamide Maleate; Salicylamide; Salicylate
Meglumine; Salsalate ; Sodium Salicylate; Spiradoline Mesylate; Sufentanil; Sufentanil
Citrate; Talmetacin ; Talniflumate ; Talosalate ; Tazadolene Succinate; Tebufelone ;
Tetrydamine ; Tifurac Sodium; Tilidine Hydrochloride; Tiopinac; Tonazocine Mesylate;
- 20 Tramadol Hydrochloride; Trefentanil Hydrochloride; Trolamine; Veradoline Hydrochloride;
Verilopam Hydrochloride; Volazocine; Xorphanol Mesylate; Xylazine Hydrochloride;
Zenazocine Mesylate; Zomepirac Sodium ; Zucapsaicin.

Antiacne: Adapalene; Erythromycin Salnacedin; Inocoterone Acetate.

25

Antiallergic: Amlexanox; Astemizole; Azelastine Hydrochloride; Eclazolast; Minocromil;
Nedocromil; Nedocromil Calcium; Nedocromil Sodium; Nivimedone Sodium; Pemirolast
Potassium; Pentigetide; Pirquinozol; Poisonoak Extract; Probicromil Calcium; Proxicromil;
Repirinast; Tetrazolast Meglumine; Thiazinamium Chloride; Tiacrilast; Tiacrilast Sodium;

30 Tiprinast Meglumine; Tixanox.

Antiasthmatic: Ablukast; Ablukast Sodium; Azelastine Hydrochloride; Bunaprolast;

- Cinalukast; Cromitrile Sodium; Cromolyn Sodium; Enofelast; Isamoxole; Ketotifen
Fumarate; Lev cromakalim; Lodoxamide Ethyl; Lodoxamide Tromethamine; Montelukast
Sodium; Ontazolast; Oxarbazole; Oxatomide; Piriprost; Piriprost Potassium; Pirolate;
Pobilukast Edamine; Quazolast; Repirinast; Ritolukast; Sulukast; Tetrazolast Meglumine;
5 Tiaramide Hydrochloride; Tibenelast Sodium; Tomelukast; Tranilast; Verlukast; Verofylline;
Zarirlukast.

- Antibacterial: Acedapsone; Acetosulfone Sodium; Alamecin; Alexidine; Amdinocillin;
Amdinocillin Pivoxil; Amicycline; Amifloxacin; Amifloxacin Mesylate; Amikacin; Amikacin
10 Sulfate; Aminosalicyclic acid; Aminosalicylate sodium; Amoxicillin; Amphomycin;
Ampicillin; Ampicillin Sodium; Apalcillin Sodium; Apramycin; Aspartocin; Astromicin
Sulfate; Avilamycin; Avoparcin; Azithromycin; Azlocillin; Azlocillin Sodium; Bacampicillin
Hydrochloride; Bacitracin; Bacitracin Methylene Disalicylate; Bacitracin Zinc;
Bambermycins; Benzoylpas Calcium; Berythromycin ; Betamicin Sulfate; Biapenem;
15 Biniramycin; Biphenamine Hydrochloride ; Bispyrithione Magsulfex; Butikacin; Butirosin
Sulfate; Capreomycin Sulfate; Carbadox; Carbenicillin Disodium; Carbenicillin Indanyl
Sodium; Carbenicillin Phenyl Sodium; Carbenicillin Potassium; Carumonam Sodium;
Cefaclor; Cefadroxil; Cefamandole; Cefamandole Nafate; Cefamandole Sodium; Cefaparole;
Cefatrizine; Cefazaflur Sodium; Cefazolin; Cefazolin Sodium; Cefbuperazone; Cefdinir;
20 Cefepime; Cefepime Hydrochloride; Cefetecol; Cefixime; Cefmenoxime Hydrochloride;
Cefmetazole; Cefmetazole Sodium; Cefonicid Monosodium; Cefonicid Sodium;
Cefoperazone Sodium; Ceforanide; Cefotaxime Sodium; Cefotetan; Cefotetan Disodium;
Cefotiam Hydrochloride; Cefoxitin; Cefoxitin Sodium; Cefpimizole; Cefpimizole Sodium;
Cefpiramide; Cefpiramide Sodium; Cefpirome Sulfate; Cefpodoxime Proxetil; Cefprozil;
25 Cefroxadine; Cefsulodin Sodium; Ceftazidime; Ceftibuten; Ceftizoxime Sodium; Ceftriaxone
Sodium; Cefuroxime; Cefuroxime Axetil; Cefuroxime Pivoxetil; Cefuroxime Sodium;
Cephacetrile Sodium; Cephalixin; Cephalixin Hydrochloride; Cephaloglycin; Cephaloridine;
Cephalothin Sodium; Cephapirin Sodium; Cephradine; Cetocycline Hydrochloride;
Cetophenicol; Chloramphenicol; Chloramphenicol Palmitate; Chloramphenicol Pantothenate
30 Complex ; Chloramphenicol Sodium Succinate; Chlorhexidine Phosphanilate; Chloroxylenol;
Chlortetracycline Bisulfate; Chlortetracycline Hydrochloride; Cinoxacin; Ciprofloxacin;
Ciprofloxacin Hydrochloride; Cirolemycin ; Clarithromycin; Clinafloxacin Hydrochloride;

- Clindamycin; Clindamycin Hydrochloride; Clindamycin Palmitate Hydrochloride;
Clindamycin Phosphate; Clofazimine ; Cloxacillin Benzathine; Cloxacillin Sodium;
Cloxyquin; Colistimethate Sodium; Colistin Sulfate; Coumermycin; Coumermycin Sodium;
Cyclacillin; Cycloserine; Dalfopristin; Dapsone ; Daptomycin; Demeclocycline;
- 5 Demeclocycline Hydrochloride; Demecycline; Denofungin ; Diaveridine; Dicloxacillin;
Dicloxacillin Sodium; Dihydrostreptomycin Sulfate; Dipyrithione; Dirithromycin;
Doxycycline; Doxycycline Calcium ; Doxycycline Fosfatex; Doxycycline Hyclate; Droxacin
Sodium; Enoxacin; Epicillin; Epitetracycline Hydrochloride; Erythromycin; Erythromycin
Acistrate; Erythromycin Estolate; Erythromycin Ethylsuccinate; Erythromycin Gluceptate;
- 10 Erythromycin Lactobionate; Erythromycin Propionate; Erythromycin Stearate; Ethambutol
Hydrochloride; Ethionamide; Fleroxacin; Floxacillin; Fludalanine; Flumequine; Fosfomycin;
Fosfomycin Tromethamine; Fumoxicillin; Furazolium Chloride; Furazolium Tartrate;
Fusidate Sodium; Fusidic Acid; Gentamicin Sulfate; Gloximonom; Gramicidin; Haloprogin;
Hetacillin; Hetacillin Potassium; Hexedine; Ibafoxacin; Imipenem; Isoconazole; Isepamicin;
- 15 Isoniazid; Josamycin; Kanamycin Sulfate; Kitasamycin; Levofuraltadone; Levopropylcillin
Potassium; Lexithromycin; Lincomycin; Lincomycin Hydrochloride; Lomefloxacin;
Lomefloxacin Hydrochloride; Lomefloxacin Mesylate; Loracarbef; Mafenide; Meclocycline;
Meclocycline Sulfosalicylate; Megalomycin Potassium Phosphate; Mequidox; Meropenem;
Methacycline; Methacycline Hydrochloride; Methenamine; Methenamine Hippurate;
- 20 Methenamine Mandelate; Methicillin Sodium; Metioprime; Metronidazole Hydrochloride;
Metronidazole Phosphate; Mezlocillin; Mezlocillin Sodium; Minocycline; Minocycline
Hydrochloride; Mirincamycin Hydrochloride ; Monensin ; Monensin Sodium ; Nafcillin
Sodium; Nalidixate Sodium; Nalidixic Acid; Natamycin; Nebramycin; Neomycin Palmitate;
Neomycin Sulfate; Neomycin Undecylenate ; Netilmicin Sulfate; Neutramycin; Nifuradene;
- 25 Nifuraldezone; Nifuratel ; Nifuratrone; Nifurdazil; Nifurimide; Nifurpirinol; Nifurquinazol;
Nifurthiazole; Nitrocyline; Nitrofurantoin; Nitromide; Norfloxacin; Novobiocin Sodium;
Ofloxacin; Ormetoprim; Oxacillin Sodium; Oximonam; Oximonam Sodium; Oxolinic Acid;
Oxytetracycline; Oxytetracycline Calcium; Oxytetracycline Hydrochloride; Paldimycin;
Parachlorophenol; Paulomycin; Pefloxacin; Pefloxacin Mesylate; Penamocillin; Penicillin G
- 30 Benzathine; Penicillin G Potassium; Penicillin G Procaine; Penicillin G Sodium; Penicillin V;
Penicillin V Benzathine; Penicillin V Hydrabamine; Penicillin V Potassium; Pentizidone
Sodium; Phenyl Aminosalicylate; Piperacillin Sodium; Pirbenicillin Sodium; Piridicillin

- Sodium; Pirlimycin Hydrochloride; Pivampicillin Hydrochloride; Pivampicillin Pamoate; Pivampicillin Probenate; Polymyxin B Sulfate; Porfiromycin ; Propikacin; Pyrazinamide; Pyrrithione Zinc; Quindecamine Acetate; Quinupristin; Racephenicol; Ramoplanin; Ranimycin; Relomycin; Repromicin; Rifabutin; Rifametane; Rifamexil; Rifamide; Rifampin;
- 5 Rifapentine; Rifaximin; Rolitetracycline; Rolitetracycline Nitrate; Rosaramicin; Rosaramicin Butyrate; Rosaramicin Propionate; Rosaramicin Sodium Phosphate; Rosaramicin Stearate; Rosoxacin; Roxarsone; Roxithromycin; Sancycline; Sanfetrinem Sodium; Sarmoxicillin; Sarpicillin; Scopafungin ; Sisomicin; Sisomicin Sulfate; Sparfloxacin; Spectinomycin Hydrochloride; Spiramycin; Stallimycin Hydrochloride; Steffimycin; Streptomycin Sulfate;
- 10 Streptonicozid; Sulfabenz ; Sulfabenzamide; Sulfacetamide; Sulfacetamide Sodium; Sulfacytine; Sulfadiazine; Sulfadiazine Sodium; Sulfadoxine; Sulfalene; Sulfamerazine; Sulfameter; Sulfamethazine; Sulfamethizole; Sulfamethoxazole; Sulfamonomethoxine; Sulfamoxole; Sulfanilate Zinc; Sulfanitran ; Sulfasalazine; Sulfasomizole; Sulfathiazole; Sulfazamet; Sulfisoxazole; Sulfisoxazole Acetyl; Sulfisoxazole Diolamine; Sulfomycin;
- 15 Sulopenem; Sultamicillin; Suncillin Sodium; Talampicillin Hydrochloride; Teicoplanin; Temafloxacin Hydrochloride; Temocillin; Tetracycline; Tetracycline Hydrochloride ; Tetracycline Phosphate Complex; Tetroxoprim; Thiamphenicol; Thiphencillin Potassium; Ticarcillin Cresyl Sodium; Ticarcillin Disodium; Ticarcillin Monosodium; Ticlatone; Tiodonium Chloride; Tobramycin; Tobramycin Sulfate; Tosufloxacin; Trimethoprim;
- 20 Trimethoprim Sulfate; Trisulfapyrimidines; Troleandomycin; Trospectomycin Sulfate; Tyrothricin; Vancomycin; Vancomycin Hydrochloride; Virginiamycin; Zorbamycin.

- Anticholinergic: Alverinc Citrate; Anisotropine Methylbromide; Atropine; Atropine Oxide Hydrochloride; Atropine Sulfate; Belladonna; Benapryzine Hydrochloride; Benzetimide
- 25 Hydrochloride; Benzilonium Bromide; Biperiden ; Biperiden Hydrochloride; Biperiden Lactate ; Clidinium Bromide; Cyclopentolate Hydrochloride; Dexetimide; Dicyclomine Hydrochloride; Dihexyverine Hydrochloride; Domazoline Fumarate; Elantrine; Elucaine; Ethybenztropine; Eucatropine Hydrochloride; Glycopyrrolate; Heteronium Bromide; Homatropine Hydrobromide; Homatropine Methylbromide; Hyoscyamine; Hyoscyamine
- 30 Hydrobromide; Hyoscyamine Sulfate; Isopropamide Iodide; Mepenolate Bromide; Methylatropine Nitrate; Metoquizine; Oxybutynin Chloride; Parapenzolate Bromide; Pentapiperium Methylsulfate; Phencarbamide; Poldine Methylsulfate; Proglumide;

Propantheline Bromide; Propenzolate Hydrochloride; Scopolamine Hydrobromide;
Tematropium Methylsulfate; Tiquinamide Hydrochloride; Tofenacin Hydrochloride;
Toquizine; Triampyzine Sulfate; Trihexyphenidyl Hydrochloride; Tropicamide.

- 5 Antifungal: Acrisorcin; Ambruticin; Amphotericin B; Azaconazole; Azaserine; Basifungin;
Bifonazole; Biphenamine Hydrochloride ; Bispyrithione Magsulfex ; Butoconazole Nitrate;
Calcium Undecylenate; Candicidin; Carbol-Fuchsin; Chlordantoin; Ciclopirox; Ciclopirox
Olamine; Cilofungin; Cisconazole; Clotrimazole; Cuprimyxin; Denofungin ; Dipyrithione;
Doconazole; Econazole; Econazole Nitrate; Enilconazole; Ethonam Nitrate; Fenticonazole
10 Nitrate; Filipin; Fluconazole; Flucytosine; Fungimycin; Griseofulvin; Hamycin; Isoconazole ;
Itraconazole; Kalafungin; Ketoconazole; Lomofungin; Lydimycin; Mepartricin ; Miconazole;
Miconazole Nitrate; Monensin ; Monensin Sodium ; Naftifine Hydrochloride; Neomycin
Undecylenate ; Nifuratel ; Nifurmerone; Nitralamine Hydrochloride; Nystatin; Octanoic Acid;
Orconazole Nitrate; Oxiconazole Nitrate; Oxifungin Hydrochloride; Parconazole
15 Hydrochloride; Partricin ; Potassium Iodide ; Proclonol ; Pyrithione Zinc ; Pyrrolnitrin;
Rutamycin; Sanguinarium Chloride ; Saperconazole; Scopafungin ; Selenium Sulfide ;
Sinefungin; Sulconazole Nitrate; Terbinafine; Terconazole; Thiram; Ticlatone ; Tioconazole;
Tolciclate; Tolindate; Tolnaftate; Triacetin; Triafungin; Undecylenic Acid; Viridofulvin; Zinc
Undecylenate; Zinoconazole Hydrochloride.

20

Antiglaucoma agent: Alprenoxime Hydrochloride ; Colforsin; Dapiprazole Hydrochloride ;
Dipivefrin Hydrochloride ; Naboctate Hydrochloride ; Pilocarpine; Pirnabine.

- Antihistaminic: Acrivastine; Antazoline Phosphate; Astemizole ; Azatadine Maleate;
25 Barmastine; Bromodiphenhydramine Hydrochloride; Brompheniramine Maleate;
Carbinoxamine Maleate; Cetirizine Hydrochloride; Chlorpheniramine Maleate;
Chlorpheniramine Polistirex; Cinnarizine; Clemastine; Clemastine Fumarate; Closiramine
Aceturate; Cycliramine Maleate; Cyclizine; Cyproheptadine Hydrochloride ;
Dexbrompheniramine Maleate; Dexchlorpheniramine Maleate; Dimethindene Maleate;
30 Diphenhydramine Citrate; Diphenhydramine Hydrochloride; Dorastine Hydrochloride;
Doxylamine Succinate; Ebastine; Levocabastine Hydrochloride; Loratadine; Mianserin
Hydrochloride ; Noberastine; Orphenadrine Citrate ; Pyrabrom; Pyrilamine Maleate;

Pyroxamine Maleate; Rocastine Hydrochloride; Rotoxamine; Tazifylline Hydrochloride; Temelastine; Terfenadine; Tripeleennamine Citrate; Tripeleennamine Hydrochloride; Tripolidine Hydrochloride; Zolamine Hydrochloride .

- 5 Anti-infective: Difloxacin Hydrochloride ; Lauryl Isoquinolinium Bromide; Moxalactam Disodium; Ornidazole; Pentisomicin; Sarafloxacin Hydrochloride; Protease inhibitors of HIV and other retroviruses; Integrase Inhibitors of HIV and other retroviruses; Cefaclor (Ceclor); Acyclovir (Zovirax); Norfloxacin (Noroxin); Cefoxitin (Mefoxin); Cefuroxime axetil (Ceftin); Ciprofloxacin (Cipro).

10

Anti-infective, topical: Alcohol; Aminacrine Hydrochloride; Benzethonium Chloride : Bithionolate Sodium; Bromchlorenone; Carbamide Peroxide; Cetalkonium Chloride; Cetylpyridinium Chloride : Chlorhexidine Hydrochloride; Clioquinol ; Domiphen Bromide; Fenticlor; Fludazonium Chloride; Fuchsin, Basic; Furazolidone ; Gentian Violet; Halquinols; 15 Hexachlorophene: Hydrogen Peroxide; Ichthammol; Imidecyl Iodine; Iodine; Isopropyl Alcohol; Mafenide Acetate; Meralein Sodium; Mercufenol Chloride; Mercury, Ammoniated; Methylbenzethonium Chloride; Nitrofurazone; Nitromersol; Octenidine Hydrochloride; Oxychlorosene; Oxychlorosene Sodium; Parachlorophenol, Camphorated; Potassium Permanganate; Povidone-Iodine; Sepazonium Chloride; Silver Nitrate; Sulfadiazine, Silver; 20 Symclosene; Thimerfonate Sodium; Thimerosal : Trocloses Potassium.

Anti-inflammatory: Alclofenac; Alclometasone Dipropionate; Algestone Acetonide; Alpha Amylase; Amcinafal; Amcinafide; Amfenac Sodium; Amiprilose Hydrochloride; Anakinra; Aniolac ; Anitrazafen; Apazone; Balsalazide Disodium; Bendazac; Benoxaprofen ;

- 25 Benzydamine Hydrochloride; Bromelains; Broperamole; Budesonide; Carprofen; Cicloprofen; Cintazone; Cliprofen; Clobetasol Propionate; Clobetasone Butyrate; Clopirac; Cloticasone Propionate; Cormethasone Acetate; Cortodoxone; Deflazacort; Desonide; Desoximetasone; Dexamethasone Dipropionate; Diclofenac Potassium; Diclofenac Sodium; Diflorasone Diacetate; Diflumidone Sodium; Diflunisal ; Difluprednate; Diftalone; Dimethyl 30 Sulfoxide; Drocinnide; Endrysone; Enlimomab ; Enolicam Sodium ; Epirizole ; Etodolac; Etofenamate ; Felbinac; Fenamole; Fenbufen; Fenclofenac; Fenclorac; Fendosal; Fenpipalone; Fentiazac; Flazalone; Fluazacort; Flufenamic Acid; Flumizole; Flunisolid Acetate; Flunixin ;

- Flunixin Meglumine ; Fluocortin Butyl; Fluorometholone Acetate; Fluquazone; Flurbiprofen ;
 Fluretofen; Fluticasone Propionate; Furaprofen; Furobufen; Halcinonide; Halobetasol
 Propionate; Halopredone Acetate; Ibufenac ; Ibuprofen; Ibuprofen Aluminum; Ibuprofen
 Piconol; Ilonidap; Indomethacin; Indomethacin Sodium; Indoprofen ; Indoxole; Intrazole;
 5 Isoflupredone Acetate; Isoxepac; Isoxicam; Ketoprofen; Lofemizole Hydrochloride ;
 Lornoxicam ; Loteprednol Etabonate; Meclofenamate Sodium; Meclofenamic Acid;
 Meclorisone Dibutyrate; Mefenamic Acid ; Mesalamine; Meseclazone; Methylprednisolone
 Suleptanate; Morniflumate; Nabumetone; Naproxen ; Naproxen Sodium ; Naproxol ;
 Nimazone; Olsalazine Sodium; Orgotein ; Orpanoxin; Oxaprozin; Oxyphenbutazone;
 10 Paranyline Hydrochloride; Pentosan Polysulfate Sodium; Phenbutazone Sodium Glycerate;
 Pirfenidone ; Piroxicam; Piroxicam Cinnamate; Piroxicam Olamine; Pirprofen; Prednazate;
 Prifelone; Prodolic Acid; Proquazone; Proxazole; Proxazole Citrate ; Rimexolone; Romazarit
 ; Salcolex ; Salnacedin; Salsalate ; Sanguinarium Chloride ; Seclazone ; Sermetacin;
 Sudoxicam; Sulindac; Suprofen; Talmetacin; Talniflumate ; Talosalate ; Tebufelone ;
 15 Tenidap; Tenidap Sodium; Tenoxicam; Tesicam; Tesimide; Tetrydamine ; Tiopinac;
 Tixocortol Pivalate; Tolmetin; Tolmetin Sodium; Triclonide; Triflumidate; Zidometacin;
 Zomepirac Sodium .

Antikeratinizing agent: Doretinel; Linarotene; Pelretin.

20

Antimicrobial: Aztreonam; Chlorhexidine Gluconate; Imidurea; Lycetamine; Nibroxane;
 Pirazmonam Sodium; Propionic Acid ; Pyrrithione Sodium; Sanguinarium Chloride ;
 Tigemonam Dicholine.

25 Antimycotic: Amorolfine.

Antineoplastic: Acivicin; Aclarubicin; Acodazole Hydrochloride; Acronine; Adozelesin;
 Aldesleukin; Altretamine; Ambomycin; Ametantrone Acetate; Aminoglutethimide ;
 Amsacrine; Anastrozole; Anthramycin; Asparaginase; Asperlin ; Azacitidine; Azetepa;
 30 Azotomycin; Batimastat; Benzodepa; Bicalutamide; Bisantrone Hydrochloride; Bisnafide
 Dimesylate; Bizelesin; Bleomycin Sulfate; Brequinar Sodium; Bropirimine ; Busulfan;
 Cactinomycin; Calusterone; Caracemide; Carbetimer; Carboplatin; Carmustine; Carubicin

- Hydrochloride; Carzelesin; Cedefingol; Chlorambucil; Cirolemycin ; Cisplatin; Cladribine; Crisnatol Mesylate; Cyclophosphamide ; Cytarabine ; Dacarbazine; Dactinomycin; Daunorubicin Hydrochloride; Decitabine; Dexormaplatin; Dezaguanine; Dezaguanine Mesylate; Diaziquone; Docetaxel; Doxorubicin; Doxorubicin Hydrochloride; Droloxifene;
- 5 Droloxifene Citrate; Dromostanolone Propionate; Duazomycin; Edatrexate; Eflornithine Hydrochloride ; Elsamitrucin; Enloplatin; Enpromate; Epiropidine; Epirubicin Hydrochloride; Erbulozole; Esorubicin Hydrochloride; Estramustine; Estramustine Phosphate Sodium; Etanidazole; Ethiodized Oil I 131; Etoposide; Etoposide Phosphate; Etoprine; Fadrozole Hydrochloride; Fazarabine; Fenretinide; Floxuridine ; Fludarabine Phosphate;
- 10 Fluorouracil; Flurocitabine; Fosquidone; Fostriecin Sodium; Gemcitabine; Gemcitabine Hydrochloride; Gold Au 198 ; Hydroxyurea; Idarubicin Hydrochloride; Ifosfamide; Ilmofofosine; Interferon Alfa-2a ; Interferon Alfa-2b ; Interferon Alfa-n1; Interferon Alfa-n3; Interferon Beta-I a; Interferon Gamma-I b; Iproplatin; Irinotecan Hydrochloride ; Lanreotide Acetate; Letrozole; Leuprolide Acetate ; Liarozole Hydrochloride; Lometrexol Sodium;
- 15 Lomustine; Losoxantrone Hydrochloride; Masoprocol; Maytansine; Mechlorethamine Hydrochloride; Megestrol Acetate; Melengestrol Acetate; Melphalan; Menogaril; Mercaptopurine; Methotrexate; Methotrexate Sodium; Metoprine; Meturedopa; Mitindomide; Mitocarcin; Mitocromin; Mitogillin; Mitomalcin; Mitomycin; Mitosper; Mitotane; Mitoxantrone Hydrochloride; Mycophenolic Acid; Nocodazole; Nogalamycin; Ormaplatin;
- 20 Oxisuran; Paclitaxel; Pegaspargase; Peliomycin; Pentamustine; Peplomycin Sulfate; Perfosfamide; Pipobroman; Pipo sulfan; Piroxantrone Hydrochloride; Plicamycin; Plomestane; Porfimer Sodium; Porfiromycin ; Prednimustine; Procarbazine Hydrochloride; Puromycin; Puromycin Hydrochloride; Pyrazofurin; Riboprine; Rogletimide; Safingol ; Safingol Hydrochloride; Semustine; Simtrazene; Sparfosate Sodium; Sparsomycin; Spirogermanium
- 25 Hydrochloride; Spiromustine; Spiroplatin; Streptonigrin; Streptozocin; Strontium Chloride Sr 89; Sulofenur; Talisomycin; Taxane; Taxoid; Tecogalan Sodium; Tegafur; Teloxantrone Hydrochloride; Temoporfin; Teniposide; Teroxirone; Testolactone; Thiamiprine; Thioguanine; Thiotepa; Tiazofurin; Tirapazamine; Topotecan Hydrochloride; Toremifene Citrate; Trestolone Acetate; Triciribine Phosphate; Trimetrexate; Trimetrexate Glucuronate;
- 30 Triptorelin; Tubulozole Hydrochloride; Uracil Mustard; Uredepa; Vapreotide; Verteporfin; Vinblastine Sulfate; Vincristine Sulfate; Vindesine; Vindesine Sulfate; Vinepidine Sulfate; Vinglycinate Sulfate; Vinleurosine Sulfate; Vinorelbine Tartrate; Vinrosidine Sulfate;

Vinzolidine Sulfate; Vorozole; Zeniplatin; Zinostatin; Zorubicin Hydrochloride.

Other anti-neoplastic compounds include: 20-epi-1,25 dihydroxyvitamin D3;

5-ethynyluracil; abiraterone; aclarubicin; acylfulvene; adecypenol; adozelesin; aldesleukin;

ALL-TK antagonists; altretamine; ambamustine; amidox; amifostine; aminolevulinic acid;

5 amrubicin; amsacrine; anagrelide; anastrozole; andrographolide; angiogenesis inhibitors;

antagonist D; antagonist G; antarelix; anti-dorsalizing morphogenetic protein-1; antiandrogen,

prostatic carcinoma; antiestrogen; antineoplaston; antisense oligonucleotides; aphidicolin

glycinate; apoptosis gene modulators; apoptosis regulators; apurinic acid;

ara-CDP-DL-PTBA; arginine deaminase; asulacrine; atamestane; atrimustine; axinastatin 1;

10 axinastatin 2; axinastatin 3; azasetron; azatoxin; azatyrosine; baccatin III derivatives; balanol;

batimastat; BCR/ABL antagonists; benzochlorins; benzoylstauroporine; beta lactam

derivatives; beta-alethine; betaclamycin B; betulinic acid; bFGF inhibitor; bicalutamide;

bisantrene; bisaziridinylspermine; bisnafide; bistratene A; bizelesin; breflate; bropirimine;

budotitane; buthionine sulfoximine; calcipotriol; calphostin C; camptothecin derivatives;

15 canarypox IL-2; capecitabine; carboxamide-amino-triazole; carboxyamidotriazole; CaRest

M3; CARN 700; cartilage derived inhibitor; carzelesin; casein kinase inhibitors (ICOS);

castanospermine; cecropin B; cetrorelix; chlorins; chloroquinoxaline sulfonamide; cicaprost;

cis-porphyrin; cladribine; clomifene analogues; clotrimazole; collismycin A; collismycin B;

combretastatin A4; combretastatin analogue; conagenin; crambescidin 816; crisnatol;

20 cryptophycin 8; cryptophycin A derivatives; curacin A; cyclopentantraquinones;

cycloplatan; cypemycin; cytarabine ocfosfate; cytolytic factor; cytostatin; dacliximab;

decitabine; dehydrodidemnin B; deslorelin; dexifosfamide; dexrazoxane; dexverapamil;

diaziquone; didemnin B; didox; diethylnorspermine; dihydro-5-azacytidine; dihydrotaxol, 9-;

dioxamycin; diphenyl spiromustine; docosanol; dolasetron; doxifluridine; droloxifene;

25 dronabinol; duocarmycin SA; ebselen; ecomustine; edelfosine; edrecolomab; eflornithine;

elemene; emitefur; epirubicin; epristeride; estramustine analogue; estrogen agonists; estrogen

antagonists; etanidazole; etoposide phosphate; exemestane; fadrozole; fazarabine; fenretinide;

filgrastim; finasteride; flavopiridol; flezelastine; fluasterone; fludarabine; fluorodaunorubicin

hydrochloride; forfenimex; formestane; fostriecin; fotemustine; gadolinium texaphyrin;

30 gallium nitrate; galocitabine; ganirelix; gelatinase inhibitors; gemcitabine; glutathione

inhibitors; hepsulfam; heregulin; hexamethylene bisacetamide; hypericin; ibandronic acid;

idarubicin; idoxifene; idramantone; ilmofofosine; ilomastat; imidazoacridones; imiquimod;

- immunostimulant peptides; insulin-like growth factor-1 receptor inhibitor; interferon agonists; interferons; interleukins; iobenguane; iododoxorubicin; ipomeanol, 4-; irinotecan; iroplact; irsogladine; isobengazole; isohomohalicondrin B; itasetron; jasplakinolide; kahalalide F; lamellarin-N triacetate; lanreotide; leinamycin; lenograstim; lentinan sulfate; leptolstatin;
- 5 letrozole; leukemia inhibiting factor; leukocyte alpha interferon; leuprolide + estrogen + progesterone; leuprorelin; levamisole; liarozole; linear polyamine analogue; lipophilic disaccharide peptide; lipophilic platinum compounds; lissoclinamide 7; lobaplatin; lombricine; lometrexol; lonidamine; losoxantrone; lovastatin; loxoribine; lurtotecan; lutetium texaphyrin; lysofylline; lytic peptides; maitansine; mannostatin A; marimastat; masoprocol;
- 10 maspin; matrilysin inhibitors; matrix metalloproteinase inhibitors; menogaril; merbarone; meterelin; methioninase; metoclopramide; MIF inhibitor; mifepristone; miltefosine; mirimostim; mismatched double stranded RNA; mitoguazone; mitolactol; mitomycin analogues; mitonafide; mitotoxin fibroblast growth factor-saporin; mitoxantrone; mofarotene; molgramostim; monoclonal antibody, human chorionic gonadotrophin; monophosphoryl lipid
- 15 A + myobacterium cell wall sk; mopidamol; multiple drug resistance gene inhibitor; multiple tumor suppressor 1-based therapy; mustard anticancer agent; mycaperoxide B; mycobacterial cell wall extract; myriaporone; N-acetyldinaline; N-substituted benzamides; nafarelin; nagrestip; naloxone + pentazocine; napavin; naphterpin; nartograstim; nedaplatin; nemorubicin; neridronic acid; neutral endopeptidase; nilutamide; nisamycin; nitric oxide
- 20 modulators; nitroxide antioxidant; nitrullyn; O6-benzylguanine; octreotide; okicenone; oligonucleotides; onapristone; ondansetron; ondansetron; oracin; oral cytokine inducer; ormaplatin; osaterone; oxaliplatin; oxaunomycin; paclitaxel analogues; paclitaxel derivatives; palauamine; palmitoylrhizoxin; pamidronic acid; panaxytriol; panomifene; parabactin; pazelliptine; pegaspargase; peldesine; pentosan polysulfate sodium; pentostatin; pentrozone;
- 25 perflubron; perfosfamide; perillyl alcohol; phenazinomycin; phenylacetate; phosphatase inhibitors; picibanil; pilocarpine hydrochloride; pirarubicin; piritrexim; placetin A; placetin B; plasminogen activator inhibitor; platinum complex; platinum compounds; platinum-triamine complex; porfimer sodium; porfiromycin; propyl bis-acridone; prostaglandin J2; proteasome inhibitors; protein A-based immune modulator; protein kinase C inhibitor; protein kinase C
- 30 inhibitors, microalgal; protein tyrosine phosphatase inhibitors; purine nucleoside phosphorylase inhibitors; purpurins; pyrazoloacridine; pyridoxylated hemoglobin polyoxyethylene conjugate; raf antagonists; raltitrexed; ramosetron; ras farnesyl protein

transferase inhibitors; ras inhibitors; ras-GAP inhibitor; retelliptine demethylated; rhenium Re 186 etidronate; rhizoxin; ribozymes; RII retinamide; rogletimide; rohitukine; romurtide; roquinimex; rubiginone B1; ruboxyl; safingol; saintopin; SarCNU; sarcophytol A; sargramostim; Sdi 1 mimetics; semustine; senescence derived inhibitor 1; sense

5 oligonucleotides; signal transduction inhibitors; signal transduction modulators; single chain antigen binding protein; sizofiran; sobuzoxane; sodium borocaptate; sodium phenylacetate; solverol; somatomedin binding protein; sonermin; sparfosic acid; spicamycin D; spiromustine; splenopentin; spongistatin 1; squalamine; stem cell inhibitor; stem-cell division inhibitors; stipiamide; stromelysin inhibitors; sulfinosine; superactive vasoactive intestinal

10 peptide antagonist; suradista; suramin; swainsonine; synthetic glycosaminoglycans; tallimustine; tamoxifen methiodide; tauromustine; tazarotene; tecogalan sodium; tegafur; tellurapyrylium; telomerase inhibitors; temoporfin; temozolomide; teniposide; tetrachlorodecaoxide; tetrazomine; thaliblastine; thalidomide; thiocoraline; thrombopoietin; thrombopoietin mimetic; thymalfasin; thymopoietin receptor agonist; thymotrinan; thyroid

15 stimulating hormone; tin ethyl etiopurpurin; tirapazamine; titanocene dichloride; topotecan; topsentin; toremifene; totipotent stem cell factor; translation inhibitors; tretinoin; triacetyluridine; triciribine; trimetrexate; triptorelin; tropisetron; turosteride; tyrosine kinase inhibitors; tyrphostins; UBC inhibitors; ubenimex; urogenital sinus-derived growth inhibitory factor; urokinase receptor antagonists; vapreotide; variolin B; vector system, erythrocyte gene

20 therapy; velaresol; veramine; verdins; verteporfin; vinorelbine; vinxaltine; vitaxin; vorozole; zanoterone; zeniplatin; zilascorb; zinostatin stimalamer.

Anti-cancer Supplementary Potentiating Agents: Tricyclic anti-depressant drugs (e.g., imipramine, desipramine, amitriptyline, clomipramine, trimipramine, doxepin, nortriptyline, protriptyline, amoxapine and maprotiline); non-tricyclic anti-depressant drugs (e.g., sertraline,

25 trazodone and citalopram); Ca^{++} antagonists (e.g., verapamil, nifedipine, nitrendipine and caroverine); Calmodulin inhibitors (e.g., prenylamine, trifluoroperazine and clomipramine); Amphotericin B; Triparanol analogues (e.g., tamoxifen); antiarrhythmic drugs (e.g., quinidine); antihypertensive drugs (e.g., reserpine); Thiol depleters (e.g., buthionine and sulfoximine) and Multiple Drug Resistance reducing agents such as Cremaphor EL. The

30 compounds of the invention also can be administered with cytokines such as granulocyte colony stimulating factor.

Antineutropenic: Filgrastim; Lenograstim; Molgramostim; Regramostim; Sargramostim.

Antiproliferative agent: Piritrexim Isethionate.

- 5 Antiprotozoal: Amodiaquine; Azanidazole; Bamnidazole; Carnidazole; Chlortetracycline Bisulfate; Chlortetracycline Hydrochloride; Flubendazole; Flunidazole; Halofuginone Hydrobromide; Imidocarb Hydrochloride; Ipronidazole; Metronidazole; Misonidazole; Moxnidazole; Nitarstone; Partricin; Puromycin; Puromycin Hydrochloride; Ronidazole; Sulnidazole; Tinidazole.

10

Antipruritic: Cyproheptadine Hydrochloride ; Methdilazine; Methdilazine Hydrochloride; Trimeprazine Tartrate.

15

Antipsoriatic: Acitretin; Anthralin; Azaribine; Calcipotriene; Cycloheximide; Enazadrem Phosphate; Etretnate; Liarozole Fumarate; Lonapalene; Tepoxalin.

Carbonic anhydrase inhibitor: Acetazolamide; Acetazolamide Sodium; Dichlorphenamide; Dorzolamide Hydrochloride; Methazolamide; Sezolamide Hydrochloride.

20

Cholinergic: Aceclidine; Bethanechol Chloride; Carbachol; Demecarium Bromide; Dexpanthenol; Echothiophate Iodide; Isoflurophate; Methacholine Chloride; Neostigmine Bromide; Neostigmine Methylsulfate; Physostigmine; Physostigmine Salicylate; Physostigmine Sulfate; Pilocarpine ; Pilocarpine Hydrochloride; Pilocarpine Nitrate; Pyridostigmine Bromide.

25

Diagnostic aid: Aminohippurate Sodium; Anazolene Sodium; Arclofenin; Arginine ; Bentiromide; Benzylpenicilloyl Polylysine; Butedronate Tetrasodium; Butilfenin; Coccidioidin; Corticorelin Ovine Triflutate ; Corticotropin, Repository ; Corticotropin Zinc Hydroxide; Diatrizoate Meglumine; Diatrizoate Sodium; Diatrizoic Acid; Diphtheria Toxin for Schick Test; Disofenin; Edrophonium Chloride; Ethiodized Oil; Etifenin; Exametazime; Ferristenc; Ferumoxides; Ferumoxsil; Fluorescein; Fluorescein Sodium; Gadobenate Dimeglumine; Gadoteridol; Gadodiamide; Gadopentetate Dimegiumine; Gadoversetamide;

30

- Histoplasmin; Impromidine Hydrochloride; Indigotindisulfonate Sodium; Indocyanine Green; Iobenguane Sulfate I 123; Iobenzamic Acid; Iocarmate Meglumine; Iocarmic Acid; Iocetamic Acid; Iodamide; Iodamide Meglumine; Iodipamide Meglumine; Iodixanol; Iodoxamate Meglumine; Iodoxamic Acid; Ioglicic Acid; Ioglucol; Ioglucomide; Ioglycamic Acid;
- 5 Iogulamide; Iohexol; Iomeprol; Iopamidol; Iopanoic Acid; Iopentol; Iophendylate; Iprofenin; Iopronic Acid; Ioprocemic Acid; Iopydol; Iopydone; Iosefamic Acid; Ioseric Acid; Iosulamide Meglumine; Iosumetic Acid; Iotasul; Iotetric Acid; Iothalamate Meglumine; Iothalamate Sodium; Iothalamic Acid; Iotrolan; Iotroxic Acid; Ioversol; Ioxaglate Meglumine; Ioxagiate Sodium; Ioxaglic Acid; Ioxilan; Ioxotrizoic Acid; Ipodate Calcium; Ipodate Sodium; Isosulfan
- 10 Blue; Leukocyte Typing Serum; Lidofenin; Mebrofenin; Meglumine; Metrizamide; Metrizoate Sodium; Metyrapone; Metyrapone Tartrate; Mumps Skin Test Antigen; Pentetic Acid; Propyliodone; Quinaldine Blue; Schick Test Control; Sermorelin Acetate ; Sodium Iodide I 123; Sprodiamide; Stannous Pyrophosphate; Stannous Sulfur Colloid; Succimer; Teriparatide Acetate; Tetrofosmin; Tolbutamide Sodium; Tuberculin; Tyropanoate Sodium;
- 15 Xylose.

Ectoparasiticide: Nifluridide; Permethrin.

- Glucocorticoid: Amcinonide; Beclomethasone Dipropionate; Betamethasone; Betamethasone
- 20 Acetate; Betamethasone Benzoate; Betamethasone Dipropionate; Betamethasone Sodium Phosphate; Betamethasone Valerate; Carbenoxolone Sodium; Clocortolone Acetate; Clocortolone Pivalate; Cloprednol; Corticotropin; Corticotropin, Repository; Corticotropin Zinc Hydroxide; Cortisone Acetate; Cortivazol; Descinolone Acetonide; Dexamethasone; Dexamethasone Sodium Phosphate; Diflucortolone; Diflucortolone Pivalate; Flucloronide;
- 25 Flumethasone; Flumethasone Pivalate; Flunisolide; Fluocinolone Acetonide; Fluocinonide; Fluocortolone; Fluocortolone Caproate; Fluorometholone; Fluperolone Acetate; Fluprednisolone; Fluprednisolone Valerate; Flurandrenolide; Formocortal; Hydrocortisone; Hydrocortisone Acetate; Hydrocortisone Buteprate; Hydrocortisone Butyrate; Hydrocortisone Sodium Phosphate; Hydrocortisone Sodium Succinate; Hydrocortisone Valerate; Medrysone;
- 30 Methylprednisolone; Methylprednisolone Acetate; Methylprednisolone Sodium Phosphate; Methylprednisolone Sodium Succinate; Nivazol; Paramethasone Acetate; Prednicarbate; Prednisolone; Prednisolone Acetate; Prednisolone Hemisuccinate; Prednisolone Sodium

Phosphate; Prednisolone Sodium Succinate; Prednisolone Tebutate; Prednisone; Prednival; Ticabesone Propionate; Tralonide; Triamcinolone; Triamcinolone Acetonide; Triamcinolone Acetonide Sodium; Triamcinolone Diacetate; Triamcinolone Hexacetonide.

- 5 Hair growth stimulant: Minoxidil .

Histamine H2 receptor antagonists: Ranitidine (Zantac); Famotidine (Pepcid); Cimetidine (Tagamet); Nizatidine (Axid).

- 10 Immunizing agent: Antirabies Serum; Antivenin (Latrodectus mactans); Antivenin (Micrurus Fulvius); Antivenin (Crotalidae) Polyvalent; BCG Vaccine; Botulism Antitoxin; Cholera Vaccine; Diphtheria Antitoxin; Diphtheria Toxoid; Diphtheria Toxoid Adsorbed; Globulin, Immune; Hepatitis B Immune Globulin; Hepatitis B Virus Vaccine Inactivated; Influenza Virus Vaccine; Measles Virus Vaccine Live; Meningococcal Polysaccharide Vaccine Group
15 A; Meningococcal Polysaccharide Vaccine Group C; Mumps Virus Vaccine Live; Pertussis Immune Globulin; Pertussis Vaccine; Pertussis Vaccine Adsorbed; Plague Vaccine; Poliovirus Vaccine Inactivated; Poliovirus Vaccine Live Oral; Rabies Immune Globulin; Rabies Vaccine; Rh₀(D) Immune Globulin; Rubella Virus Vaccine Live; Smallpox Vaccine; Tetanus Antitoxin; Tetanus Immune Globulin; Tetanus Toxoid; Tetanus Toxoid Adsorbed;
20 Typhoid Vaccine; Yellow Fever vaccine; Vaccinia Immune Globulin; Varicella-Zoster Immune Globulin.

Immunomodulator: Dimepranol Acedoben; Imiquimod; Interferon Beta-1b; Lisofylline; Mycophenolate Mofetil; Prczatide Copper Acetate.

25

Immunoregulator: Azarole; Fanetizole Mesylate; Frentizole; Oxamisole Hydrochloride; Ristianol Phosphate; Thymopentin; Tilomisole.

Immunostimulant: Loxoribine ; Teceleukin.

30

Immunosuppressant: Azathioprine; Azathioprine Sodium; Cyclosporine; Daltroban; Gusperimus Trihydrochloride; Sirolimus; Tacrolimus.

Mucolytic: Acetylcysteine; Carbocysteine; Domiodol.

Mucosal Protective agents: Misoprostol (Cytotec).

- 5 Radioactive agent: Fibrinogen I 125 ; Fludeoxyglucose F 18 ; Fluorodopa F 18 ; Insulin I 125; Insulin I 131; Iobenguane I 123; Iodipamide Sodium I 131 ; Iodoantipyrine I 131 ; Iodocholesterol I 131 ; Iodohippurate Sodium I 123 ; Iodohippurate Sodium I 125 ; Iodohippurate Sodium I 131 ; Iodopyracet I 125 ; Iodopyracet I 131 ; Iofetamine Hydrochloride I 123 ; Iomethin I 125 ; Iomethin I 131 ; Iothalamate Sodium I 125 ;
- 10 Iothalamate Sodium I 131 ; Iotyrosine I 131; Liothyronine I 125; Liothyronine I 131; Merisoprol Acetate Hg 197; Merisoprol Acetate Hg 203; Merisoprol Hg 197 ; Selenomethionine Se 75 ; Technetium Tc 99m Antimony Trisulfide Colloid; Technetium Tc 99m Bicisate ; Technetium Tc 99m Disofenin ; Technetium Tc 99m Etidronate ; Technetium Tc 99m Exametazime ; Technetium Tc 99m Furifosmin ; Technetium Tc 99m Gluceptate ;
- 15 Technetium Tc 99m Lidofenin ; Technetium Tc 99m Mebrofenin ; Technetium Tc 99m Medronate ; Technetium Tc 99m Medronate Disodium; Technetium Tc 99m Mertiatide ; Technetium Tc 99m Oxidronate ; Technetium Tc 99m Pentetate; Technetium Tc 99m Pentetate Calcium Trisodium; Technetium Tc 99m Sestamibi ; Technetium Tc 99m Siboroxime ; Technetium Tc 99m Succimer ; Technetium Tc 99m Sulfur Colloid ;
- 20 Technetium Tc 99m Teboroxime ; Technetium Tc 99m Tetrofosmin ; Technetium Tc 99m Tiatide; Thyroxine I 125; Thyroxine I 131; Tolpovidone I 131 ; Triolein I 125; Triolein I 131.

Wound healing agent: Ersofermin.

25

The invention thus may be used, *inter alia*, to localize drugs to a tissue such as a wound bed or for localized delivery to a tissue, to hold a drug, insect repellant, bactericide fungicide, growth factors, cytokine, and the like at a particular location to prevent the drug from being flushed away to other body sites where it is not needed, to apply bulking agents and other cosmetic agents to the integuments, such as the skin, hair and nails, to hold

30 sunscreen agents at the surface of the skin for longer periods of time, to hold anti-nerve gas enzymes at the surface of the skin whereby nerve gas can be deactivated, to hold or link

chemical agents to the skin which can in turn act as binding sites for other agent or alternatively, as reactive sites for catalytic buildup of multiple alternating layers, to link hydrophobic compounds to the skin, thereby making the skin hydrophobic, to link conditioners to the hair, thereby giving hair the appearance of greater bulk and to link agents
5 to organs or tissues which are to be transplanted.

EXAMPLES

Example 1: Durable suntan preparation and kit.

A kit is provided for producing a durable sunscreen. The kit includes as a first
10 component a conjugate of a low molecular weight sunscreen agent and a linking agent. This component is an aqueous solution, pH 6.4 of 50 mM polylysyl-methoxy-2-ethylhexyl-cinnamate, 0.1 v % propylene glycol, 0.5 mM, EDTA, 0.1 wt% BHT, 0.1 wt% potassium sorbate, 0.05 wt% polysorbate 20 and 80 and 1 mM sodium laurylether sulfate. Component 2 of the kit is a calcium chloride activator solution. This is an
15 aqueous solution at about 25 mM calcium chloride. Component 3 of the kit is lyophilized transglutaminase. The lyophilized preparation can contain 10 mg of recombinant tissue transglutaminase in 2% sucrose, 0.1 mM EDTA, and 5 mM glycine buffer, pH 7.2.

Three vials containing the three kit components are opened. About 10 mL of component 1 is added to 10 mg of component 3, and the combination is mixed by swirling.
20 Then this combination is added to about 90 mL of component 1. Finally, about 10 mL of component 2 is added to the mixture, with this final combination mixed by gentle swirling. The mixture then is applied to a washed and scraped skin surface. The mixture is uniformly spread on the skin and allowed to remain for ten minutes. The excess solution is removed by washing.

25

Example 2: Durable topical antifungal preparation and kit.

A kit is provided for producing durable antifungal protection. The kit contains three components. Component 1 is a conjugate of an antifungal agent and a linking agent. This component is an aqueous solution, pH 6.4, containing 0.01 wt% polylysyl-amphotericin B
30 conjugate, 10 v% ethanol, 0.1 v% propylene glycol, 0.5 mM EDTA, 0.1 wt% BHT. Component 2 is a calcium chloride activator solution as described for Example 1. Component 3 is a lyophilized transglutaminase preparation as described in Example 1. The three

containers containing components 1, 2 and 3 are opened. Ten mL of component 1 is added to component 3, and they are mixed by swirling. The mixture then is added to about 90 mL of component 1. To this mixture is added component 2. This final combination is mixed by gentle swirling. After this, the material is applied to the surface of skin as described in

5 Example 1.

Example 3: Long-term protective preparation for anticholinesterase nerve gas and kit.

A kit for providing long-term protection from anticholinesterase nerve gas is provided. Component 1 of the kit includes recombinant cholinesterase coupled to biotin (e.g., by
10 reaction in the presence of N.N. succinimide). Component 2 is polyglutamine coupled to avidin. Component 2 is applied to the surface of the skin in the presence of transglutaminase, as described above in connection with Examples 1 and 2. After the avidin is coupled to the skin via the polyglutamine, then component 1 is added to bind the biotin to the avidin, thereby coupling the cholinesterase to the skin.

15 Example 4: A mousse for thickening hair.

A dispensing can with three reservoirs (a calcium ion solution, a transglutaminase solution and a hair bulking or thickening agent such as a mucopolysaccharide linked to polyglutamine) is provided. The three solutions are mixed, as is conventional with such
20 dispensing cans, as they are being applied onto tissue such as hair. The mousse can be combed through the hair, left on the hair for at least ten minutes, and then rinsed.

Example 5:

It has been shown in previous studies that polyglutamine attached to other peptides
25 remains an excellent substrate of transglutaminase. Under optimal conditions, virtually all of the glutamine residues acted as amine acceptors in the reaction with an aliphatic amine, and lengthening the sequence of polyglutamine increases the reactivity of each glutamine residue. In the presence of transglutaminase, peptides containing polyglutamine become cross-linked to polylysine. The details of the reaction conditions and the manner of applying labels
30 whereby the reaction may be visualized under UV light are described in detail in Kahlem et al., *Proc. Natl. Acad. Sci. USA*, 1996 93:14580-14585 (Appendix A). The same polyglutamines, but attached to agents as described herein, and, in general, the same

conditions as described in Kahlem et al. may be applied in the above-described examples and, in general, in the practice of the present invention. The disclosure of this reference, as well as any other reference mentioned herein, is incorporated by reference in its entirety.

5 Example 6: Polyglutamine containing a fluorescent marker is covalently attached to the surface of the skin through the action of transglutaminase.

A. Mouse was epilated. Seven days later, a concentrated reaction solution containing guinea pig transglutaminase, dansyl labeled polyglutamine and Ca^{2+} at 10 mM was applied to the left side (Figure 2). The control (right side) was pretreated for 10 mins with
10 100 mM cystamine, the excess liquid was drained and the same reaction solution containing 25 mM cystamine was applied. After 30 minutes, both sites were washed with a solution of 1% SDS. The mouse was then photographed under UV illumination (312nm). The left side shows strong fluorescence of dansyl polyglutamine whereas the right side shows very weak fluorescence (Figure 2).

15 B. Same mouse was photographed again five days later. There is still considerable fluorescence at the site of enzymatic coupling (left, Figure 3), but the control fluorescence (right, Figure 3) has virtually disappeared.

Reaction Solution

10 μl buffer containing 100 uM Tris pH8.2, 10mM CaCl_2 , and 10 mM DTT
20 3 μl dansylated polyglutamine (5uM)
3 μl (13.3mU/ μl) partially purified guinea pig transglutaminase

It should be understood that the foregoing is merely a detailed description of certain preferred embodiments. It therefore should be apparent to those skilled in the art that various
25 modification and equivalents can be made without departing from the spirit or scope of the invention. It is intended to encompass all such modifications within the scope of the appended claims.

All references, patents and patent applications recited in this application are incorporated in their entirety herein by reference.

30

We claim:

Claims

1. A method for attaching a non-corneocyte, nonlabeling, agent to a body tissue comprising:

5 applying to the body tissue a conjugate of the agent and a linking molecule having a carboxamide, the linking molecule being a carboxamide-bearing substrate of transglutaminase,

applying to the body tissue transglutaminase in an amount effective for crosslinking the conjugate to the body tissue via the linking group, and

10 allowing said crosslinking to occur.

2. The method of claim 1, wherein the linking molecule is a molecule selected from the group consisting of:

- 15 (a) at least one glutamine,
(b) at least two contiguous linked glutamines,
(c) at least three contiguous linked glutamines,
(d) at least four contiguous linked glutamines, and
(e) at least five contiguous linked glutamines.

20 3. The method of claim 1, wherein the linking molecule comprises 5 or more contiguous glutamines attached directly to one another by peptide bonds.

4. The method of claim 1, wherein the linking molecule comprises a polymer of amino acids and wherein at least 20% of the amino acids are glutamines.

25 5. The method of claim 4, wherein at least 30% of the amino acids are glutamines.

6. The method of claim 4, wherein at least 40% of the amino acids are glutamines.

30 7. The method of claim 1, further comprising first attaching to the body tissue a complementary linking molecule bearing multiple reactive aliphatic amines, the complementary linking molecule being an aliphatic amine substrate of transglutaminase,

wherein the conjugate is crosslinked to the body tissue by crosslinking the aliphatic amines of the complementary linking molecule and the carboxamide of linking molecule to one another by said transglutaminase.

5 8. The method of claim 7, wherein the complementary linking molecule is attached to the body tissue by

applying to the body tissue the complementary linking molecule,

applying to the body tissue an amount of transglutaminase effective for crosslinking the complementary linking molecule to the body tissue, and

10 allowing said crosslinking to occur.

9. The method of claim 8, wherein a polymer rich in glutamine is the linking molecule and a polymer rich in lysine is the complementary linking molecule.

15 10. The method of claim 9, wherein the polymer rich in glutamine has 4 or more contiguous glutamines directly attached to one another by peptide bonds.

11. The method of claim 9, wherein the polymer rich in lysine has 4 or more contiguous lysines directly attached to one another by peptide bonds.

20

12. The method of claim 1, wherein the agent is not itself a substrate of transglutaminase.

13. The method of claim 1, wherein the body tissue is selected from the group consisting of the integument, skin, hair and nails, a wound bed, and internal body tissue.

25

14. The method of claim 1, wherein the body tissue is selected from the group consisting of skin, hair and nails, and wherein the agent is selected from the group consisting of a cosmetic agent, a bulking agent, a hair conditioning agent, a hair fixative, a sunscreen agent, a moisturizing agent, a depilatory agent, an anti-nerve gas agent, a film forming agent, a
30 vitamin, an insect repellant, a coloring agent, a pharmaceutical agent, a ligand-receptor complex and a receptor of a ligand-receptor complex.

15. The method of claim 1, wherein the nonlabeling active agent is an enzyme.

16. The method of claim 15, wherein the agent is selected from the group consisting of a cholinesterase and a phosphodiesterase.

17. The method of claim 14, wherein the bond between the agent and the linking molecule is hydrolyzable under normal physiological conditions.

18. The method of claim 1, wherein the agent is a nonprotein.

19. The method of claim 18, wherein the agent is not itself a substrate for transglutaminase.

20. A method for attaching an agent to a body tissue comprising
first attaching to the body-tissue a linking molecule that is covalently bondable to the agent in the presence of transglutaminase, then
applying to the body tissue having the linking molecule attached thereto an agent that is a substrate of transglutaminase and that is covalently bondable to the linking molecule in the presence of transglutaminase,
applying to the body tissue transglutaminase in an amount effective in crosslinking the agent to the linking molecule, and
allowing said crosslinking to occur.

21. The method of claim 20, wherein the linking molecule is a substrate of transglutaminase and wherein the linking molecule is attached to the body tissue by
applying to the body tissue the linking molecule,
applying to the body tissue transglutaminase in an amount effective to crosslinking the linking molecule to the body tissue, and
allowing said crosslinking to occur.

22. The method of claim 20, wherein the linking molecule is a polymer having multiple units which carry a carboxamide that is a substrate of transglutaminase.

23. The method of claim 22, wherein a polymer rich in glutamine is the linking molecule.

24. The method of claim 20, wherein the linking molecule is a polymer having multiple units which carry an aliphatic amine that is a substrate of transglutaminase.

5

25. The method of claim 24, wherein a polymer rich in lysine is the linking molecule.

26. The method of claim 22, wherein the agent comprises a polymer having multiple units which carry an aliphatic amine that is a substrate of transglutaminase.

10

27. The method of claim 26, wherein the agent comprises a polymer rich in lysine.

28. The method of claim 24, wherein the agent comprises a polymer having multiple units which carry a carboxamide that is a substrate of transglutaminase.

15

29. The method of claim 28, wherein the agent comprises a polymer rich in glutamine.

30. The method of claim 20, wherein the agent is selected from the group consisting of a visible label of a high affinity noncovalent coupling pair, a pharmaceutical agent, a receptor or a ligand of a receptor/ligand pair, a cosmetic, a sunscreen agent, a coloring agent, a bulking agent, a hair conditioning agent, a hair fixative, a moisturizing agent, a depilatory agent, an anti-nerve gas agent, a film forming agent, a vitamin and an insect repellant.

20

31. The method of any one of claim 20, wherein the body tissue is selected from the group consisting of the integument, skin, hair, nails, a wound bed, and an internal tissue.

25

32. A method for attaching an agent to a body tissue comprising
first attaching to the body tissue a linking molecule that is covalently bonded to the agent in the presence of transglutaminase, then

30

applying to the body tissue having the linking molecule attached thereto an agent that is a substrate of transglutaminase and that is covalently bonded to the linking molecule in the presence of transglutaminase, said applying being carried out in the presence of a sufficient

amount of transglutaminase effective to covalently crosslink the agent to the linking molecule,
and

allowing the crosslinking to occur.

5 33. The method of claim 32, wherein the linking molecule is a polymer having multiple units which carry a carboxamide that is a substrate of transglutaminase.

34. The method of claim 33, wherein the linking molecule is a polymer rich in glutamine.

10 35. The method claim 33, wherein the agent comprises a polymer having multiple units which carry an aliphatic amine that is a substrate of transglutaminase.

36. The method of claim 33, wherein the agent comprises a polymer rich in lysine.

15 37. The method of claim 32, wherein the linking molecule is a polymer having multiple units which carry an aliphatic amine that is a substrate of transglutaminase.

38. The method of claim 32, wherein the linking molecule is a polymer rich in lysine.

20 39. The method of claim 37, wherein the agent comprises a polymer having multiple units which carry a carboxamide that is a substrate of transglutaminase.

40. The method of claim 37, wherein the agent comprises a polymer rich in glutamine.

25 41. The method of claim 32, wherein the agent is selected from the group consisting of: a visible label; a component of a high affinity noncovalent coupling pair; a receptor or a ligand of a receptor ligand complex; a pharmaceutical agent, a cosmetic agent, a sunscreen agent, a bulking agent, a hair conditioning agent, a hair fixative, a coloring agent, a moisturizing agent, a depilatory agent, an anti-nerve gas agent, a film forming agent, a vitamin and an insect
30 repellent

42. The method of claim 32, wherein the body tissue is selected from the group consisting

of: skin; hair; nails; a wound bed; and an internal tissue.

43. A method for sealing tissue comprising applying a force to hold two tissues in contact with each other in the presence of an amount of transglutaminase effective to crosslink the two tissues to one another.

44. The method of claim 43, wherein surfaces of the tissues to be sealed to one another are contacted with a substrate of transglutaminase, which substrate is crosslinked to the surfaces of the tissues to interconnect the surfaces to one another.

45. The method of claim 43, further comprising;
first applying to the surfaces to be linked to one another linking molecules that are a substrate of transglutaminase, in the presence of an amount of transglutaminase effective to crosslink the linking molecules to said surfaces, and

wherein the two tissues are crosslinked to one another by crosslinking the linking molecules to one another by applying to the treated surfaces complementary linking molecules that are a substrate of transglutaminase,

wherein the linking molecules and complementary linking molecules are crosslinked to one another by transglutaminase.

46. A method for attaching a nonextracellular matrix protein, agent to a body tissue comprising:

applying to the body tissue a conjugate of the agent and a linking molecule, the linking molecule being a polymer carrying at least 3 aliphatic amines spaced along the polymer,

applying to the body tissue transglutaminase in an amount effective for crosslinking the linking molecule to the body tissue, and

allowing the crosslinking to occur.

47. The method of claim 46, wherein the linking molecule is selected from the group consisting of at least 3, at least 4 and at least 5 contiguous lysines attached directly to one another by peptide bonds.

48. The method of claim 46, wherein the linking molecule is a polymer of amino acids and wherein the amino acids are selected from the group of: at least 20% of the amino acids are lysines, at least 30% of the amino acids are lysines, and at least 40% of the amino acids are lysines.

5

49. The method of claim 46, wherein the agent is selected from the group consisting of: a component of a high affinity noncovalent coupling pair; a receptor or a ligand of a receptor ligand complex; a pharmaceutical agent, a cosmetic agent, a sunscreen agent, a bulking agent, a hair conditioning agent, a hair fixative, a coloring agent, a moisturizing agent, a depilatory agent, an anti-nerve gas agent, a film forming agent, a vitamin and an insect repellant

10

50. The method of claim 46, wherein the body tissue is selected from the group consisting of: skin; hair; nails; a wound bed; and an internal tissue.

15

51. The method of claim 46, wherein the agent is not itself a substrate of transglutaminase.

52. The method of claim 46, wherein the agent is a nonprotein.

53. A composition of matter comprising:

20

a conjugate of a nonextracellular matrix, nonlabeling agent and linking molecule having a carboxamide, the linking molecule being a carboxamide-bearing substrate of transglutaminase,

wherein the agent is selected from the group consisting of a sunscreen agent, a cosmetic, an enzyme, a coloring agent, a pharmaceutical agent, a member of a ligand/receptor pair, a tissue sealant, a bulking agent, a hair conditioning agent, a hair fixative, a coloring agent, a moisturizing agent, a depilatory agent, an anti-nerve gas agent, a film forming agent, a vitamin, an insect repellant and a component of a high affinity noncovalent coupling pair, and

25

wherein the linking molecule is not native to the agent.

30

54. The composition of claim 53, wherein the linking molecule comprises at least 5 linked units, each unit being a carboxamide-bearing substrate for transglutaminase.

55. The composition of claim 54, wherein the linking molecule is selected from the group consisting of:

- (a) at least one glutamine,
- (b) at least two linked glutamines,
- 5 (c) at least three linked glutamines,
- (d) at least four linked glutamines, and
- (e) at least five linked glutamines.

56. The composition of claim 53, wherein the linking molecule is 4 or more contiguous
10 glutamines attached directly to one another by peptide bonds.

57. The composition of claim 53, wherein the linking molecule comprises a polymer of amino acids and wherein the amino acids are selected from the group consisting of: at least 20% of the amino acids are glutamines, at least 30% of the amino acids are glutamines, and at
15 least 40% of the amino acids are glutamines.

58. The composition of claim 53, wherein the linking molecule is a polymer rich in glutamine.

59. The composition of claim 53, wherein the agent is selected from the group consisting of a sunscreen agent, a cosmetic agent, a bulking agent, a hair conditioning agent, a hair fixative, a moisturizing agent, a depilatory agent, an anti-nerve gas agent, a film forming agent, a vitamin, an insect repellant, an enzyme, a coloring agent, a pharmaceutical agent, a ligand of a ligand-receptor complex, a receptor of a ligand-receptor complex, and a
25 component of a high affinity noncovalent binding pair.

60. The composition of claim 59, wherein the agent is selected from the group consisting of a cholinesterase and a phosphodiesterase.

61. The composition of claim 53, wherein the bond between the agent and the linking molecule is hydrolyzable under physiological conditions.

62. The composition of claim 59, wherein the agent is a pharmaceutical agent and the bond between the agent and the linking molecule is hydrolyzable under physiological conditions.

5 63. The composition of claim 53, wherein the agent is a nonprotein.

64. The composition of claim 53, wherein the agent in its native form free of conjugation to the linking molecule is not itself a substrate of transglutaminase.

10 65. A composition of matter comprising:

a conjugate of a nonextracellular matrix, nonlabeling agent and a polymer having multiple units carrying a polyaliphatic amine that is a substrate of transglutaminase,

wherein the agent is selected from the group consisting of a sunscreen agent, a cosmetic, an enzyme, a bulking agent, a hair conditioning agent, a hair fixative, a moisturizing agent, a depilatory agent, an anti-nerve gas agent, a film forming agent, a vitamin, a coloring agent, a pharmaceutical agent, a member of a ligand/receptor pair, a tissue sealant, an insect repellent and a component of a high affinity noncovalent coupling pair, and

wherein the polymer carries at least 3 aliphatic amines spaced at discrete intervals along the polymer.

66. The composition of matter of claim 65, wherein the polymer comprises at least 3, at least 4 or at least 5 contiguous lysines attached to one another by peptide bonds.

67. The composition of matter of claim 65, wherein the polymer comprises amino acids, and wherein at least 20%, at least 30% or at least 40% of the amino acids are lysines.

68. The compositions of matter of claim 65, wherein the bond between the agent and the linking molecule is hydrolyzable under physiological conditions.

69. The composition of matter of claim 65, wherein the agent is a nonprotein.

70. The composition of matter of claim 65, wherein the agent in its native form, free of

conjugation to the linking molecule, is not itself a substrate of transglutaminase.

71. A kit comprising
a package housing:

- 5 a first container containing the composition of any one of claims 53, 54, 55, 56, 57, 58,
59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69 and 70, and
a second container containing transglutaminase.

72. The kit of claim 71, further comprising

- 10 a third container housed by said package, the third container containing a linking
molecule that is a substrate of transglutaminase and that is covalently attached to the
composition contained in the first container if in the presence of transglutaminase.

73. The kit of claim 71, further comprising calcium housed by said package, except that
15 said calcium is not in said second container.

Abstract

Methods, products and kits are provided for attaching agents to body tissues using transglutaminase.

1/2




Fig. 1



Fig. 2



Fig. 3